

**ADDENDUM/ CORRIGENDUM NO.I**  
**COCHIN PORT AUTHORITY**

An ISO-9001:2015 & ISPS Compliant Port

Phone: 2666414

**CHIEF ENGINEER'S OFFICE**

Telefax:91048 266414

**COCHIN-682009**

E-mail : [ce@cochinport.gov.in](mailto:ce@cochinport.gov.in), [coptce@gmail.com](mailto:coptce@gmail.com)

Website: www.cochinport.gov.in

No. T6/T-2021/2024-C

Dated: 01 -10-2024

**TENDER FOR “RESURFACING KPK MENON ROAD FROM CHTS JN.  
TO CFS”**

**(Tender No. T6/T-2021/2024-C)**

Item No.8 of Schedule-A- Schedule of quantities to be done on contract shall be amended as detailed below:-

**Existing Item**

| Sl. No : | Sub- heads and items of work  | Approximate Quantity | Unit                 | Departmental rates (Rs) in figures | Departmental rates (Rs) in words                                     | Amount (Rs) in figures | Amount (Rs) in words   |
|----------|---|----------------------|----------------------|------------------------------------|--|------------------------|--|
| 1        | Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm ) to Wet Mix Macadam (WMM) specification including premixing the material with water at OMC in mechanical mix plant, carriage of mixed material by tipper to site, for all leads & lifts, laying in uniform layers with mechanical paver finisher in sub-base /base course | 537.00               | <u>M<sup>2</sup></u> | 3589.80                            | Rupees Three Thousand Five Hundred Eighty Nine and Eighty Paise Only | 1,927,722.60           | Rupees Nineteen Lakh Twenty Seven Thousand Seven Hundred Twenty Two and Sixty Paise Only |

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
| on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-charge. |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|

**Amended Item**

| Sl. No: | Sub-heads and items of work  | Approximate Quantity | Unit                  | Departmental rates (Rs) in figures | Departmental rates (Rs) in words                                     | Amount (Rs) in figures | Amount (Rs) in words   |
|---------|--|----------------------|-----------------------|------------------------------------|--|------------------------|--|
| 1       | Providing, laying, spreading and compacting graded stone aggregate (size range 53 mm to 0.075 mm ) to Wet Mix Macadam (WMM) specification including premixing the material with water at OMC in mechanical mix plant, carriage of mixed material by tipper to site, for all leads & lifts, laying in uniform layers with mechanical paver finisher in sub-base /base | 537.00               | <u>M</u> <sup>3</sup> | 3589.80                            | Rupees Three Thousand Five Hundred Eighty Nine and Eighty Paise Only | 1,927,722.60           | Rupees Nineteen Lakh Twenty Seven Thousand Seven Hundred Eighty Two and Sixty Paise Only |

|   |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|
| course on well prepared surface and compacting with vibratory roller of 8 to 10 tonne capacity to achieve the desired density, complete as per specifications and directions of Engineer-in-charge. |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|

All other terms & Conditions of tender remain unchanged.

**Sd/-  
CHIEF ENGINEER i/c**