

COCHIN PORT TRUST

Tele: 91-0484 -2666417/0484-258-2500 Telefax: 91-0484-2666417 E-mail: dc@cochinport.gov.in, Website: www.cochinport.gov.in

TENDER DOCUMENT

FOR

DRY DOCKING AND ALLIED REPAIRS OF COCHIN PORT TRUST'S GRAB HOPPER DREDGER NEHRU SHATABDI (TECHNICAL BID)

(E-Tendering Mode)

Website: www.tenderwizard.com/COPT

e-Tender No. MD/MES/TECH /188/2021(RT)

OFFICE OF THE DEPUTY CONSERVATOR, COCHIN PORT TRUST, COCHIN- 682 009.

Cost of Tender Document: Rs. 11,200/- (10,000 + 12% GST)

COCHIN PORT TRUST

MARINE DEPARTMENT

Tender No. MD/MES/TECH /188/2021(RT)(RT)

Tender for "Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi " <u>CONTENTS</u>

| SECTIONS | | DESCRIPTION | PAGE NO. |
|---|---|--|----------|
| | 1 | Notice Inviting Tender | 3 |
| G .: I | 2 | Instructions to Bidders | 10 |
| Section - I. | 3 | Schedule-I - List of documents to be submitted by the tenderer | 27 |
| | 4 | Annexures (1 to16) | 29 |
| Section - II | 1 | General Conditions of Contract: Parts A - G | 60 |
| Section III | Section III 1 Special Conditions of Contract | | 61 |
| Section - IV | Section - IV 1 Scope of Work & Technical Specifications | | 80 |
| Section V 1 | | Bill of Quantities | 107 |
| Section VI 1 Drawings (Attached separately) | | 108 | |

SECTION – I COCHIN PORT TRUST

Office of the Deputy Conservator, Cochin Port Trust, W/Island, Cochin, 682009, KERALA Tele: 91-0484-2666417/0484-2582500

website: www.cochinport.gov.in



Tender No. MD/MES/TECH /188/2021(RT)

Date:07-12-2021

1.NOTICE INVITING TENDER

- 1.1. Electronic Tenders (e-tenders) in Single Stage Two Cover bidding procedure [Technical Bid and Financial Bid], are invited by the Deputy Conservator, Cochin Port Trust, Willingdon Island, Cochin-682 009 from reputed firms meeting the Minimum Eligibility Criteria specified below for "Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".
- 1.2. **Minimum Eligibility Criteria:** Tenderer must fulfill the following Minimum Eligibility Criteria to prove the techno-commercial competence and submit the documents in support thereof:
 - (i) Average Annual financial turnover of the tenderer during the last three Financial Years, ending 31st March 2020 (ie. 2017-18, 2018-19 and 2019-20) should be atleast Rs. 3.9 crores.
 - (ii) Experience: The Tenderer should be in the business of Ship Repairs in India at least for the last two years ending 30-11-2021. The tenderer should have successfully completed *similar works* during the last seven years ending 30-11-2021 should be either of the following:
 - a) Three similar completed works costing not less than Rs.5.2 Crores OR
 - b) Two similar completed works costing not less than Rs. 6.5 crores OR
 - c) One similar completed work costing not less than Rs.10.4 Crores.

Note: In order to evaluate the tender, the value of executed works shall be brought to the current costing level by enhancing the actual value of the work upon completion, by using the following enhancement factors.

Table 1.1

| Works executed Year before | Multiplying factor | |
|------------------------------|--------------------|--|
| One year [November, 2020] | 1.07 | |
| Two years [November, 2019] | 1.14 | |
| Three years [November, 2018] | 1.21 | |
| Four years [November, 2017] | 1.28 | |
| Five years [November, 2016] | 1.35 | |
| Six years [November, 2015] | 1.42 | |

Definition of Similar Works

Similar works means dry docking repairs of vessels (including hull and machinery repairs) having the following minimum vessel parameters:-

i) Length overall: 90 Meters;ii) Breadth Moulded: 16 meters

iii) Draught: 4 meters

(iii) Technical Capability: Tenderer's Ship repair yard (either owned/leased) located in India where the repairs of Cochin Port Trust's Dredger GHD Nehru Shatabdi are proposed to be carried out in case the contract is awarded, should have a Dry-dock with the following minimum parameters:-

i) Length: 100 meters,ii) Breadth: 30 metersiii) Draught: 4 meters.

List of documents to be furnished along with the tender to prove the Minimum Eligibility Criteria:-

- (i) Copies of the audited Annual Balance sheet including Profit & Loss Account Statements of last three financial years, viz., 2017-18, 2018-19 & 2019-20 to be submitted in support of claims.
- (ii) A statement duly certified by the Chartered Accountant (his Registration Number should be shown) showing the Annual Financial Turnover during the last three financial years ending 31-03-2020 (viz. 2017-18, 2018-19 and 2019-20) should be furnished as per Annexure-6.
- (iii) Notarized copies of Work Orders and Satisfactory Completion Certificate issued by the Client in support of contracts having been executed as proof. Details of such contracts shall be furnished as per Annexure-5. The experience certificate of Works executed in private sectors / organisations shall be considered for qualification, only on submission of TDS certificate along with Work order and completion certificate. (As regards the tenders submitted by the bidding firms under Central/ State Government and PSUs, copies of work orders and satisfactory completion certificates duly attested by their authorised signing authority for the tender, are acceptable to CoPT)
- (iv) Details of facilities available in Tenderers' works/dry dock (either owned /leased) located in India where the repairs of Cochin Port Trust's Dredger GHD Nehru Shatabdi are proposed to be carried out in case the contract is awarded, shall be furnished as per Annexure-7 and shall furnish copy of lease agreement, if applicable.

1.3. Other Eligibility Considerations

- 1.3.1. Even though the Bidders meet the above qualifying criteria, they are subject to be disqualified if they have:
 - i) Made misleading or false representations in the forms, statements and attachments submitted in proof of the eligibility requirements; and/or

- ii) Record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, barred by the Central / State Government or organizations under them, from participating in any project or financial failures etc.
- 1.3.2. The Bidder should have valid GST Registration Certificate and PAN. Copies of supporting documents to be attached.
- 1.3.3. The Bidder should not have been blacklisted /debarred by any Govt. of India Organizations / PSU/ PSE / Govt. Depts. etc. for breach of any applicable laws or violation of regulations or breach of contractual agreement or rendering unsatisfactory services during the last 3 (Three) years. (Self-declaration to be submitted by the bidder along with their bid).
- 1.3.4. The Bidders having EPF and ESI registration only shall be considered for qualification in the Bids, if applicable, as per EPF /ESI Acts. In case, the Bidder does not have the required number of employees which makes such registration mandatory, an Undertaking to this effect shall be furnished.
- 1.3.5. The Tenderer shall furnish statements showing the value of existing commitments and on-going works as well as the stipulated period of completion remaining for each of the works, which shall be certified by a Chartered Accountant as per Annexure-9.

1.4. Pertinent information to the tender is given in the following Tables:

(i) Schedule of different activities till submission of the bids:

Table 1.2

| Sl. No. | Particulars | Date and Time | |
|---------|--------------------------------------|--|--|
| 1 | Tender e-publication date | 07-12-2021 | |
| 2 | Download period of Bid | 07 12 2021 to 28 12 2021 up to 14:00 hm | |
| | Documents | 07-12-2021 to 28-12-2021 up to 14:00 hrs. | |
| 3 | Pre-Bid meeting | 16-12-2021 at 11.00 hrs. (Through VC) | |
| 4 | Last date for seeking clarifications | Up to 17:00 hrs. on 15-12-2021 | |
| 5 | Last date and time of submission of | 28-12-2021 up to 15.00 hrs. | |
| 3 | Bid | | |
| 6 | Date and time of opening the | 28-12-2021 after 15.30 hrs. | |
| U | Technical Bid | 20-12-2021 attel 13.30 llls. | |
| | Date and time of opening of | Will be announced after completion of | |
| 7 | Financial Bids of technically | technical evaluation and pre-qualification | |
| | qualified bidders | of bids. | |

(ii) General Information:

Table 1.3

| Tender No. MD/MES/TECH /188/2021(RT) dated 07-12-2021. | | | |
|---|------------------------------------|---|--|
| Sl. No. | o. Item Details | | |
| 1 | Name of the work to be carried out | "Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi" | |
| 2 | Employer | Cochin Port Trust | |

| 3 | Employer's Representative | Deputy Conservator |
|---|---------------------------|---------------------------------------|
| 4 | Executing Authority | Deputy Conservator, Cochin Port Trust |

4.1.<u>Bid information:</u>

Table 1.4

| i) | Estimated Amount put to Tender | Rs. 1300.00 Lakhs (Rupees One Thousand Three Hundred Lakhs only) excluding GST | |
|------|---|--|--|
| ii) | Earnest Money Deposit | No EMD will be applicable for this tender as per the Ministry of Ports, Shipping and Waterways letter No.PD-24015/71/2020-PDVII(e-340929) dated 26-11-2020 and the Ministry of Finance, Department of Expenditure's OM No.F-9/4/2020-PPD dated 12-11-2020. In lieu of Bid Security / EMD, Bid Security Declaration shall be furnished as per the format enclosed as Annexure-3. Otherwise, the bids will be rejected. | |
| iii) | Cost of Bid document | Rs. 11,200/- (10,000 + 12% GST) (Non- refundable) furnished either through Demand Draft /Pay order/ Banker's Cheque drawn in favour of the FA & CAO, Cochin Port Trust, payable at Kochi, from any Commercial Bank in India or payment online, being the cost of single copy of the tender document. | |
| iv) | Validity period of Tender | 90 days from the Last Date for Receipt of Tenders. | |
| v) | Completion Period of Contract | a) For Shipyards located outside the Cochin Port Water Limits: Completion period of total 128 days from the date of receipt of Employers' Letter of Acceptance (LoA) by Contractor as detailed in Special Conditions of Contract which includes 75 days of repair period for Dry dock and afloat repairs. b) For Shipyards located within the Cochin Port Water Limits: Completion period of total 75 (seventy five) days from the date of arrival of the vessel at Contractor's Yard. Note: In both the cases (a) and (b) above, the vessel should be dry-docked on or before 31-01-2022. | |
| vi) | Name , Designation, Address and other details (For Submission of Bid in response to NIT) | Capt. Joseph J Alapat Deputy Conservator Cochin Port Trust, Willingdon Island, Kochi, 682009, Kerala. Email: dc@cochinport.gov.in | |

- 1.5. Bid downloaded e-Tendering Document be from the portal can www.tenderwizard.com/COPT on the dates specified above by making online requisition. Bid Document will also be available in Cochin Port website (www.cochinport.gov.in) as well as Central Public Procurement Portal (CPP Portal), which can be downloaded for submission. The cost of Bid Document shall be furnished in the form of Demand Draft/ Pay Order/ Banker's Cheque drawn in favour of FA & CAO, CoPT, along with the submission of Bid. Bidders are also permitted to pay the cost of Bid Document by online mode (NEFT/RTGS). Bank Account details of Cochin Port Trust is furnished in the below Table. The Bidders shall upload the proof of payment made towards cost of Bid Document along with the Bid Document while submitting the Bid electronically in the e-Tendering Portal.
- 1.6. In case of online payment of Cost of Tender Document, UTR number of the transaction should be communicated to the Deputy Conservator's e-mail of Cochin Port Trust as mentioned in Table 1.4 above, well in advance before opening of e-tender. Cochin Port Trust will verify the receipt of Cost of Tender Document as referred in UTR number in the Bank Account Number mentioned below. If cost of tender document has not been reflected in the Bank Account of Cochin Port Trust, the bid will be rejected. Bank Details of Cochin Port Trust are given below:

Table 1.5

| Name of Bank | State Bank of India |
|------------------|---------------------|
| Name of Branch | Cochin Port Trust |
| IFSC Code | SBIN0006367 |
| Account No | 10601197375 |
| Account Holder's | Cochin Port Trust |
| Name | |

- 1.7. The bidders need to obtain the one time User ID & password for log-in to <u>e-Tendering</u> system from the service provider <u>M/s. KEONICS</u> by paying the registration amount of <u>Rs. 1180/-</u> by online payment using Credit/Debit Card/Net Banking or DD in favour of "KSEDCL, Bangalore".
- 1.8. The intending bidder must have valid Class II or Class III digital signature certificate to submit the bid. For further details and to obtain the digital signature, please contact e-Tender Help Desk No. 080-49352000 / 9605557738.
- 1.9. The bidder is responsible to download the Tender Document, all Addenda / Amendments / Errata / Replies to the queries of bidders etc., if any, issued by CoPT, from the e-TenderingPortal / CoPT Website / CPP Portal before submission of the bid. Any shortfall in submission of the said Tender Document/Addenda / Amendments / Errata / Replies to the queries of the tenderer etc. duly signed along with the downloaded documents while uploading the bid, will render the Bid incomplete and incomplete Bid documents may be rejected.
- 1.10. All bids shall be submitted <u>online only</u>, on the website www.tenderwizard.com/COPT, strictly in accordance with the Instructions to Tenderers and Terms and Conditions given in the tender document. No bids shall be accepted off-line (Hard copy).
- 1.11. Cochin Port Trust will not be held responsible for any technical snag or network failure during online bidding. It is the bidder's responsibility to comply with the system requirement, i.e. hardware, software and internet connectivity, at bidder's premises to

access the e-Tender portal. Under any circumstances, Cochin Port Trust shall not be liable to the bidders for any direct/indirect loss or damages incurred by them, arising out of incorrect use of the e-Tender system or internet connectivity failures.

- 1.12. The Bidder shall submit Originals of: (i) DD /Pay Order/ Banker's Cheque towards the Cost of Bid Document; (ii) EMD Declaration; (iii) Power of Attorney in favour of signatory(s) to the Bid; (iv) Pre-Contract Integrity Pact (v)Copy of documentary proof of MSME/NSIC registration (if applicable) along with letter of submission in a sealed cover superscribing thereon the Tender Number, Name of Work, date notified for submission of tender and the name and address of the tenderer,_to the Deputy Conservator, Cochin Port Trust, W/Island, Cochin 682009, KERALA, on or before the last date and time of submission of bids. Non submission of original financial instrument towards cost of Bid Document, EMD Declaration, Power of Attorney as stated above and Pre-Contract Integrity Pact, before opening date and time of the Bid, will make the tender liable for rejection.
- 1.13. The Contractor's Scope of Work of Tender for Dry Docking and Allied Repairs of the CoPT's Grab Hopper Dredger Nehru Shatabdi consists of (a)Taking over of the Dredger from Employer at Employer's premises and her transit to Contractor's Dry-dock Repair Facilities at Contractor's cost and risk (b) Carrying out the repairs in Contractor's Dry Dock Facilities as per the detailed Repair list attached in the tender document and as per the additional work orders issued based on recommendations of IRS during the survey at Contractor's yard (c) Operational Trials of the repaired machineries/equipments of the Dredger at Contractors' premises on satisfactory completion of repairs/IRS Survey (d) Transit of Dredger from Contractor's premises to Cochin Port Trust at Contractor's cost and risk and handing over to Cochin Port Trust. All statutory approvals if any, in connection with the execution of Contract shall be under the Contractor's scope.

Note: If the Contractor's Yard/Dry-dock is within Cochin Port Water Limits, the Scope of Work mentioned at item (b) and item (c) above are only applicable. In cases where the Contractor's Yard is within Cochin Port's Water limits, CoPT will hand over the vessel alongside the contractors berth for repairs and will take over the vessel from contractor's premises at the cost of Employer.

- 1.14. The details given in the Scope of Work, Drawing, Special Conditions of Contract etc. are indicative and the Bidders have to assess the exact work requirement through their own means and sources and accordingly, costing shall be done for the work. It is made clear that the above said statement regarding indicative details of works to be executed does not attract any liability on the Port and the Port cannot be held responsible with any liability on the strength of the said statement.
- 1.15. All Tenderers are advised to visit CoPT and inspect the vessel "GHD Nehru Shatabdi" to ascertain its present condition and verify the certificates and other details of work to be carried out, in order to make themselves fully aware of the nature of work and the vessel, before submitting their offer. Cochin Port Trust will not be responsible for any cost or expenses incurred by the Tenderer in connection with the preparation or delivery of the tenders including cost and expenses related to visits to the sites. The intending bidders are requested to take prior permission of Cochin Port Trust along with the details of officials visiting the vessel by communicating to the e-mail given below. The visit for inspection shall be made on any working day, after obtaining the prior confirmation of Marine Engineering Superintendent, Cochin Port Trust. Mobile No. 09447290256/0484-2582502, E-mail: mes@cochinport.gov.in

- 1.16. Exemption from the payment of Cost of Tender document and EMD shall be given to Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the NSIC or the concerned Ministry or Department as provided in GFR 2017. They are required to submit documentary proof of such registration along with the original documents as specified in Clause 1.12 above, for claiming the available exemptions and a scanned copy of Exemption Certificate shall be uploaded in the e Tender Portal.
 - 1.17. Pre-Contract Integrity Pact (IP) shall cover this Bid throughout its various phases, and IP would be deemed as a part of the contract though an appropriate provision. The Bidders should sign and submit "Pre-Contract Integrity Pact" to be executed between the Bidder and CoPT in a separate envelope superscribed "Pre-Contract Integrity Pact" on or before the last date and time of submission of bids. Bids not accompanied by a duly signed "Pre-Contract Integrity Pact" shall be liable for rejection. IP would be implemented through the following panel of Independent External Monitors (IEM) for this tender:
 - 1) Shri. P R Ravikumar, IRS (Retd.) Akshath, No.84, First Avenue, Kumaranasan Nagar, Elamkulam (PO), Ernakulam – 682020 Email:p_r_ravikumar@yahoo.com
 - 2) Shri. M J Joseph, ICAS (Rtd.) 37, Da Costa Square 3rd Cross, Cooke Town Bangalore – 560 084 Email: mohan.joseph@gmail.com

For full details of the scheme of IP, you may visit the website of Central Vigilance Commission, New Delhi.

- 1.18. The bidder should not have been blacklisted or debarred by any Central / State Government / Agency of Central / State Government / Public Sector Undertaking / Regulatory Authority of India at the time of submission of this bid.
- 1.19. The undersigned reserves the right to reject/cancel/postpone/amend/ annul any one or all Bids at any stage of the Bid, which shall be binding on all Bidders without any liability or any obligation for such acceptance, rejection or annulment, without assigning any reasons.
- 1.20. This tender notice shall form part of the tender document and are to be signed and uploaded along with the technical bid.

Sd/-DEPUTY CONSERVATOR

Cochin Port Trust
Willingdon Island,
Cochin-682009, Kerala
Email:dc@cochinport.gov.in
www.cochinport.gov.in

SECTION -II

INSTRUCTIONS TO TENDERERS

1. **Introduction**

1.1. Sealed tenders in two-cover system are invited from eligible tenderers for "Dry docking and allied repairs of CoPT's Grab Hopper Dredger Nehru Shatabdi " as per the Scope of Work and Technical Specification given in Section IV of this tender document.

2. **General Instructions**

- 2.1. The Contract is to be executed as described in the Bid document and in particular in the Scope of Work and Technical Specification, General Conditions of Contract, Special Conditions of Contract, Bill of Quantities etc.
- 2.2. Before submitting the bid, the bidder shall examine carefully all conditions of contract, specifications, etc. supplied herewith. It will be deemed that prior to the submission of tender, the tenderer has inspected the Dredger and has satisfied himself as to the nature of work, general conditions, working conditions etc. and that the tenderer has estimated his cost accordingly and the Port Trust will be in no way responsible for the lack of such knowledge and also consequences thereof to the tenderer. Failure to visit the vessel will in no way relieve the successful Bidder of any of the obligations in performing the Work in accordance with this Bid Document including addenda/corrigenda, within the quoted price.
- 2.3. A bidder shall be deemed to have full knowledge of all documents, working conditions etc. whether he has inspected them or not. The submission of a bid by the bidder implies that he has read the Notice and Conditions of Contract and has made himself aware of the scope and specifications and other factors bearing on the bid and that they are binding on him.
- 2.4. The bidders may please note that the EMPLOYER will not entertain any correspondence or query on the status of the offers received against this Bid. Bidders are also requested not to depute any of their personnel or agents to visit the Employer's offices for making such enquiries till finalization of the bid. Should the EMPLOYER find it necessary to seek any clarification, technical or otherwise, the concerned bidder will be duly contacted by the EMPLOYER.
- 2.5. Canvassing in any form by the bidder or by any other agency acting on behalf of the bidder after submission of the bid may disqualify the said bidder. The Employer's decision in this regard shall be final and binding on the bidder.
- 2.6. The EMPLOYER will not be liable for any financial obligation in connection with the work tendered until such time the EMPLOYER has communicated to the successful bidder in writing its decision to entrust the Contract (covered by the bid document issued to him).
- 2.7. Telex / E-mail offers will not be considered. Bidders should prepare their bid themselves and submit it online. Bids submitted by agents will not be recognized.
- 2.8. Bids received after the due date and time and any change in bid after the specified date will be rejected. EMPLOYER will not be responsible for the loss of the bid document or for the delay in postal transit.
- 2.9. In case of an unscheduled holiday to CoPT on the prescribed closing / opening day of the bid, the next working day will be treated as the scheduled prescribed day of closing / opening of the bid.
- 2.10. While evaluating the bids received, regard would be paid to National Defense and Security Considerations, at the discretion of the Cochin Port Trust. Bid received from any bidder may be summarily rejected on National Security Consideration without

- any intimation thereof to the bidder.
- 2.11. If there are varying or conflicting provisions made in any document forming part of the contract, the Deputy Conservator, Cochin Port Trust, Cochin 682009 shall be the deciding authority with regard to the intention of the document which will be binding on the Bidder.
- 2.12. In case Cochin Port Trust desires to inspect the tenderer's Yard for confirmation of its availability and capacity etc., necessary arrangements shall be made by the tenderer for such inspection.
- 2.13. Any error in description, any omissions there from shall not vitiate the contract or release the Contractors from the execution of whole Work or any part of the Works comprised therein, according to the Scope of work, Specifications or from any of his obligations under the contract.
- 2.14. The Contractor shall comply with all the provisions of the Indian Employees Compensations Act, Provident Fund Regulations, Employees Provident Fund Act, ESI Act, the Minimum wages Act and other applicable labor laws etc. amended from time to time and rules framed there under and other laws affecting the contract labour that may be brought in to force from time to time.
- 2.15. The Contractor shall be registered under GST and shall furnish documentary evidence in support of valid GST registration.
- 2.16. Exemption from the payment of Cost of Tender document and EMD shall be given to Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the NSIC or the concerned Ministry or Department as provided in GFR 2017. They are required to submit documentary proof of such registration along with the original documents as specified in Clause 1.12 above, for claiming the available exemptions and a scanned copy of Exemption Certificate shall be uploaded in the e Tender Portal. The MSEs are exempted from the payment of Cost of Tender document and EMD.
- 2.17. In the Letter of Submission, the Bidder shall compulsorily indicate two nos. of current active email addresses to which further Bid related communication can be sent by CoPT. All communication from CoPT shall be deemed to have been delivered when the email is sent to the specified email addresses, ie, the date of sending email by CoPT shall be considered as the date of receipt by the Bidder. CoPT shall, in no way, be responsible for the non-receipt of any such communication by the Bidder due to whatever reasons on this account.
- 2.18. In all matters arising out of the provisions of this tender/contract, the laws of the Union of India shall be the governing laws and courts in Ernakulam, Kerala State shall have exclusive jurisdiction.

3. **Invitation for Bids:**

3.1. The Invitation for Bids is open to all eligible bidders meeting the Minimum Eligibility Criteria.

4. Downloading of Tender Documents:

4.1. Tender documents can be downloaded from the e-Tendering portal www.tenderwizard.com/COPT on the dates specified in NIT by making online requisition. Tender document can also be downloaded from Cochin Port website www.cochinport.gov.in or Central Public Procurement (CPP) Portal. Demand Draft /Pay Order/ Banker's Cheque for cost of tender document drawn in favour of the

Financial Adviser & Chief Accounts Officer (FA &CAO), CoPT from any Commercial Bank having its branch at Kochi shall be submitted at the time of submission of bids and scanned copy of the same shall be attached with the e-tender. In case if the payment in this regard is made on-line, proof of same shall be furnished to the Deputy Conservator by email prior to the opening of Technical Bids.

4.2. In case of tender document being downloaded from the website, at the time of uploading, the tenderer shall give an undertaking that no changes have been made in the document. The Port's Tender document will be treated as authentic tender and if any discrepancy is noticed at any stage between the Port's tender document and the one submitted by the tenderer, the Port's document shall prevail. For the discrepancies found at any time, the tenderer shall be liable for legal action.

5. One Bid per Bidder:

Each Bidder shall submit only one Bid. A Bidder who submits or participates in more than one Bid will cause all the proposals with the Bidder's participation to be disqualified.

6. The Bidder:

The Bidder shall be a single entity only.

7. Cost of Bidding:

The Bidder shall bear all costs associated with the preparation and submission of his Bid, and the Employer will in no case be responsible and liable for those costs.

8. Visiting the Dredger:

8.1. The Bidder, at the Bidder's own responsibility and risk is encouraged to visit the Dredger and obtain all information that may be necessary for preparing the Bid and entering into a contract for execution of the Work. The costs of visiting the dredger shall be borne by the Bidder. For visiting the Dredger for any further information of the work before preparing his Price Bid, the tenderer may contact the Chief Engineer of the vessel/MES, CoPT.

9. Clarification of the Bidding Documents:

9.1. The tenderers are advised to examine the Tender Document carefully and if there be or appear to be any ambiguity or discrepancy in the documents, or any clarifications needed on the Tender Documents; these shall be referred to the Deputy Conservator in writing at the following address, so as to reach them at least by 15-12-2021 at 17:00 hrs. It is to be noted that no queries, clarifications will be answered after this date.

Address: Deputy Conservator, Cochin Port Trust, Willingdon Island, Cochin, 682009, Kerala, India.

Phone: 91-0484-2666417 / 2582500/ 2582502/2582521

Fax: 91-0484-2666417

Email: dc@cochinport.gov.in; mes@cochinport.gov.in, sajeev.va@cochinport.gov.in

10. **Pre-Bid Meeting:**

10.1. A prospective tenderer requiring any clarification of the tender shall submit their queries in writing / e-mail in advance before 17.00 hrs. on 15-12-2021. The Pre-Bid meeting will be held through Video Conference at 11.00 hrs. on 16-12-2021. The bidders who wish to attend the Pre-bid Meeting may send their request well in advance by email to the Deputy Conservator/MES so as to share the link for attending the meeting through

Video Conference.

11. Amendment of Bidding Documents:

11.1. The Deputy Conservator, Cochin Port Trust shall have the right to omit or suspend certain items of Work or revise or amend the Bid documents prior to the due date of submission of the Bid by issuance of addenda/corrigenda. Any addendum / corrigendum thus issued shall be part of the Tender Document. The addendum/corrigendum, if any, shall only be hosted in the e-tender portal as well as in the website of the Cochin Port. It is the responsibility of the Bidders to download such addenda/ corrigenda hosted in the website and submits the same duly signed along with the Bid. In order to afford the Bidders with reasonable time to take addendum into account, or for any other reason, the Port Trust may, at its discretion, extend the due date for submission of Bid and Bid Extension Notice shall be hosted in the web site.

12. Preparation of bids:

- 12.1. All documents relating to the bid shall be in the English language.
- 13. **Minimum Eligibility Criteria:** Tenderer must fulfill the following Minimum Eligibility Criteria to prove the techno-commercial competence and submit the documents in support thereof:
 - (i) **Average Annual financial turnover** of the tenderer during the last three Financial Years, ending 31st March 2020 (ie. 2017-18, 2018-19 and 2019-20) should be atleast Rs. 3.9 crores.
 - (ii) **Experience**: The Tenderer should be in the business of Ship Repairs in India at least for the last two years ending 30-11-2021. The tenderer should have successfully completed *similar works* during the last seven years ending 30-11-2021 should be either of the following:
 - a) Three similar completed works costing not less than Rs.5.2 Crores OR
 - b) Two similar completed works costing not less than Rs. 6.5 crores OR
 - c) One similar completed work costing not less than Rs.10.4 Crores.

Note: In order to evaluate the tender, the value of executed works shall be brought to the current costing level by enhancing the actual value of the work upon completion, by using the following enhancement factors.

Table 1.1

| Works executed Year before | Multiplying factor | |
|------------------------------|--------------------|--|
| One year [November, 2020] | 1.07 | |
| Two years [November, 2019] | 1.14 | |
| Three years [November, 2018] | 1.21 | |
| Four years [November, 2017] | 1.28 | |
| Five years [November, 2016] | 1.35 | |
| Six years [November, 2015] | 1.42 | |

Definition of Similar Works

Similar works means dry docking repairs of vessels (including hull and machinery repairs) having the following minimum vessel parameters:-

i) Length overall: 90 Meters;

ii) Breadth Moulded:16 meters

iii) Draught: 4 meters

(iii)**Technical Capability**: Tenderer's Ship repair yard (either owned/leased) located in India where the repairs of Cochin Port Trust's Dredger GHD Nehru Shatabdi are proposed to be carried out in case the contract is awarded, should have a Dry-dock with the following minimum parameters:-

i) Length: 100 meters,ii) Breadth: 30 metersiii) Draught: 4 meters.

List of documents to be furnished along with the tender to prove the Minimum Eligibility Criteria:-

- (i) Copies of the audited Annual Balance sheet including Profit & Loss Account Statements of last three financial years, viz., 2017-18, 2018-19 & 2019-20 to be submitted in support of claims.
- (ii) A statement duly certified by the Chartered Accountant (his Registration Number should be shown) showing the Annual Financial Turnover during the last three financial years ending 31-03-2020 (viz. 2017-18, 2018-19 and 2019-20) should be furnished as per Annexure-6.
- (iii) Notarized copies of Work Orders and Satisfactory Completion Certificate issued by the Client in support of contracts having been executed as proof. Details of such contracts shall be furnished as per Annexure-5. The experience certificate of Works executed in private sectors / organisations shall be considered for qualification, only on submission of TDS certificate along with Work order and completion certificate. (As regards the tenders submitted by the bidding firms under Central/ State Government and PSUs, copies of work orders and satisfactory completion certificates duly attested by their authorised signing authority for the tender, are acceptable to CoPT)
- (iv) Details of facilities available in Tenderers' works/dry dock (either owned /leased) located in India where the repairs of Cochin Port Trust's Dredger GHD Nehru Shatabdi are proposed to be carried out, in case the contract is awarded, shall be furnished as per Annexure-7 and shall furnish copy of lease agreement, if applicable.

14. Other Eligibility Considerations

- 14.1. Even though the Bidders meet the above qualifying criteria, they are subject to be disqualified if they have:
 - (i) Made misleading or false representations in the forms, statements and attachments submitted in proof of the eligibility requirements; and/or
 - (ii) Record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, barred by Central/State Government or organizations under them, from participating in any project or financial failure etc.

- 14.2. The Bidders should have valid GST Registration Certificate and PAN. Copies of supporting documents to be attached.
- 14.3. The Bidder should not have been blacklisted /debarred by any Govt. of India Organizations / PSU/ PSE / Govt. Depts. etc. for breach of any applicable laws or violation of regulations or breach of contractual agreement or rendering unsatisfactory services during the last 3 (Three) years. (Self-declaration to be submitted by the bidder along with their bid).
- 14.4. The bidders having EPF and ESI registration only shall be considered for qualification in the Bids, if applicable, as per EPF/ESI Acts. In case the bidder does not have the required number of employees which makes such registration mandatory, an under taking to this effect shall be furnished.
- 14.5. The Tenderer shall furnish statements showing the value of existing commitments and on-going works as well as the stipulated period of completion remaining for each of the works, which shall be certified by a Chartered Accountant as per Annexure-9.

15. Bid Prices:

15.1All the works to be carried out by the bidder are grouped into eleven categories of works. Each category consists of different line items of work. Different Categories of works are as follows:-

| Sl. | Group | Group Title | |
|-----|-------|---|--|
| No. | | _ | |
| 1 | A | Dry Dock hire charges & allied service charges | |
| 2 | В | Surface Preparation, Cleaning & Painting | |
| 3 | C | Steel Renewals | |
| 4 | D | Hopper System | |
| 5 | Е | Deck Cranes | |
| 6 | F | Steel Fabrication – Main Deck and | |
| U | 1' | Accommodation | |
| 7 | G | Deck Machinery | |
| 8 | Н | Engine Room Machinery | |
| 9 | I | Electrical Works | |
| 10 | J | Miscellaneous Works | |
| 11 | K | Transit of Vessel from CoPT to Contractor's | |
| 11 | IX. | Yard for repairs and back to CoPT after repairs | |

15.2Tenderers shall quote their prices for all the line items included in the above 11 Groups. Otherwise, their tender will not be considered. This confirmation shall be indicated in the Schedule –I of the technical bid, otherwise their offer will be disqualified and price bids will not be opened. Tenderers having Yards within Cochin Port Water Limits need not quote their rates for Group K and should enter Zero against Group K, ie. Transit of Vessel from CoPT to Contractor's Yard for repairs and back to CoPT after repairs. Where the Tender's Yard is within Cochin Port water limits, CoPT will transport and hand over the dredger at their jetty premises of such tenderers for repairs and take over the Dredger from their jetty premises after completion of repairs. While evaluating the Financial bids of such tenderers, CoPT shall load on their quoted price, an estimated incidental expenses to be incurred by CoPT for transporting and handing over of the

Dredger at Contractor's Jetty premises for dry-docking & repairs and for bringing back the vessel to CoPT's premises after satisfactory completion of repairs as detailed under Clause 29, Evaluation of Bids. Tenderers whose Yards are located outside CoPT water limits are required to indicate the minimum number of days required by them for completing all the statutory and other formalities for commencing the sailing of vessel from CoPT to their Yard and also from their Yard to CoPT after repairs separately. Such Tenderers shall also indicate the total number of days required for to and fro sailing of the vessel in the BOQ.

- 15.3The offered rates in Section V, Bill of Quantities (Financial Bid) may be filled in figures only. The quoted rates in words will appear automatically. The Bidders should ensure that his offered rates as per the Financial Bid is not mentioned anywhere in any other documents in Technical Bid submission, directly or indirectly. If any such mention is made, the tender will become invalid and shall become liable for rejection.
- 15.4Tenderer shall quote for all line items in the price schedule including duties and taxes **except GST**. No line items in the price bid should kept blank.

15.5 IRS inspection charges will be paid directly by CoPT and hence need not be included in the quoted price.

15.6The price shall be quoted by filling the prescribed format of price schedule **on-line only.** The rates quoted should be firm without any price variation clauses.

16. Bid Validity:

- 16.1. Bids shall remain valid for a period of not less than ninety days (90) after the deadline date for bid submission. A bid valid for a shorter period shall be rejected by the Employer as non-responsive. Should any tenderer withdraw or modify his Tender during the period of validity specified in the Bid Documents (including extended validity, if any) the bid submitted would be rejected and such bidders will be suspended from participating in the future tenders invited by Cochin Port Trust for a period of two years from the date of such Suspension Orders.
- 16.2. In exceptional circumstances, prior to expiry of the original time limit, the Employer may request the Bidder to extend the period of validity for an additional period. The request and bidders response shall be made in writing. A bidder agreeing to the request will not be permitted to modify his bid (i.e, the extension shall be unconditional).

17. Bid Security / EMD:

- 17.1. No EMD will be applicable for this tender as per the Ministry of Ports, Shipping and Waterways letter No.PD-24015/71/2020-PDVII(e-340929) dated 26-11-2020 and Ministry of Finance, Department of Expenditure OM No.F-9/4/2020-PPD dated 12-11-2020. In lieu of Bid Security / EMD, the bidders are required to submit a Bid Security Declaration along with the tender as per the format enclosed as Annexure-3. Any bid not accompanied by the above mentioned Bid Security Declaration shall be treated as Non-responsive and shall be rejected by the Employer.
- 17.2. Cochin Port Trust reserves its right to suspend the bidders from participating in the future tenders invited by Cochin Port Trust for a period of two years from the date of such Suspension Orders, under the following circumstances:
 - (i) If after the opening of Tender, if the bidder withdraw or modify his Tender during the period of validity specified in the Bid Documents (including extended validity, if any) or do not accept the correction of the Tender Price pursuant to any arithmetical errors.

(ii) After the award of work, if the bidder fails to furnish the required Performance Security or fails to sign the Contract, within the time limits specified in the Tender Document.

18. No Alternative Proposals by Bidders:

18.1. Bidders shall submit offers that comply with the requirements of the Tender documents. Alternatives will not be considered.

19. Format and Signing of Bid:

- 19.1. Tenderer shall prepare one set of his Tender, duly completed and signed, along with other documents mentioned hereinafter. Form of Bid shall be signed by a person or persons duly authorized to sign on behalf of the Bidder with signature duly witnessed and company seal affixed. The Power of Attorney (in original) authorizing the signatory/s of the Tender shall be enclosed. All pages of the bid where entries or amendments have been made, shall be signed by the person or persons signing the Bid.
- If the tenderer is an individual it shall be signed by the individual and his full name and address shall be given. A self-declaration to the effect that the bidder is the sole owner of the bidding firm shall be furnished. In the event of the tender being submitted by a registered partnership firm, it must be accompanied by a copy of Registered Partnership Deed. The tender in such case shall be signed by a person holding a proper Power-of-Attorney authorizing him to do so and to bind all the partners in all matters pertaining to the contract including the arbitration clause. Such power-of-attorney shall be duly executed on a stamp paper of appropriate value, in the name of Bidder's authorised representative to act on behalf of the Bidder, duly authenticated by a notary public or equivalent certifying authority to be attached with the tender which must disclose that the firm is duly registered under Indian Partnership Act. If the tender is made by a Limited Company it shall be signed by a duly authorized person. In such cases, Power of Attorney duly executed in stamp paper of appropriate value, in the name of Bidder's authorised representative to act on behalf of the Bidder, duly authenticated by a notary public or equivalent certifying authority shall be furnished along with the tender. In the case of a Limited Company the tender should be accompanied by the Memorandum and Articles of Association, copy of Board's Resolution showing the authority to sign the tenders by the signatory and notarized copy of the Incorporation Certificate of the Company.

20. Bid Submission:

- 20.1. Bid shall be submitted in two parts, **Part I: Technical Bid** and **Part II: Price Bid through e-tender mode** before the last date and time of submission of bid.
- 20.2. For online submission of Technical **Bid**, the scanned copies of the documents as detailed in clause 22.1 below need to be submitted through e-Tendering mode on **www.tenderwizard.com/COPT**.
- 20.3. Price Bid (Schedule-II) in the provided format shall be submitted only through etendering mode on www.tenderwizard.com/COPT. In no case shall filled in Price Bid (Schedule II) be submitted in hard copy, as it shall result in rejection of the tender.
- 20.4. Tenders shall be submitted "online" strictly in accordance with the Instructions to Bidders and Terms & Conditions given in the Tender Document. The Bidders should submit scanned copy of all the required documents such as DD / Pay Order / Banker's Cheque towards the cost of tender and EMD Declaration; proof of experience, financial details etc. through the e-tendering portal.
- 20.5. The Bidder shall submit the originals of (i) DD/ Pay Order/ Bankers Cheque towards the cost of Tender Document (ii) EMD/Bid Security Declaration, (iii) Power of Attorney,

if applicable, and (iv) Integrity Pact (v) Documentary proof of MSME/NSIC registration (if applicable) **along with letter of submission** in a sealed cover duly mentioning the Tender No. & Name of Work, due date of opening of Bid and Name of the Bidder to the **Deputy Conservator, Cochin Port Trust, W/Island, Cochin – 682009, KERALA** so as reach on or before the last date and time fixed in the tender.

- 20.6. Non submission of the original financial instrument towards cost of Tender Document, EMD/Bid Security Declaration and Pre-Contract Integrity Pact duly signed within the above period leads to disqualification of Bids.
- 20.7. The successful Bidder shall submit original of complete Technical Bid already submitted in e-mode within 7 days of receipt of Letter of Acceptance issued for the Work.

21. Information Required in the Bid

- 21.1. **Part I -Technical Bid** shall contain the following:
 - a) Cost of Tender Document
 - b) Earnest Money Deposit Declaration as described in Clause 17 above (vide **Annexure-3**)
 - c) Pre Contract Integrity Pact, duly signed (vide *Annexure-4*)
 - d) Letter of Submission (vide *Annexure-1*)
 - e) Power of Attorney (in original) in favour of signatory/s to the Tender, duly authenticated by Notary Public. (vide *Annexure -2*)
 - f) Check list as per **Schedule I**
 - g) Organization Details (vide *Annexure-8*)
 - h) Concurrent Commitments (vide Annexure-9).
 - Details of past experience as per *Annexure-5* and Work Orders and Completion Certificates in proof of experience in Similar Works as detailed under clause 13 of Instruction to Bidders.

Explanatory Notes:

- (1) Original or notary certified copy of completion certificates of each Work issued by the owner/ the responsible officers of the owner under whom he has executed such contracts along with notarized copy of connected Work order shall be attached. The completion Certificate shall invariably contain the following among other things.
 - (i) Brief details of Work involved
 - (ii) Completion cost of the Work
 - (iii) Date of commencement
 - (iv) Actual and Scheduled Date of completion of the Work.
- (2) The Works indicated in Annexure- 5 will only be considered for evaluation. Mere submission of Work Completion Certificate will not be considered as Eligible Assignments.
- (3) As regards the tenders submitted by the bidding firms under Central/ State Government and PSUs, authentication of Power of Attorney in favour of signatory/s to the tender, by Notary Public is exempted.
- j) Details of facilities available in Tenderers' works/dry dock (owned or leased) located in India where the repairs of Cochin Port Trust's Dredger GHD Nehru Shatabdi are proposed to be carried out, in case the contract is awarded, as per Annexure.-7.
- k) A statement duly certified by Chartered Accountant showing Average Financial turnover of the Bidder over the last three financial years (2017-'18, 2018-'19

- and 2019-'20) (vide *Annexure-6*) supported by Audited Financial statements for the above three years.
- 1) Form of Bid duly signed and sealed
- m) Bid document including all addenda/corrigenda
- n) Registered Partnership Deed or Memorandum and Articles of Association of the Company and Registration Certificate of the Company as the case may be.
- o) Copies of GST, PAN, EPF and ESI registration
- p) Documentary proof for MSME registration, if applicable
- q) A declaration to the effect that (vide *Annexure 10*):-
 - 1. No conditions are incorporated in the financial bid. In case any conditions are specified in the financial bid, the tender will be rejected summarily without making any further reference to the bidder.
 - 2. We have not made any payment or illegal gratification to any persons/ authority connected with the bid process so as to influence the bid process and have not committed any offence under PC Act in connection with the bid.
 - 3. We disclose with that we have * made / not made payments or propose to be made to any intermediaries (agents) etc. in connection with the bid.
 - 4. We do hereby confirm that no changes have been made in the tender document downloaded and submitted by us for the above bid. Port Tender document will be treated as authentic tender and if any discrepancy is noticed at any stage between the Port's tender document and the one submitted by the tenderer, the Port's document shall prevail.
 - 5. We do hereby confirm that we have not been blacklisted or debarred by any Central/ State Government/ agency of Central/ State Government/ Public Sector Undertaking/ Regulatory Authority of India at the time of submission of this bid.
 - 6. We do hereby confirm our acceptance that :-
- (i) All the costs, risks and responsibility of the Dredger during the execution of the Contract (ie. Commencing from the date of taking over of the Dredger from the Employer by the Contractor for repairs of the vessel to till delivery of the Dredger back to the Employer at Employer's premises after satisfactory completion of all the works as per the Scope of Work of the Contract), shall be entirely vest with the Contractor.
- (ii) The Employer is entitled to receive all the insurance claims in whole that may be sanctioned by the underwriters pertaining to any damages/mishaps that may have caused to the vessel during the execution of the Contract (ie. commencing from the date of taking over of the Dredger from the Employer by the Contractor for repairs of the vessel to till delivery of the Dredger back to the Employer at Employer's premises after satisfactory completion of all the works as per the Scope of Work of the Contract).
- (iii)The Contractor is wholly responsible to make good all the losses/damages that may be suffered by the Employer due to occurrence of any untoward incident (s), whatsoever it may be, at any stage during the execution the Contract, at the cost

and risk of the Contractor. If the actual losses/damages suffered by the Employer due to occurrence of any such event, is wholly/partly not covered under insurance, such losses/damages suffered by the Employer shall be fully compensated by the Contractor at his cost and risk.

- (iv)In case termination of the Contract either by Employer or Contractor, the Contractor is liable to safely transit and handover the Dredger to the Employer at Cochin Port Trust premises as per the terms of Termination of the Contract.
 - r) Details of litigation history, blacklisting etc. of the Bidder, if any.
 - s) Bank information for e- Payment system as per Annexure- 13.
- 21.2. **Part-II**: **Price Bid**" shall contain Bill of Quantities Schedule II shall be duly filled in and fully priced, which shall be submitted only **in e-tendering mode.**

22. List of Documents to be submitted:

22.1. List of Documents to be uploaded for online submission of Technical Bid:

- (i) Scanned copy of financial instruments towards cost of Tender Document/ evidence of payment of Cost of Tender Document online or scanned notarized copy of Exemption Certificate, as the case may be.
- (ii) Letter of Submission, as per format at Annexure-1.
- (iii) Power of Attorney in favour of signatory/s to the Tender, duly authenticated by Notary Public, as per format at Annexure-2.
- (iv) EMD / Bid Security Declaration (Annexure-3)
- (v) Pre-Contract Integrity Pact, duly signed (vide *Annexure-4*)
- (vi) Scanned copies of Annexures- 5 to 13, duly signed
- (vii) Scanned copy of Form of Bid duly filled, signed and sealed as per Annexure-11
- (viii) Scanned copy of Partnership Deed or Memorandum and Articles of Association of the Company and Registration Certificate of the Company as the case may be.
- (ix) Scanned notarized copies of Work Orders and completion certificates of similar Works
- (x) Scanned copies of Audited Financial statements for the last three years ending 31-03-2020.
- (xi) Technical Bid document including all addenda/corrigenda and General Conditions of Contract with Amendments in PDF format except Section V, Bill of Quantities .
- (xii) Copies of PAN, GST, EPF and ESI registration

22.2. List of documents to be submitted in original.

- (i) DD / Pay Order/ Bankers Cheque towards Cost of Tender Document/ scanned notarized copy of Exemption Certificate, as the case may be
- (ii) EMD/Bid Security Declaration (vide Annexure-3)
- (iii) Letter of Submission (vide *Annexure-1*)
- (iv) Power of Attorney, duly authenticated by Notary Public (vide *Annexure-2*)
- (v) Pre-Contract Integrity Pact, duly signed (vide *Annexure-4*)
- (vi) Copy of documentary proof of MSME/NSIC registration (if applicable)
- 22.2.1. The Bidder shall submit original documents in a sealed cover, superscribing thereon the Tender Number, Name of Work, date notified for submission of tender and the name and address of the tenderer, either in person or sent by registered post / courier to the Deputy Conservator, Cochin Port Trust, Willingdon Island, Cochin, 682009,

- KERALA, on or before the last date and time of submission of bids. Non submission of the original instrument towards cost of tender document before the opening date and time will make the tender liable for rejection.
- 22.3. **Part II: Financial Bid:** Tenderers shall submit the BOQ/ Price Bid in the online portal www.tenderwizard.com/COPT only. Otherwise, the tender will be rejected.
- 22.4. Tenders shall be submitted <u>online</u> strictly in accordance with the Instructions to Tenderers and Terms and Conditions given in the tender document. The bidders should submit scanned copy of all the documents including instruments towards the cost of tender; proof of experience, financial details etc. through the e-tendering portal.

23. Deadline for Submission of the Bids:

23.1. E-tenders attaching all documents shall be submitted 'on-line' in the e-tender portal strictly in accordance with the terms and conditions of the tender document before the time and the date notified in Table 1.2 of NIT.

24. Late Bids:

Any Bid received by the Employer after the Bid due date will be returned unopened to the Bidder.

25. Bid Opening – Technical Bid:

- 25.1. **Technical Bid**: Original Documents as mentioned at Clause 22.2. above shall be opened in the office of the **Deputy Conservator**, *Cochin Port Trust* after **15.30 Hours** on the last date fixed for receiving the Tenders. Submission of Cost of Tender document and EMD Declaration will be verified initially. In case the above documents are not deposited or are not in order, the Bid will not be opened further and hard copy submitted will be returned.
- 25.2. Technical Bid shall be opened in the online Portal, <u>www.tenderwizard.com/COPT</u> on the date and time fixed for tender opening.

26. Bid Opening – Financial Bid:

26.1. Financial Bid of those tenderers who are found qualified after evaluation of Technical Bids will be opened "on-line". Date and time of opening of Price Bid will be intimated to the qualified bidders. Qualified bidders can witness opening of Price Bid by logging into the e-tender Portal, www.tenderwizard.com/COPT on the date and time intimated for opening of Price Bid.

27. Clarification of Bids

To assist in the examination and comparison of Bids, the Employer may, at his discretion, ask any Bidder for clarification of his Bid. The request for clarification and the response shall be in writing, but no change in the price or substance of the Bid shall be sought, offered, or permitted.

No Bidder shall contact the Employer on any matter relating to his Bid from the time of the Bid opening to the time the contract is awarded.

Any effort by the Bidder to influence the Employer's Bid evaluation, Bid comparison or contract award decisions, may result in the rejection of his Bid.

28. Examination of Bids and Determination of Responsiveness

- 28.1. Prior to detailed evaluation of Bids, Cochin Port Trust will determine whether each Bid
 - (a) Meets the Minimum Eligibility Criteria defined in Clause 13.
 - (b) Has been properly signed by an authorized signatory (accredited representative)

- holding Power of Attorney in his favour. The Power of Attorney shall inter alia include a provision to bind the Bidder to settlement of disputes clause.
- (c) Is accompanied by the required Tender Document fee and Bid Security Declaration.
- (d) Pre-Contract Integrity Pact, duly signed
- (e) Is responsive to the requirements of the Bidding documents.

A responsive bid is one which conforms to all the terms, conditions and specification of the bidding documents, without material deviation or reservation. A material deviation or reservation is one which affects in any substantial way the scope, quality or performance of the Works;

- (i) which limits in any substantial way, the Employer's rights or the Bidder's obligations under the Contract; or
- (ii) whose rectification would affect unfairly the competitive position of other Bidders presenting responsive Bids.
- (iii) undertakes in the Technical Bid that he has not incorporated any conditions in the Price Bid
- 28.2.If a Bid is not substantially responsive, it shall be rejected by the Employer, and may not subsequently be made responsive by correction or withdrawal of the non-conforming deviation or reservation.

29. Evaluation of Price Bid

- 29.1. Only those tenders, as determined to be substantially responsive to the requirements of the Tender Documents will be evaluated. Other non-responsive tenders will be rejected. Cochin Port's decision on this shall be final, conclusive and binding. A tender that is seriously unbalanced in relation to the cost estimate of Cochin Port Trust, may be rejected as non-responsive.
- 29.2. Tenders will be evaluated based on the final cost to be incurred by Cochin Port in connection with the repair work of the Dredger as per the Scope of Work of Tender. The final cost of repair work of Dredger to be incurred by Cochin Port Trust will be calculated by adding the following components:-

| Sl. | In the case of bidders whose Repair Yards is | In the case of bidders whose | |
|-----|---|--------------------------------------|--|
| No. | located outside Cochin Port Water limits | Repair Yard is located within | |
| | | Cochin Port Water limits | |
| | Total Price excluding GST quoted by the bidder | Total Price excluding GST quoted | |
| | for all the line items as per the Bill of Quantity | by the bidder for all the line items | |
| | (BOQ) of Tender, which will be arrived at by | as per the Bill of Quantity (BOQ) of | |
| 1 | multiplying the rate of each line item in the Bill | Tender, which will be arrived at by | |
| 1 | of Quantity (BOQ) and the quantity of | multiplying the rate of each line | |
| | corresponding line item without GST. | item in the Bill of Quantity (BOQ) | |
| | | and the quantity of corresponding | |
| | | line item without GST. | |
| | Estimated overall Incidental expenses of | | |
| 2 | Rs.11.00 lakhs , to be incurred by Cochin Port | Not applicable | |
| | Trust for deputing & stationing the Employees | | |
| | and Officers of Cochin Port Trust to the | | |

| | Contractor's Yard from the date of arrival of the Dredger at Contractor's premises till the date of sailing of the Dredger from Contractor's Yard after satisfactory completion of repairs. | |
|---|--|--|
| 3 | Not applicable | Estimated overall Incidental expenses of Rs.40,000/- to be incurred by Cochin Port Trust for transporting and handing over of the Dredger at Contractor's Jetty premises for dry-docking & repairs and the incidental expenses to be incurred by CoPT for bringing back the vessel to CoPT's premises after satisfactory completion of repairs. |
| 4 | Additional insurance expenditure to be incurred by CoPT (as quoted by the IRDAI approved Insurance Company) during (a) voyage of vessel to Repairer's Yard for dry-docking, (b) return voyage to Cochin Port after repairs and (c) during the stay of vessel at Repairer's Yard. | Not applicable |

The offered rates in the Price Schedule (Bill of Quantities) of Financial Bid shall be filled in figures only. The quoted rates in words will appear automatically. The Bidders should ensure that his offered rates as per the Financial Bid is not mentioned anywhere in any other documents in Technical Bid submission, directly or indirectly. If any such mention is made, the tender will become invalid and shall become liable for rejection.

In order to determine the lowest evaluated bid, Cochin Port Trust will consider the final cost of repair work of Dredger to be incurred by Cochin Port Trust as detailed above.

30. Alteration of tender documents:

30.1. No alteration shall be made in any of the Tender Documents or in the Bill of Quantities and the tender shall comply strictly with the terms and conditions of the Tender Document. The Employer may however ask any Bidder for clarifications of his tender if required. Nevertheless, no Bidder will be permitted to alter his tender price after opening of the tender.

31. Alternative Conditions and Proposals:

The Bidder shall note that alternative proposal for whole or part of the Work will not be acceptable. Tenders containing any qualifying conditions or even Bidder's clarifications in any form will be treated as non-responsive and will run the risk of rejection. Price Bid of such Bidder's will not be opened.

32. Award of Contract:

The Employer will award the Contract to the Bidder whose Bid has been determined to be responsive to the Bidding documents and who has offered the lowest evaluated Bid price, provided that such Bidder has been determined to be:

- (i) Eligible in accordance with the provisions of Clause 13, and
- (ii) Qualified in accordance with the provisions of Clause 13.

33. Notification of Award:

- 33.1. The Bidder whose Bid has been accepted will be notified about the award by the Employer prior to the expiry of the Bid Validity period by email or facsimile, confirmed by registered letter. This letter (hereinafter and in the Conditions of Contract called the "Letter of Acceptance") will state the sum that the Employer will pay the Contractor in consideration of the execution, completion and maintenance of the Works by the Contractor as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price").
- 33.2. The notification of award will constitute the formation of the Contract subject only to the furnishing of a Performance Security in accordance with the provisions of Clause 34.

34. Performance Security / Security Deposit:

- 34.1. The successful bidder is required to submit Security Deposit within 14 days from the date of receipt of Letter of Acceptance (LoA), to guarantee fulfillment of performance and the obligations of the contract, in any one of the following forms:-
 - (a) Account Payee Demand Draft / Banker's Cheque/Pay Order of a Nationalised/ Scheduled Indian Bank having its branch at Kochi in favour of FA&CAO, Cochin Port Trust.
 - (b) An irrevocable and unconditional Bank Guarantee as per the Format enclosed in Annexure-15 of the tender document, drawn from any Nationalised /Scheduled Indian bank having its branch at Cochin acceptable by *Cochin Port Trust*.
 - (c) On-line payment to the Bank Account of Cochin Port Trust indicated in Clause 1.6 of Notice Inviting Tender.
 - 34.2. The value of Security Deposit shall be equivalent to 3% of the total contract value excluding GST.
 - 34.3.In case the Security Deposit is furnished in the form of Bank Guarantee, the same should remain valid for a period of 60 days beyond the completion of Defects Liability period of the contract.
 - 34.4.Cochin Port Trust is not bound to pay interest on the Security Deposit furnished by the successful bidder.

35. Sanctions for Violations:

- 35.1. Any breach of the aforesaid provisions by the Bidder or any one employed by it or acting on its behalf (whether with or without the knowledge of the Bidder) shall entitle the Employer to take all or any one of the following actions, wherever required:-
 - (i) The Security Deposit/Performance Guarantee shall stand forfeited either fully or partially, as decided by the Employer and the Employer shall not be required to assign any reason therefore.
 - (ii) To immediately cancel the contract, if already signed, without giving any compensation to the Bidder.
 - (iii) To cancel all or any other Contracts with the Bidder. The Bidder shall, be liable to pay compensation for any loss or damage to the Employer resulting from such cancellation/rescission and the Employer shall be entitled to deduct the amount so payable from the money(s) due to the Bidder.
 - (iv) To debar the Bidder from participating in future Bidding processes of the Government of India for a minimum period of five years, which may be further extended at the discretion of the Employer.
 - (v) To recover all sums paid in violation of the Bid by Bidder (s) to any middleman or agent or broker with a view to securing the contract.
 - (vi) Forfeiture of Performance Guarantee in case of a decision by the Employer to

forfeit the same without assigning any reason for imposing sanction for violation of this Bid.

- 35.2. The Employer will be entitled to take all or any of the actions mentioned above by the Bidder or any one employed by it or acting on its behalf (whether with or without the knowledge of the Bidder), of an offence as defined in Chapter IX of the Indian Penal code, 1860 or Prevention of Corruption Act, 1988 or any other statute enacted for prevention of corruption.
- 35.3. The decision of the Employer to the effect that a breach of the provisions of this Bid has been committed by the Bidder shall be final and conclusive on the Bidder. However, the Bidder can approach the Independent Monitor(s) appointed for the purposes of this Pact [In case Integrity Pact is applicable].
- 35.4. In the event of the Contractor failing to honour any of the commitments entered into under this Contract, Cochin Port Trust shall have unconditional option to encash the Security Deposit. The bank shall be obliged to make payment to Cochin Port Trust upon demand.
- **35.5.** In the event of the tenderer, after the issue of the communication of acceptance of offer by the Board, failing / refusing to execute the agreement as hereinafter provided, the tenderer shall be deemed to have abandoned the contract and such an act shall amount to and be construed as the Contractor's calculated and the willful breach of the contract, the cost and consequence of which shall be to the sole account of the tenderer and upon such an event the Board shall have full right to claim damages.

36. Signing of Agreement:

36.1.The successful tenderer will be required to execute an Agreement at his expense within 7 (seven) days from the date of furnishing Security Deposit by the Contractor, on proper value Kerala State Stamp Paper in the prescribed form as per Annexure-.14 The agreement as finally executed will include the Employer's Bid Documents and the Bidder's offer as finally accepted by the EMPLOYER together with addendum / corrigendum, bid clarification and all correspondences exchanged between EMPLOYER and the bidder, if any. Till the formal agreement is executed, the Letter of Acceptance together with the offer as finally accepted along with correspondences shall form a binding contract between the two parties.

37. Fraud and Corrupt Practices:

- 37.1. The bidder and their respective officers, employees, agents and advisers shall observe the highest standard of ethics during the Selection Process. Notwithstanding anything to the contrary contained in this document, the Port shall reject the tender without being liable in any manner whatsoever to the bidder, if it determines that the bidder has, directly or indirectly or through an agent, engaged in corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice (collectively the "Prohibited Practices") in the Selection Process. In such an event, the Port shall, without prejudice to its any other rights or remedies, forfeit and appropriate the Bid Security or Performance Security, as the case may be, as mutually agreed genuine pre-estimated compensation and damages payable to the Port for, inter alia, time, cost and effort of the Authority, in regard to the Tender, including consideration and evaluation of such Bidder's Proposal. Such Bidder shall not be eligible to participate in any tender or RFP issued by the Authority during a period of 2 (two) years from the date such Bidder is found by the Authority to have directly or through an agent, engaged or indulged in any corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice, as the case may be.
- 37.2.For the purposes of this Clause, the following terms shall have the meaning hereinafter respectively assigned to them:
 - (a) "corrupt practice" means

- (i) the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of any person connected with the Selection Process (for avoidance of doubt, offering of employment to or employing or engaging in any manner whatsoever, directly or indirectly, any official of the Authority who is or has been associated in any manner, directly or indirectly with the Selection Process or the LoA or has dealt with matters concerning the Agreement or arising there from, before or after the execution thereof, at any time prior to the expiry of one year from the date such official resigns or retires from or otherwise ceases to be in the service of the Authority, shall be deemed to constitute influencing the actions of a person connected with the Selection Process; or
- (ii) engaging in any manner whatsoever, whether during the Selection Process or after the issue of the LoA or after the execution of the Agreement, as the case may be, any person in respect of any matter relating to the Project or the LoA or the Agreement, who at any time has been or is a legal, financial or technical consultant / adviser of the Authority in relation to any matter concerning the Project;
- (b) "fraudulent practice" means a misrepresentation or omission of facts or disclosure of incomplete facts, in order to influence the Selection Process;
- (c) "coercive practice" means impairing or harming or threatening to impair or harm, directly or indirectly, any persons or property to influence any person's participation or action in the Selection Process;
- (d) "undesirable practice" means
 - (i) establishing contact with any person connected with or employed or engaged by the Authority with the objective of canvassing, lobbying or in any manner influencing or attempting to influence the Selection Process; or
 - (ii) having a Conflict of Interest; and
- (e) "Restrictive practice" means forming a cartel or arriving at any understanding or arrangement among Applicants with the objective of restricting or manipulating a full and fair competition in the Selection Process.

38. Rejection of Tender:

Any Tender not conforming to the foregoing instructions will not be considered. The Employer does not bind himself to accept the lowest or any tender and has the right to reject or discharge the tender without assigning any reason.

Signature of the tenderer with seal

COCHIN PORT TRUST

Tender No. MD/MES/TECH /188/2021(RT)

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

SCHEDULE – I LIST OF DOCUMENTS TO BE SUBMITTED BY THE TENDERER IN PART-I, TECHNICAL BID

| Sl. | Clause | Description of Description | Whether submitted by the |
|-----|--------------------------|---|---------------------------------------|
| No | Ref. No. | Description of Documents | Tenderer (Yes/No.) & Ref. of page No. |
| 1 | Table 1.4 (iii) | Cost of Tender Documents – | |
| | of Notice | Rs. 11,200/- (Rs.10,000/- + 12% GST) | |
| | Inviting | (Rupees Eleven thousand two hundred | |
| | Tender | only) in the form of DD/ Banker's | |
| | T-1-1- 1 4 (!!) | cheque or online payment. | |
| 2 | Table 1.4 (ii) of Notice | Declaration in liqu of EMD/Bid Sequeity | |
| | Inviting | Declaration in lieu of EMD/Bid Security (Annexure-3) | |
| | Tender | (Aimexure-3) | |
| 3 | Cl.No.20.5 of | | |
| | Instruction to | Letter of submission as per Annexure-I | |
| | Tenderer | r i i i i i i i i i i i i i i i i i i i | |
| 4 | Cl.No.20.5 of | Dayson of Attornov duly outhanticated by | |
| | Instruction to | Power of Attorney duly authenticated by Notary Public as per Annexure-2 | |
| | Tenderer | | |
| 5 | Cl.No.20.5 of | Pre-contract Integrity Pact as per | |
| | Instruction to | Annexure-4. | |
| | Tenderer | E CB:111 C11 1 1 : 1 | |
| 6 | Clause 21.1. | Form of Bid duly filled and signed as per | |
| 7 | (k) Clause 21.1. | Annexure-11. | |
| / | (k) | Contract Data duly filled and signed as per Annexure-12. | |
| 8 | Cl.No.13 of | Information regarding experience of | |
| | Instruction to | having executed similar works as per | |
| | Tenderer | Annexure-5 along with notarized copies | |
| | | of works orders and work completion | |
| | | certificate issued by the Clients. | |
| 9 | Cl.No.13 of | Statement of Average Annual Financial | |
| | Instruction to | Turnover during last three years ending | |
| | Tenderer | 31-03-2020 certified by Chartered | |
| | | Accountant as per Annexure-6 along | |
| 10 | C1.11 12 2 | with audited financial statements. | |
| 10 | Cl.No.13 of | Details of Dry-dock Facilities of | |
| | Instruction to | Tenderer as per Annexure-7 (including | |
| | Tenderer | copy of lease agreement, if applicable) | |

| 11 | Clause 21.1. (g) | Organisation Details of the Tenderer as per Annexure -8 | |
|----|---|---|--|
| 12 | Clause 22.1. (vi) | Details of Concurrent Commitments of the Tenderer as per Annexure-9 | |
| 13 | Clause 21.1. (p) | Declaration as per Annexure-10 | |
| 14 | Clause 22.1. (vi) | Format for Furnishing Bank information for e-payment as Annexure-13 | |
| 16 | Cl.No.21.1 (l) of Instruction to Tenderer | Tender document duly filled in except Price Schedule (Schedule – II) and addendum, duly signed and stamped. | |
| 17 | Cl.No.21.1 (m) of Instruction to Tenderer | Partnership Deed or Memorandum and Article of Association of the Company and Registration Certificate of the company, Proprietorship Declaration as applicable. | |
| 18 | Cl.No.21.1 (n) of Instruction to Tenderer | Documents in support of PAN,GST, EPF, ESI Registration | |
| 19 | Cl.No.21.1 (o) of Instruction to Tenderer | Documentary Proof of MSME/NSIC registration, if applicable | |
| 20 | Cl.No.21.1 (q) of Instruction to Tenderer | Detailed information regarding current litigation, if any, in which the tenderer is currently involved. | |
| 21 | Clause 15.2 of Instruction to bidders | Confirmation that the Tenderer has quoted their prices for all the line items of all Groups of Works as applicable. | |

Note: All the documents submitted by the tenderer shall be page numbered. Tenderer is required to mention relevant page numbers / marking of his offer while filling up the above format.

Signature of Tenderer with seal

COCHIN PORT TRUST

SECTION I

ANNEXURES

| Sl. No. | Annexures | Description | |
|------------|-----------|--|----|
| 1 | 1 | Letter of Submission | |
| 2 | 2 | Proforma of Power-of-Attorney / Letter of Authority | |
| 3 | 3 | Format of Declaration inlieu of EMD/Bid Security | |
| 4 | 4 | Format of Pre-Contract Integrity Pact. | |
| 5 | 5 | Details of Past Experience of Contractors for Similar Works | |
| 6 | 6 | Statement of Average Annual Financial Turnover | 42 |
| 7 | 7 | Details of Dry-dock Facilities of Tenderer | 43 |
| 8 | 8 | Organization Details | 44 |
| 9 | 9 | Concurrent Commitments of the Tenderer | 45 |
| 10 | 10 | Declaration | 46 |
| 11 | 11 | Form of bid | 48 |
| 12 | 12 | Contract Data | 51 |
| 13 | 13 | Format for Furnishing Bank information for e-payment | 54 |
| 14 | 14 | Form of Agreement | 55 |
| 15 | 15 | Proforma of Bank Guarantee for Performance Guarantee/ Security Deposit | |
| 16 | 16 | Format of No Claim Certificate | 59 |

COCHIN PORT TRUST

LETTER OF SUBMISSION- COVERING LETTER (ON THE LETTER HEAD OF THE BIDDER)

| $\overline{}$ | | |
|---------------|-----|--|
| I) | ate | |

To

The Deputy Conservator, Cochin Port Trust.

Sir,

Sub: "Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

We are submitting our Bid enclosing the following, with the details as per the requirements of the Bid Document, for your evaluation.

- (i) Tender Document along with Addendum No. ----
- (ii) Cost of Tender Document videor MSME/NSIC Registration, if applicable.
- (iii) Power of Attorney (Annexure- 2)
- (iv) EMD/Bid Security Declaration (Annexure-3)
- (v) Pre-Contract Integrity Pact (Annexure-4)
- (vi) Details of the past experience of similar works to fulfill the "Minimum Eligibility Criteria" (Annexure 5), work orders and work completion certificates:
- (vii) Statement duly certified by Chartered Accountant showing Average Annual Financial Turnover during the last 3 Financial years ending 31-03-2020 (Annexure-6):
- (viii) Audited Financial Statements for the last three financial years ending 31-03-2020.
- (ix) Facilities available in Tenderer's Yard to undertake the repairs (Annexure-7);
- (x) Organization Details (Annexure-8)
- (xi) Details of Concurrent Commitments (Annexure-9)
- (xii) Declaration (Annexure -10)
- (xiii) Form of Bid (Annexure-11)
- (xiv) Contract Data (Annexure-12);
- (xv) Bank Information of the Bidder (Annexure-13)

Signature

(Authorised Signatory)

PROFORMA OF POWER- OF-ATTORNEY/LETTER OF AUTHORITY

(To be submitted on Non-judicial Stamp Paper of appropriate value and should be authenticated by Notary Public/)

| | authenticated by Notary Public/) |
|---------------------------------|--|
| То | The Deputy Conservator, Cochin Port Trust, Cochin 682009. Kerala, India. |
| Dear S We | r, |
| AND negoti docki Shata | by confirm that Mr./Ms./Messrs[INSERT NAME DDRESS], whose signature is given below, is /are authorized to represent us to bid, te and conclude the agreement on our behalf with you against Tender for "Dry g and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru di "- Tender No. MD/MES/TECH/188/2021(RT) firm that we shall be bound by all and whatsoever our said agents shall commit. |
| Signa | re of the authorized person: |
| Name | & Designation: |
| | Yours faithfully, |
| | Signature, name and seal of the certifying authority |

COCHIN PORT TRUST

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

FORMAT OF DECLARATION INLIEU OF EMD/BID SECURITY (To be submitted on the Bidder's Letter Head)

| I/We(Insert Name and Address of Bidder) am/are submitting this | | | | |
|---|--|--|--|--|
| declaration in lieu of Bid Security/Earnest Money Deposit for the Tender for | | | | |
| (Insert Title of the Tender) (Tender No), thereby fully | | | | |
| accepting that I/We will be suspended and shall not be eligible to participate in the | | | | |
| Tenders invited by Cochin Port Trust, for a period of Two years from the date of such | | | | |
| Suspension Orders, under the following circumstances:- | | | | |

- a) If after the opening of Tender, I/We withdraw or modify my/our Tender during the period of validity specified in the Bid Documents (including extended validity, if any) or do not accept the correction of the Tender Price pursuant to any arithmetical errors.
- b) If after the award of work, I/We fail to furnish the required Performance Security or sign the Contract, within the time limits specified in the Departmental Tender Document.

Signature of the Tenderer with seal

Annexure-4

COCHIN PORT TRUST

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

PROFORMA OF PRE-CONTRACT INTEGRITY PACT

General

| This Pre- | -Bid Pre-Contract A | Agreement (hereir | nafter calle | ed the I | ntegrity | Pact) is 1 | made on | this |
|-----------|----------------------|-------------------|--------------|----------|----------|------------|------------|---------|
| the | day of the mon | th of | | 2021, t | oetween | the Boa | rd of T | rustees |
| of | Cochin | Port | Trus | t | ac | ting | t. | hrough |
| Shri | | | | | | | | |
| | , (Desig | nation of the Of | ficer), Coo | chin Po | rt Trust | (hereina | after call | led the |
| 'EMPLO | YER', which exp | ession shall me | an and ii | nclude, | unless | the con | text oth | erwise |
| requires, | his successors in | office and assi | gns) (| of | the | First | Part | and |
| M/s | | | | | | | repres | ented |
| by Shri. | | | Chief Ex | xecutiv | e Office | r (herein | after cal | led the |
| "BIDDE | R" which expression | on shall mean an | d include, | unless | the con | text othe | rwise re | quires, |
| his succe | essors and permitted | assigns) of the S | econd Par | t. | | | | |

WHEREAS the 'EMPLOYER' has invited Bids for the work of "Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi" (hereinafter referred to as the "Work") and the BIDDER is submitting his Bid for the Work and

WHEREAS the BIDDER is a Private Limited company/Public Limited company/Government undertaking/registered partnership firm constituted in accordance with the relevant law in the matter and the 'EMPLOYER' is Cochin Port Trust.

NOW, THEREFORE,

To avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to:-

Enabling BIDDERS to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and the 'EMPLOYER' will commit to prevent corruption, in any form, by its officials by following transparent procedures.

The parties hereto hereby agree to enter into this Integrity Pact and agree as follows:

1. Commitments of the 'EMPLOYER'

1.1. The 'EMPLOYER' undertakes that no official of the 'EMPLOYER', connected directly or indirectly with the contract, will demand, take a promise for or accept, directly or through intermediaries, any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the BIDDER, either for themselves or for any person,

organisation or third party related to the contract in exchange for an advantage in the bidding process, bid evaluation, contracting or implementation process related to the contract.

- 1.2. The 'EMPLOYER' will, during the pre-contract stage, treat all BIDDERS alike and will provide to all BIDDERS the same information and will not provide any such information to any particular BIDDER which could afford an advantage to that particular BIDDER in comparison to other BIDDERS.
- 1.3.All the officials of the 'EMPLOYER' will report to the appropriate Government office any attempted or completed breaches of the above commitments as well as any substantial suspicion of such a breach.
- 2. In case any such preceding misconduct on the part of such official(s) is reported by the BIDDER to the 'EMPLOYER' with full and verifiable facts and the same is prima facie found to be correct by the 'EMPLOYER' necessary disciplinary proceedings, or any other action as deemed fit, including criminal proceedings may be initiated by the 'EMPLOYER' and such a person shall be debarred from further dealings related-to the contract process. In such a case while an enquiry is being conducted by the 'EMPLOYER' the proceedings under the contract would not be stalled.

3. Commitments of BIDDERS

The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract and in particular commit itself to the following:-

- 3.1. The BIDDER will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the 'EMPLOYER' connected directly or indirectly with the bidding process, or to any person, organisation or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.
- 3.2. The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the 'EMPLOYER' or otherwise in procuring the Contract or forbearing to do or having done any act in relation to the obtaining or execution of the contract or any other contract with the Government for showing or forbearing to show favour or disfavour to any person in relation to the contract or any other contract with the Government.
- 3.3. * BIDDERS shall disclose the name and address of agents and representatives and Indian BIDDERS shall disclose their foreign principals or associates.
- 3.4. * BIDDERS shall disclose the payments to be made by them to agents/brokers or any other intermediary, in connection with this bid/contract.
- 3.5. * The BIDDER further confirms and declares to the 'EMPLOYER' that the BIDDER has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to the BUYER or any of its functionaries, whether

- officially or unofficially to the award of the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.
- 3.6. The BIDDER, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made, is committed to or intends to make to officials of the 'EMPLOYER' or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.
- 3.7. The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- 3.8. The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- 3.9. The BIDDER shall not use improperly, for purposes of competition or personal gain, or pass on to others, any information provided by the 'EMPLOYER' as part of the business relationship, regarding plans, technical proposals and business details, including information contained in any electronic data carrier. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.
- 3.10. The BIDDER commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.
- 3.11. The BIDDER shall not instigate or cause to instigate any third person to commit any of the actions mentioned above.
- 3.12. If the BIDDER or any employee of the BIDDER or any person acting on behalf of the BIDDER, either directly or indirectly, is a relative of any of the officers of the 'EMPLOYER' or alternatively, if any relative of an officer of the 'EMPLOYER' has financial interest/stake in the bidder's firm, the same shall be disclosed by the BIDDER at the time of filing of tender. The term 'relative' for this purpose would be as defined in Section 6 of the Companies Act 1956.
- 3.13. The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of the 'EMPLOYER'.

4. Previous Transgression

- 4.1. The BIDDER declares that no previous transgression occurred in the last three years immediately before signing of this Integrity Pact, with any other company in any country in respect of any corrupt practices envisaged hereunder or with any Public Sector Enterprise in India or any Government Department in India that could justify bidder's exclusion from the tender process.
- 4.2. The BIDDER agrees that if it makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

5. Earnest Money (Bid Security) and Security Deposit (Performance Guarantee)

5.1. While submitting commercial bid, the BIDDER shall submit a Bid Security Declaration along with the tender as per the format enclosed as Annexure-3 in lieu of Bid Security / EMD.

- 5.2.EMPLOYER reserves its right to suspend the bidders from participating in the future tenders invited by EMPLOYER for a period of two years from the date of such Suspension Orders, under the following circumstances:
 - (1) If after the opening of Tender, if the BIDDER withdraw or modify his Tender during the period of validity specified in the Bid Documents (including extended validity, if any) or do not accept the correction of the Tender Price pursuant to any arithmetical errors.
 - (2) After the award of work, if the BIDDER fails to furnish the required Performance Security or fails to sign the Contract, within the time limits specified in the Tender Document.
- 5.3.In case of the successful BIDDER, a Performance Guarantee in the form of Bank Guarantee valid till 60 days after the end of defect liability period will also be furnished to the EMPLOYER 'within 14 days of Letter of Acceptance of the Bid by the 'EMPLOYER'.
- 5.4.In case of the successful BIDDER, a clause would also be incorporated in the Article pertaining to Performance Security in the Contract that the provisions of Sanctions for Violation shall be applicable for forfeiture of Performance Security in case of a decision by the EMPLOYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.
- 5.5.No interest shall be payable by the 'EMPLOYER' to the BIDDER on Security Deposit for the period of its currency.

6. Sanctions for Violations

- 6.1. Any breach of the aforesaid provisions by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle the 'EMPLOYER' to take all or any one of the following actions, wherever required:-
 - (i) To immediately call off the pre-contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceedings with the other BIDDER(s) would continue.
 - (ii) If after the opening of Tender, if the BIDDER withdraw or modify his Tender during the period of validity specified in the Bid Documents (including extended validity, if any) or do not accept the correction of the Tender Price pursuant to any arithmetical errors **OR** After the award of work, if the BIDDER fails to furnish the required Performance Security or fails to sign the Contract, within the time limits specified in the Tender Document, the EMPLOYER reserves its right to suspend the BIDDER from participating in the future tenders invited by EMPLOYER for a period of two years from the date of such Suspension Orders.
 - (iii) The Performance Security (after the Contract is signed) shall stand forfeited either fully or partially, as decided by the EMPLOYER and the EMPLOYER shall not be required to assign the reason therefore.

- (iv) To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.
- (v) If the EMPLOYER has terminated the Contract according to Section -4, or if the EMPLOYER is entitled to terminate the contract according to Section -4, the EMPLOYER shall be entitled to demand and recover from the CONTRACTOR, liquidated damages equivalent to 5% of the Contract Value, or the amount equivalent to Performance Security, whichever is higher.

The BIDDER agrees and undertakes to pay the said amounts, without protest or demur, subject only to the condition that, if the BIDDER /Contractor can prove and establish that the termination of the Contract after the Contract award has caused no damage or less damage than the amount of liquidated damages, the BIDDER/Contractor shall compensate the EMPLOYER, only to the extent of the damage in the amount proved.

- (vi) To debar the BIDDER from participating in future bidding processes of the EMPLOYER/Government of India for a minimum period of five years, which may be further extended at the discretion of the 'EMPLOYER'
- (vii) To recover all sums paid in violation of this Pact by BIDDER(s) to any middleman or agent orbroker with a view to securing the contract.
- (viii) To cancel all or any other Contracts with the BIDDER. The BIDDER shall, be liable to pay compensation for any loss or damage to the 'EMPLOYER' resulting from such cancellation/rescission and the 'EMPLOYER' shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.
- 6.2. The 'EMPLOYER' will be entitled to take all or any of the actions mentioned at para 6.1(i) to (viii) of this Pact also on the commission by the BIDDER or any one employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER), of an offence as defined in Chapter IX of the Indian Penal code, 1860 or Prevention of Corruption Act, 1988 or any other statute enacted for prevention of corruption.
- 6.3. In case of a final decision by the EMPLOYER to the effect that a breach of the provisions of this Pact has been committed by the BIDDER, it shall be binding and therefore, notified to the BIDDER forthwith. However, the BIDDER can approach the Independent Monitor(s) appointed for the purposes of this Pact in appeal, under intimation to the EMPLOYER, within a period not later than of one month of the date of such notification. In such cases, the decision of the Independent Monitor(s) will be final, conclusive and binding on both the BIDDER and the EMPLOYER.

7. Fall Clause

7.1. The BIDDER undertakes that it has not performed/is not performing similar work at a price lower than that offered in the present bid in respect of any other Ministry/Department of the Government of India or PSU and if it is found at any stage

that similar project was performed by the BIDDER to any other Ministry/Department of the Government of India or a PSU at a lower price, then that very price, with due allowance for elapsed time, will be applicable to the present case and the difference in the cost would be refunded by the BIDDER to the 'EMPLOYER', if the contract has already been concluded.

"Similar Work" means a Contract with similar location, scope of work, terms and conditions of Contract and such other aspects which would have material effect on the bid price.

8. **Independent Monitors**

- 8.1.The 'EMPLOYER' has appointed the following Independent Monitors (hereinafter referred to as Monitors) for this Pact in consultation with the Central Vigilance Commission.
 - 1) Shri. P R Ravikumar, IRS (Retd.)Akshath, No.84, First Avenue, Kumaranasan Nagar, Elamkulam (PO), Ernakulam – 682020 Email:p_r_ravikumar@yahoo.com
 - 2) Shri. M J Joseph, ICAS (Rtd.) 37, Da Costa Square 3rd Cross, Cooke Town Bangalore – 560 084 Email: mohan.joseph@gmail.com
- 8.2. The task of the Monitors shall be to review independently and objectively, whether and to what extentthe parties comply with the obligations under this Pact.
- 8.3. The Monitors shall not be subject to instructions by the representatives of the parties and perform their functions neutrally and independently.
- 8.4.Both the parties accept that the Monitors have the right to access all the documents relating to the project/bidding, including minutes of meetings.
- 8.5.As soon as the Monitor notices, or has reason to believe, a violation of this Pact, he will so inform the Authority designated by the EMPLOYER,
- 8.6.The BIDDER(s) accepts that the Monitor has the right to access without restriction to all Contract documentation of the EMPLOYER, including that provided by the BIDDER. The BIDDER will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his Contract documentation. The same is applicable to Subcontractors. The Monitor shall be under contractual obligation to treat the information and documents of the BIDDER/Subcontractor(s) with confidentiality.
- 8.7. The EMPLOYER, will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the parties. The parties will offer to the Monitor the option to participate in such meetings.
- 8.8.The Monitor will submit a written report to the designated Authority of BUYER/ EMPLOYER within 8 to 10 weeks from the date of reference or intimation to him by the EMPLOYER/ BIDDER and, should the occasion arise, submit proposals for correcting problematic situations.

9. Facilitation of Investigation

In case of any allegation of violation of any provisions of this pact or payment of commission, the EMPLOYER or its agencies shall be entitled to examine all the documents including the Books of Accounts of the BIDDER and the BIDDER shall provide necessary information and documents in English and shall extend all possible help for the purpose of such examination.

10. Law and Place of Jurisdiction

- 10.1. This Pact is subject to Indian Law.' The place of performance and jurisdiction is the seat of the EMPLOYER
- 10.2. The person signing this IP shall not approach the Courts while representing the matters to Monitors and he/she shall wait for the decision of Monitors in the matter.

Other Legal Actions

The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.

11. Validity

- 12.1. The validity of this Integrity Pact shall be from date of its signing and extend upto 5 years or the complete execution of the contract to the satisfaction of both the EMPLOYER and the BIDDER, including warranty period, whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.
- 12.2.Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact shall remain valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 12. The parties hereby sign this Integrity Pact at on

| EMPLOYER | BIDDER |
|----------------------------------|-------------------------------------|
| Name of the Officer. | CHIEF EXECUTIVE OFFICER Designation |
| Designation Cochin Port Trust | |
| Witness | Witness |
| 1 | 1 |
| 2 | 2 |

^{*} Provisions of these clauses would need to be amended/ deleted in line with the policy of the EMPLOYER in regard to involvement of Indian agents of foreign bidders.

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

DETAILS OF SIMILAR WORKS COMPLETED BY THE TENDERER DURING THE LAST SEVEN YEARS ENDING 30-11-2021

| S1. No. | Work Order No.& date, by whom issued and brief description of work | Vessel name & Principle particulars (LOA, Breadth & Draft), name and address of the Yard/Dry dock where the repairs are carried out. | Total work order value and completio n cost (in INR). | Actual date of commence ment of work | Actual date of completio n of work | Delays , if any | Client's complete address with e-mail address and phone number of contact person |
|------------|--|--|---|--------------------------------------|------------------------------------|--------------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 1 | | | | | | | |
| 2 | | | | | | | |
| 3 | | | | | | | |

Note: Bidder shall enclose copies of each work orders & completion certificate issued by Client, certified by a Notary Public or equivalent certifying authority.

SIGNATURE OF TENDERER

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

FINANCIAL CAPABLITY

AVERAGE ANNUAL TURNOVER OF THE BIDDER

| Turnover (INR) | | | |
|---------------------------|---------------------------|---------------------------|--------------------|
| Year 1 [2017 – 18] | Year 2 [2018 – 19] | Year 3 [2019 – 20] | Average of 3 years |
| | | | |

Instructions:

- 1) The Bidder shall provide audited Annual Reports / Audited financial statements such as Balance Sheets and Profit & Loss Account statements as required under this Bid Document.
- 2) Annual Turnover of the Bidder shall be submitted duly verified by Charted Accountant or Competent Authority.

Certified by Chartered Accountant

SIGNATURE OF BIDDER

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

DETAILS OF DRY-DOCK FACILITIES OF THE TENDERER WHERE THE REPAIRS OF COCHIN PORT TRUST'S DREDGER GHD NEHRU SHATABDI ARE PROPOSED TO BE CARRIED OUT IN CASE THE CONTRACT IS AWARDED

| Sl. No. | Name and address of the Yard where the Dry- dock is situated and state whether owned by tenderer or leased by the Tenderer. (furnish copy of lease agreement, if applicable) | Principle particulars (LOA, Breadth & Draft) of the Dry-Dock | Date of commis sioning of the Dry- dock | Particulars of Largest vessel docked in the Dry- dock with date of docking.(LOA, Breadth & Draft) |
|------------|---|---|--|---|
| 1 | 2 | 3 | 4 | 5 |
| 1 | | | | |

SIGNATURE OF TENDERER

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

ORGANIZATION DETAILS

| 1) | Name of Applicant | : |
|-----|--|------------|
| 2) | Name of the Owner | : |
| 3) | Address | : |
| | | |
| 4) | Telephone No. | : |
| 5) | E-mail id [2 nos.] | : |
| 6) | Fax No. | : |
| 7) | Description of Applicant with details (for e.g. Individual, Partnership, Lim Company etc) | |
| 8) | Registration details | : |
| 9) | Name and address of bankers | : |
| 10) | Number of years of experience as a Ship Repair Yard | : |
| 11) | Name and address of the companies/ Sub-Contractors who will be involve in the execution of Works, namely: | |
| 12) | Attach organization chart showing the of the company including names of I Key Personnel at Head Office who we responsible for the project. | Directors/ |

SIGNATURE OF BIDDER

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

CONCURRENT COMMITMENTS

| Sl.No | Full postal address of client & Name of Officer- in- Charge with Fax/telephone No. | Description of the work. | Value of contract | Date of commencement of work. | Scheduled completion period (months) | % completion as on date |
|-------|---|--------------------------|-------------------|-------------------------------|--------------------------------------|-------------------------|
| 1 | | | | | | |
| 2 | | | | | | |
| 3 | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

SIGNATURE OF TENDERER

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

DECLARATION (to be furnished in Rs.500/- Stamp Paper)

We M/s (Name & address of the bidder) hereby declare that:-

- 1. No conditions are incorporated in the financial bid. In case any conditions are specified in the financial bid, the tender will be rejected summarily without making any further reference to the bidder.
- 2. We have not made any payment or illegal gratification to any persons/ authority connected with the bid process so as to influence the bid process and have not committed any offence under PC Act in connection with the bid.
- 3. We disclose with that we have * made / not made payments or propose to be made to any intermediaries (agents) etc. in connection with the bid.
- 4. We do hereby confirm that no changes have been made in the tender document downloaded and submitted by us for the above bid. Port Tender document will be treated as authentic tender and if any discrepancy is noticed at any stage between the Port's tender document and the one submitted by the tenderer, the Port's document shall prevail.
- 5. We do hereby confirm that we have not been blacklisted or debarred by any Central/ State Government/ agency of Central/ State Government/ Public Sector Undertaking/ Regulatory Authority of India at the time of submission of this bid.
- 6. We do hereby confirm our acceptance that :-
 - (i) All the costs, risks and responsibility of the Dredger during the execution of the Contract (ie. Commencing from the date of taking over of the Dredger from the Employer by the Contractor for repairs of the vessel to till delivery of the Dredger back to the Employer at Employer's premises after satisfactory completion of all the works as per the Scope of Work of the Contract), shall be entirely vest with the Contractor.
 - (ii) The Employer is entitled to receive all the insurance claims in whole that may be sanctioned by the underwriters pertaining to any damages/mishaps that may have caused to the vessel during the execution of the Contract (ie. commencing from the date of taking over of the Dredger from the Employer by the Contractor for repairs of the vessel to till delivery of the Dredger back to the Employer at Employer's premises after satisfactory completion of all the works as per the Scope of Work of the Contract).
 - (iii)The Contractor is wholly responsible to make good all the losses/damages that may be suffered by the Employer due to occurrence of any untoward incident (s), whatsoever it may be, at any stage during the execution the Contract, at the cost and risk of the Contractor. If the actual losses/damages suffered by the Employer due to occurrence of any such event, is wholly/partly not covered under insurance,

- such losses/damages suffered by the Employer shall be fully compensated by the Contractor at his cost and risk.
- (v) In case termination of the Contract either by Employer or Contractor, the Contractor is liable to safely transit and handover the Dredger to the Employer at Cochin Port Trust premises as per the terms of Termination of the Contract.

Signature

(Authorised Signatory)

* Note: Delete whichever is not applicable.

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

FORM OF BID

To

The Board of Trustees, Cochin Port Trust

Through

The Deputy Conservator Cochin Port Trust, Cochin -9

Tender for the "Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi")

I/We have read and examined the Notice inviting tenders, Instructions to tenderers, Form of Agreement, General Conditions of Contract, Special Conditions of Contract, Scope of Work & Technical Specification, Bill of Quantities & other documents and rules referred to in the General Conditions of Contract and all other contents in the tender document.

I/We hereby tender for the execution of the work specified in the under written memorandum at the rates specified in the schedule attached hereto and in accordance in all respects with the specifications designs, drawings and instructions in writing referred to in the Scope of Work and Technical Specification mentioned under Section IV of the Tender Document and with such materials as are provided for, by and in all other respects in accordance with such conditions so far as applicable.

MEMORANDUM

a) General description of work

: Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi.

b) Estimated Amount put to Tender.

Rs. 1300.00 Lakhs (Rupees One Thousand Three Hundred Lakhs only

: Thousand Three Hundred Lakhs only) excluding GST

: No EMD will be applicable for this tender as per the Ministry of Ports, Shipping and Waterways letter No.PD-24015/71/2020-PDVII(e-340929) dated 26-11-2020 and Ministry of Finance, Department of Expenditure's OM No.F-9/4/2020-PPD dated 12-11-2020. In lieu

of Bid Security/EMD, Bid Security Declaration shall be furnished as per the

b) Earnest Money

format enclosed.

Security Deposit

- 3% of the value of the contract awarded or the value of the work done whichever is higher.
- d) Completion Period of work from the date of receipt of Letter of Acceptance
- **a.**For Shipyards located outside the Cochin Port Water Limits: Total completion period is 128 days from the date of receipt of Employers' Letter of Acceptance (LoA) by Contractor as detailed in Special Conditions of Contract which includes 75 days of repair period in Dry dock and afloat repairs.

b.For Shipyards located within the Cochin Port Water Limits: Total completion period 75 (seventy five) days from the date of handing over of the vessel at Contractor's Yard.

(Strike out whichever is not applicable)

I/ We agree to keep the tender open for 90 days from the due date of submission and not to make any modifications in its terms and conditions.

Should this tender be accepted, I/We hereby agree to abide by and fulfill all the terms and provisions of the said conditions of contract annexed hereto so far as applicable or in default thereof the cost and consequence of which shall be to the sole account of the tenderer and upon such an event the Board shall have full right to claim damages. I/We fully accept that, in the event of default, I/We will be suspended and shall not be eligible to participate in the Tenders invited by Cochin Port Trust, for a period of Two years from the date of such Suspension Orders.

| Dated the | day of | 20 |
|------------|--------|---------------------------|
| | | Signature of the Tenderer |
| Address | : | |
| Witness | : | |
| Address | : | |
| Occupation | : | |

ACCEPTANCE

| The above tender (as modified by you as provided in the letters mentioned hereund accepted by me for and on behalf of the Board of Trustees for a sum of Rs) | |
|---|--------------------------|
| The letters referred to below shall form part of this Contract Agreement | |
| a) b) c) | |
| Dated Deputy Co Cochin l | onservator Port Trust |

CONTRACT DATA

Items marked "N/A" do not apply in this Contract.

| Sl. No. | Description | Reference Clause No. in GCC |
|------------|---|-----------------------------------|
| 1 | The following documents are also part of the Contract | |
| | The Schedule of other Contractors N/A | (8.2) |
| | The Schedule of Key personnel: N/A | (9) |
| | Qualification of Staff No. Min. Experience case of non (Years) | |
| | i) Graduate Engineer | |
| | ii) Graduate Engineer or Diploma Engineer | |
| 2 | The Employer is | (1) |
| | The Board of Trustees, Cochin Port Trust, Cochin -9. | |
| | Name of Authorized Representative: | |
| | Name: Dr. M. Beena, Chairperson, Cochin Port Trust, Cochin -9. | |
| 3 | Tendering Authority is | |
| | Name: Capt. Joseph J Alapat, Deputy Conservator, Cochin Port Trust, Cochin -9. | |
| | Name of Nominee is: Will be notified in LoA | |
| 4 | Name of Contract :- Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi , Tender No. MD/MES/TECH /188/2021(RT) | (1) |
| 5 | Copies of Contract Agreement shall be furnished by the Contractor | (7.1) |
| 6 | Tender Document and other data are available at Cochin Port web site, Government tender website and e –tendering portal. (i) www.cochinport.gov.in (ii) www.tenders.gov.in (iii) tenderwizard.com/COPT | (7.2) |

| Sl. No. | Description | on | Reference Clause No. in GCC |
|------------|---|---|------------------------------------|
| 7 | The Intended Completion Date for with the following milestones is: | or the whole of the Work | m GCC |
| | a) For Shipyards located outside the Limits: Completion period - to of receipt of Employers' Letter Contractor as detailed in Special which includes 75 days of reparafloat repairs. b) For Shipyards located within the Limits: Completion period: 75 the date of handing over of the Yard. | (17, 29, 49) of GCC and Clause 9 under Section III Special Conditions of Contract | |
| | Physical Works to be completed | Milestone applicable for (a) | Milestone applicable for (b) |
| | Taking over the vessel from CoPT and sailing the vessel from Kochi to Contractor's Yard | 30 days | • |
| | Dry-docking the vessel at Contractor's Dry-dock | 40 days | |
| | Completion of repairs at Dry dock and undocking the vessel 85 days | | 45 days |
| | Completion of afloat repairs (completion of entire repairs) | 115 days | 30 days |
| | Sailing from Contractor's premises to CoPT | 118 days | |
| | Arrival at CoPT | 125 days | |
| | Acceptance of vessel by CoPT after joint survey | 128 days | 75 days |
| | The activity wise schedule need. Contractor within 14 days of red This need to be strictly followed for the project. | ceipt of LoA from CoPT. | |
| 8 | The following shall form part of the (1) Form of Agreement (2) Letter of Acceptance (3) Bill of Quantities (4) Contractor's Bid (5) Correspondence exchanged and before the issue of Let the Condition of Contract modified in any way be enumerated). (6) Contract Data (7) Conditions of Contract | (2.3) | |

| Sl. No. | Description | Reference Clause No. in GCC |
|------------|--|-----------------------------------|
| | (8) General Description and Special Conditions of | |
| | Contract (9) Technical Specifications | |
| | (10) Drawings; and | |
| | (11) Any other documents listed in the Contract Data as | |
| | forming part of the Contract. | |
| 9 | The Contractor shall submit a Program for the Works within 14 days of date of receipt of Letter of Acceptance. | (27) |
| 10 | Minimum time required by Cochin Port Trust to hand over the vessel to the Contractor for repairs: Within 7 days after the issuance of LoA | (21) |
| 11 | c) The start date of completion period shall be counted from: (i) the date of receipt of the Letter of Acceptance (LoA) by the Contractor in the case of 7 (a) above and (ii) from the date of handing over of the vessel at Contractor's Yard in the case of 7 (b). | (1) |
| 12 | The Defects Liability Period is six months from the date of satisfactory completion of entire Work as per the Scope of Work & Technical Specification. | (36) |
| 13 | The minimum insurance cover for the Vessel during the stay of the vessel at Contractor's Dry-dock/Yard is: (As indicated in the Letter of Acceptance of Employer) | (13) |
| 14 | The following events shall also be Compensation Events: N/A | (44) |
| 15 | The period between Programme updates shall be 7 days . | (27) |
| 16 | The language of the Contract documents is English. | (3) |
| 17 | The law, which applies to the Contract, is the law of Union of India. | (3) |
| 18 | The currency of the Contract is Indian Rupees. | (46) |
| 19 | The maximum amount of Liquidated Damages for the whole of the Works is 10% of the contract price. | (49) |
| 20 | The amounts of the advance payments: | (51) |
| | The advance payments as applicable to the contract are: NA | |

SIGNATURE OF BIDDER

"Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi".

FORMAT FOR FURNISHING BANK INFORMATION FOR e-PAYMENT

| 1 | Name and full address of the beneficiary | |
|---|--|------------|
| 2 | Credit Account No. | |
| | (Should be full 14 digit) | |
| 3 | Account Type | |
| | (SB or CA or OD) | |
| 4 | Name of the Bank | |
| 5 | Branch | |
| | (Full address with telephone No.) | |
| 6 | MICR code | |
| | (Should be 9 digit) | |
| 7 | Telephone/Mobile/Fax No. of the | Telephone: |
| | beneficiary | Mobile : |
| | | Fax : |
| 8 | Cancelled Cheque | |

Signature of the Tenderer with seal

FORM OF AGREEMENT

AGREEMENT NO. OF.....

TO BE EXECUTED ON KERALA STAMP PAPER (Rs.200/-)

| This agreement is made at Cochin this theday of, Two Thousand betweenrepresented by Sri |
|---|
| Aged years, son of Sri. Residing at (House name and |
| No.) |
| District |
| State |
| (hereinafter referred to as "The Contractor" which expression shall include their successors, assignees and administrators) of the one part AND the Board of Trustees of Port of Cochin, Willingdon Island, Cochin-9, a body constituted under "Major Port Trust Act 1963" represented by The Deputy Conservator (hereinafter referred to as "The Employer" which expression shall include their successors, assignees and administrators in the office) of the other part. |
| Whereas the "Employer" had called for the tenders for the work of "Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi " and the Contractor had submitted a tender for the same giving the rates subject to the terms and conditions etc. And whereas the said tender of the Contractor has been accepted by the Employer and a Letter of Acceptance/Work Order No |
| NOW THESE PRESENTS WITNESES AS FOLLOWS: |
| The Contractor hereby agrees to execute the work of "Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi " as described in the schedule, its annexure etc. at the rates shown there under subject to Instructions to Tenderer, General Conditions of Contract, Special Conditions of Contract, Scope of Work & Technical Specification and such other Contract Documents all hereunto annexed within days from the date of receipt of Work Order or in default to forfeit and pay to the employer the sum of money mentioned in the said conditions. |
| The Contractor has furnished a Bank Guarantee for Rs |

items/works that may be required for the proper completion of the contract or otherwise the employer can deduct such additional amounts towards Security Deposit from the Contractor's bills.

The following documents shall be deemed to form and be read and construed as part of this agreement viz:

(list of relevant documents- will be furnished by Port)

The Conditions given in the Letter of Acceptance/Work Order dated........... shall override the general conditions given in the tender document, wherever they differ. Any of the counter terms and conditions of the Contractor shall not be taken as terms and conditions of this contract/ agreement unless the Trustees in writing specifically agree to it.

IN WITNESS WHEREOF THE CONTRACTOR hereunto set his hand and seal And on behalf of the Board of Trustees of Port of Cochin, The Deputy Conservator has set his hand and seal and common seal of Trustees as has been hereunto affixed the day and year first written above.

| Signed, sealed and delivered by Shri of M/s | |
|---|--|
| CONTRACTOR | |
| (COMMON SEAL OF THE FIRM) | |

Signed and affixed seal in the presence of: Signature with address: Signature with address:

Signed, sealed and delivered by the Deputy Conservator, Cochin Port Trust on behalf of

EMPLOYER Board of Trustees of Port of Cochin.

Signed and affixed the common Seal of Board of Trustees of the

Port of Cochin in the presence of

- 1)
- 2)

PROFORMA OF BANK GUARANTEE FOR PERFORMANCE GUARANTEE/ SECURITY DEPOSIT

(To be executed on non-judicial Stamp Paper of appropriate value)

[The bank, as requested by the successful Tenderer, shall fill in this form in accordance with the instructions indicated]

| In consideration of the Board of Trustees of the Port of <i>[insert name of Port]</i> incorporated by the Major Port Trusts Act, 1963 as amended by Major Port Trust (Amendment) Act 1974 (hereinafter called "The Board" which expression shall unless excluded by or repugnant to the context or meaning thereof be deemed to include the Board of Trustees of the Port of <i>[insert name of Port]</i> , its successors and assigns) having agreed to exempt (hereinafter called the "Contractor")' |
|---|
| (Name of the Contractor/s) |
| from the demand under the terms and conditions of the Contract, vide 's letter No |
| (Name of the Department) |
| date made between the Contractors and the Board for execution of covered under Tender |
| No dated (hereinafter called "the said contract") |
| for the payment of Security Deposit in cash or Lodgement of Government Promissory Loan |
| Notes for the due fulfillment by the said Contractors of the terms and conditions of the said |
| Contract, on production of a Bank Guarantee for Rs |
| (Rupees) only we, the (<u>Name of the</u> |
| Bank and Address) (hereinafter |
| referred to as "the Bank") at the request of the Contractors do hereby undertake to pay to the Board an amount not exceeding Rs (Rupees) only against any loss or damage caused to or suffered by or which would be caused to or suffered by the Board by reason of any breach by the Contractors of any of the terms and conditions of the said contract. |
| 2. We,,, do hereby |
| (Name of Bank) (Name of Branch) |
| undertake to pay the amounts due and payable under this guarantee without any demur merely on a demand from the Board stating that the amount claimed is due by way of loss or damage caused to or which would be caused to or suffered by the Board by reason of any breach by the Contractors of any of the terms and conditions of the said contract or by reason of the Contractors failure to perform the said contract. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this Guarantee. However, our liability under this guarantee shall be restricted to any amount not exceeding Rs |
| 3. We,, undertake |
| to pay to the |
| Board any money so demanded notwithstanding any dispute or disputes raised by the Contractor(s) in any suit or proceeding pending before any Court or Tribunal relating thereto our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the |

| Contractor(s) shall have no claim against us for making such payment. | | | | |
|---|--|--|--|--|
| 4. We,(Name of Bank and Branch) further agree with the Board that the guarantee herein contained shall remain in full force and effect during the period that would be taken for performance of the said contract and that it shall continue to be enforceable till all the dues of the Board under or by virtue of the said contract have been fully paid and its claims satisfied or discharged or till the | | | | |
| (Name of the user department) of the said certifies that the terms and conditions of the said contract have been fully and properly carried out by the said Contractors and accordingly discharge this guarantee PROVIDED HOWEVER that the Bank shall be the request of the Board but at the cost of the Contractors, renew or extend this guarantee for such further period or periods as the Board may require from time to time. | | | | |
| 5. We, further agree with the Board | | | | |
| (Name of Bank and Branch) that the Board shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said contract or to extend the time of performance by the said contract or to extend the time of performance by the said Contractors from time to time or to postpone for any time or from time to time any of the powers exercisable by the Board against the said Contractors and to forebear or enforce any of the terms and conditions relating to the said contract and we shall not be relieved from our liability by reason of any such variation or extensions being granted to the Contractors or for any forbearance, act or omission on the part of the Board or any indulgence shown by the Board to the Contractors or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us. | | | | |
| 6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor(s). | | | | |
| 7. It is also hereby agreed that the Courts in Kochi would have exclusive jurisdiction in respect of claims, if any, under this Guarantee. | | | | |
| 8. We, Bank lastly undertake not to revoke this guarantee during its currency except with the previous consent of the Board in writing. | | | | |
| 9. Notwithstanding anything contained herein:a) Our liability under this Bank Guarantee shall not exceed Rs | | | | |
| (Rupees only); | | | | |
| b) this Bank Guarantee shall be valid upto*; and | | | | |
| c) we are liable to pay the guarantee amount or any part thereof under this Bank Guarantee only and only if you serve upon us a written claim or demand on or before (date of expiry of Guarantee)." | | | | |
| Date day of 20 | | | | |

For (Name of Bank) (Name) Signature

NO CLAIM CERTIFICATE

| • | ompany Lette | rhead) | | | | | |
|------------|----------------------|--------------------------------|------------|-----------------|------------|--------------|--------------|
| To, (Contr | act Executing | Officer) | | | | | |
| ` | Cochin Port Trust | | | | | | |
| S | Sub: Contract | Agreement No - | | dated | fo | r | ••••• |
| We | have | received | the | sum | of | Rs. | (Rupees |
| | | | | only) in full | and final | settlemen | t of all the |
| payme | ents due from | Cochin Port T | rust for . | | unde | r the above | ementioned |
| contra | ct agreement, | between us and | d Cochin | Port Trust. V | Ve hereby | y unconditi | ionally, and |
| withou | ıt any reserva | tion whatsoever, | certify th | at with this pa | yment, w | e shall hav | ve no claim, |
| whatso | pever of any | description, on ar | ny accoun | t, against Cocl | nin Port T | Гrust, again | st aforesaid |
| Contra | act Agreement | executed by us. | | | | | |
| | | | | | | | |
| Yours | faithfully, | | | | | | |
| | | | | | | | |
| | | | | | | | |
| _ | tures of Contra | actor or o sign the Contrac | et Docume | ante | | | |
| | half of the Cor | • | t Docum | ZIILS | | | |
| (Comp | pany Stamp) | | | | | | |
| | | | | | | | |
| Date: | | | | | | | |
| Place: | | | | | | | |

MARINE DEPARTMENT

Tender No. MD/MES/TECH /188/2021(RT)

"DRY DOCKING AND ALLIED REPAIRS OF COCHIN PORT TRUST'S GRAB HOPPER DREDGER NEHRU SHATABDI"

SECTION -II

COCHIN PORT TRUST

GENERAL CONDITIONS OF CONTRACT - PARTS A – G (ATTACHED SEPARATELY)

| Sl. No. | Part | DESCRIPTION | |
|---------|------|---|-------|
| 1 | A | Part A - General | CC 5 |
| 2 | В | Part B - Time Control | CC 14 |
| 3 | С | Part C - Quality Control | CC 16 |
| 4 | D | Part D - Cost Control | CC 17 |
| 5 | Е | Part E - Finishing the Contract | CC 26 |
| 6 | F | Part F - Labour Laws and Miscellaneous Clauses | CC 29 |
| 7 | G | Part G - Salient features of some major laws applicable to establishments engaged in construction Work. | CC 40 |

MARINE DEPARTMENT

Tender No: MD/MES/TECH /188/2021(RT)

SECTION -III

COCHIN PORT TRUST

SPECIAL CONDITIONS OF CONTRACT

| SL. NO. | CLAUSE/ SECTIONS | DESCRIPTION | |
|------------|---------------------|--|----|
| 1 | 1 | General | 63 |
| 2 | 2 | Rates for Various Items | 63 |
| 3 | 3 | Additional Works | 63 |
| 4 | 4 | Measurements of Work Done | 64 |
| 5 | 5 | Liquidated Damages | 64 |
| 6 | 6 | Care of Works | 65 |
| 7 | 7 | Procurement of materials | 65 |
| 8 | 8 | Work on Sundays and holidays | 65 |
| 9 | 9 | Completion Period | 65 |
| 10 | 10 | Accommodation, Transport and Medical Facility of vessel crew for sailing | 66 |
| 11 | 11 | Adequacy of work force | 66 |
| 12 | 12 | Personal Protective Equipments | 66 |

| 13 | 13 | Conduct | 66 |
|----|----|--|----|
| 14 | 14 | Watch & Ward | 67 |
| 15 | 15 | Officer in-charge | 67 |
| 16 | 16 | Accommodation, transportation, food and entry passes of CoPT Staff | 67 |
| 17 | 17 | Tests and Inspection | 67 |
| 18 | 18 | Scraps | 67 |
| 19 | 19 | Responsibility of Dredger during contract period | 67 |
| 20 | 20 | Insurance Claims | 67 |
| 21 | 21 | Actual damages to be compensated by the Contractor | 67 |
| 22 | 23 | Modifications to General Conditions of Contract (GCC) | 67 |

SECTION –III COCHIN PORT TRUST SPECIAL CONDITIONS OF CONTRACT

1. General:

- 1.1 Special Conditions shall be read in conjunction with the General Conditions of Contract, Scope of Work, Specifications, Drawings and any other document forming part of this Contract wherever the context so requires.
- 1.2 Notwithstanding the sub-division of the documents into these separate section and volume every part of each shall be deemed to be supplementary to and complementary of every other part and shall be read with and into the Contract so far as it may be practicable to do so.
- 1.3 Where any portion of the General Conditions of Contract (GCC) is repugnant to or at variance with any provision of the Special Conditions, the provisions of the Special Conditions shall be deemed to over-ride the provisions of the General Conditions of Contract and shall to the extent of such repugnancy of variations, prevail.
- 1.4 The parties shall be governed by the laws of India and exclusive jurisdiction of the courts at Ernakulam.

2. Rates for Various Items:

- 2.1 The rates /lumpsum amount as applicable shall except in so far as the contract otherwise provides, cover all obligations of the Contractor under this contract and all matters and things necessary for the proper completion and maintenance of the Works. The rates / lumpsum amount quoted for each item shall be all inclusive value of the finished Work as per Scope of Work, drawings and specifications and shall cover the cost of all temporary Works, appliances, materials, both for the Works and temporary Works, labour and all other matter in connection with each item quoted for.
- 2.2 The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of his tender for the Works and of the rates and prices stated in the Schedule of Quantities.

3. Additional works:

- 3.1. The Deputy Conservator, with due approval of competent authority, may make any changes in the quality or quantity of the work or any part thereof that may, in their opinion, be necessary and for that purpose, the Chief Engineer of the vessel shall have the power to order the Contractor to do and the Contractor shall do any of the following:
 - a) Increase or decrease or split the quantity of work included in the contract,
 - b) Omit any such work,
 - c) Change the character, quality or kind of any such work,
 - d) Change the dimensions of any such work,
- 3.2. Execution of additional works of any kind which is necessary to be completed under the contract, and during this dry docking repair period:

- (i) Where the rate is available in the accepted Bill of Quantities and the same is applicable to the additional works, additional work orders will be issued by vessel Chief Engineer for the same. In such cases, the Contractor is required to indicate the additional time requirement, if any for above additional works and the Engineer in-charge will examine the case and accordingly issue time extension.
- (ii) If the rate for additional work is not available in the accepted Bill of Quantities and not specified in the Scope of Work, which is noticed after dry docking the vessel, under water inspection and IRS survey, which is necessary to be completed during this dry docking period, additional work requisition will be issued by vessel Chief Engineer. The contractor shall submit an additional quotation for the additional works showing lowest rate and additional time required, if any over and above the completion period indicated in the tender, for the same to the Chief Engineer. In such cases, charges for additional works including labour, materials and spares only needs to be quoted. Charges for additional stay at dry dock/afloat repairs at yard for daily basis will be paid separately as per initial quoted rates for the same. After scrutiny, mutual discussion and negotiation with contractor's representative, additional work orders will be issued for such additional works by Deputy Conservator.
- (iii) The Contractor is required to indicate, in the respective offer, the time required for completion of each of the additional work from the date of approval of additional work quotation by the Employer. The Contractor shall also indicate whether the said additional work can be completed within the stipulated overall completion period of the whole work of the Contract. If not, the additional time required for completion of the additional work beyond the stipulated completion period of the Contract, shall be indicated. Cochin Port Trust shall examine the merit of each case and extension of time shall be accordingly granted at the time of issuing work orders for additional works.

4. Measurements of Work Done:

- 4.1. In addition to the Clause-26 of GCC- 'Computerized Measurement Book', measurement of the Work can also be done as detailed below:
- 4.2. Engineer in-charge shall, except as otherwise provided, ascertain and determine by measurement the value in accordance with the Contract of Work done.
- 4.3. All measurement of all items having financial value shall be entered in Work Completion Certificate (WCC) so that a complete record is obtained of all Works performed under the Contract.
- 4.4. All measurements of completed works shall be taken jointly by the Engineer incharge or his authorised representative and by the Contractor or his authorised representative from time to time immediately on completion of specific line item as per the BOQ during the progress of the Work and such measurements/WCC shall be signed and dated by the Engineer's Nominee and the Contractor or their representatives in token of their acceptance.
- 4.5. The Contractor shall, without extra charge, provide all assistance with every appliance, labour and other things necessary to the Engineer in-charge for measurements/assessment of quantum of work completed.
- 4.6. Work completion Certificate (WCC) pertaining to each work as per the work order/contract agreement /additional work orders shall be duly signed by the Contractor's authorized representative and Engineer-in charge of work nominated by the Employer. (WCC of each work shall be prepared and signed by the representatives

of Contractor and Employer on satisfactory completion of each and every work then and there to avoid any delay in sailing of the vessel on account of signing of WCC by the representatives of both the parties.). Final invoice shall be prepared by the Contractor based on the actual quantity of work done indicated in the WCC mutually signed by both the parties.

5. Liquidated Damages

- 5.1. All the line items of works as per the Scope Work/BOQ shall be completed within a period as quoted in the BOQ by the Contractor and accepted by CoPT and mentioned in the Work Orders, failing which LD shall be levied.
- 5.2. In case of delay in completion of entire work as per the Scope of Work as indicated above, LD shall be levied and collected as per clause 49 of GCC. However, the ceiling on the amount of LD payable by the Contractor, shall not exceed 10 (ten) percentage of the contract price for the whole of the Works.
- 5.3. For levying LD as per Clause-49 of General Conditions of Contract, the employer is not required to have documentary evidence to quantify or prove the losses suffered by the Employer due to delay in completion of Work by the Contractor, as per Agreement conditions.

6. Care of Works

From the commencement to the completion of the Work the Contractor shall take full responsibility for the care of the Work and his employees in connection with the Work thereof and in case any damage, loss or injury shall happen to the Works or any part thereof or to any temporary Work from any cause whatsoever (save and except the excepted risks as defined in clause 12.2 of General Conditions of Contract)), the contractor shall at his own cost repair and make good the same so that the Work shall be completed in good order and in conformity in every respect with requirement of the contract. In the event of any such damage, loss or injury happening from any of the excepted risks, the Contractor shall if and to the extent required by the Engineer-in-Charge, make good the same as aforesaid and it will not be to the account of the Board.

- 7. Procurement of materials:- The Contractor must make his own arrangements for timely procurement of all materials, machinery, equipments etc. of specified or approved quality required by him for the efficient and regular execution of the works comprised in this Contract from manufacturers and suppliers concerned. Delay in supply of any of these materials etc. will not be taken as an excuse for not completing the contract within the stipulated period.
- **8.** Work on Sundays and holidays:_Works shall be carried out on Sundays and other holidays with the sanction in writing of the Chief Engineer/ the officer concerned.
- 9. Completion Period:-

Entire activities pertaining to the dry-docking repairs of the Dredger shall be satisfactorily completed by the Contractor as per the following Schedule:-

| Sl. | Activity | Completion | Counted from |
|-----|--|---------------|---|
| No. | | period (days) | |
| 1 | Taking over of the vessel from CoPT and sailing of vessel from Kochi to Contractor's Yard. | 30 | From the date of receipt of LoA by Contractor |
| 2 | Dry docking of the Vessel at Contractor's Dry-dock | 10 | From the date of sailing of the vessel from CoPT. |
| 3 | Completion of repairs at Dry-dock | 45 | From the date of docking |

| | and undocking the vessel | | of the vessel. |
|---|---|-----|--|
| 4 | Afloat Repairs (satisfactory | 30 | From the date of |
| | completion of entire repairs) | 30 | undocking. |
| 5 | Sailing from Contractor's premises | | From the date of |
| | to CoPT | 3 | satisfactory completion of |
| | 10 COI 1 | | entire repairs. |
| 6 | Arrival at CoPT | 7 | From the date of sailing |
| | Allival at COF I | / | from Contractor's yard. |
| 7 | Acceptance of vessel by CoPT after | 3 | From the arrival of the |
| | joint survey. | 3 | vessel at CoPT premises. |
| | Delivery & Acceptance of the vessel by Employer at CoPT premises after satisfactory completion of entire repairs, return sailing from contractor's yard, as per the Contract Agreement. | 128 | From the date of receipt of Employers' LoA by Contractor |

Note:

Total repair period at Contractor's Yard should not be exceeded 75 days. To and fro transit time should not be exceeded 15 days.

If the yard is inside CoPT water limit, the total repair period is taken as the day the vessel reached at the contractor's yard. (Refer the clauses above). In such case, transit days are not applicable and the same may be mentioned as zero in the price bid during submission bid.

(In any case, the vessel should be dry-docked on or before 31-01-2022)

Total repair period indicated above shall be in continuous running days, including components of works indicated and shall be including Saturdays, Sundays and Local & National holidays.

10. Accommodation, Transport and Medical Facility of vessel crew deployed by Contractor :

The tenderer, at his own responsibility and cost shall arrange statutory approvals for sailing, insurance, accommodation, food, water, other personal needs, transport, gate pass, and medical treatment etc of his crew /staff/ workers during the entire contract period. CoPT is not responsible for the above arrangements, loss, accident, death etc of contractors people during the contract period.

11. The contractor should deploy sufficient number of working groups consisting of skilled workers and supervisors simultaneously to carry out the work. Supervisors must be qualified, experienced and must have capability and responsibility to interact with Port Officers.

12. PERSONAL PROTECTIVE EQUIPMENT: (PPE)

The tenderer shall be solely responsible, at his own cost, for the supply of required PPE to his workers and staff and he shall also ensure the use of PPE such as helmets, nose masks, hand gloves etc. by his staff at the vessel and the yard during sailing /repairs

13. CONDUCT:

The tenderer, at all times during execution of the contract, shall take all measures, to prevent any unlawful, riotous or disorderly conduct by or amongst his staff at the vessel/site and for the preservation of peace and protection of persons and property at the work site as well as in the neighborhood of the works. The contractor may depute a project Manager for this contract, enabling Chief Engineer of the vessel to contact in a single point manner for easy communication.

14. WATCH AND WARD:

During the execution of the contract, it shall be the responsibility of the contractor to arrange watch and ward, fire and safety persons and other safety measures as per rules at his own expense during this entire contract period.

15. ENGINEER IN-CHARGE:

The works at yard shall be carried out as per instruction of the Engineer in-charge of the Contract. All Work Completion Certificates will be signed by the Engineer-in-charge of the Contract as nominated by the Employer. Name of Engineer in-charge will be indicated in the Employer's Letter of Acceptance.

16. Accommodation, transportation, food and entry passes of CoPT Staff

If the contractors repair yard is outside Kochi, the contractor has to provide proper decent accommodation and food for the Chief engineer, Master and other engineers and crew who are deputed from Cochin Port Trust for this repair period for supervision of the work. Cost of same will be borne by CoPT. To and fro transportation for above CoPT staff from their accommodation to yard shall be arranged by the contractor at Contractor's **cost**. Maximum number of **CoPT staff deputed for this repair period is 10**. All entry pass to yard for CoPT representatives also be arranged by the contractor free of cost.

17. TESTS & INSPECTIONS:

- 1. **Right to Inspect**: The Deputy Conservator or his representatives shall have the right to inspect the work being carried out under this contract and to test the goods or services to ascertain their conformity to the specifications.
- 2. **Right to Reject**: If any inspected or tested goods and/or services fail to conform to the specifications, the Deputy Conservator or his representative may reject them, and the Contractor shall either replace them or make all necessary alterations to meet the requirements of the specifications, without any additional cost to CoPT.
- 3. **Right to Reject at Site**: The Deputy Conservator's right to inspect, test, and where necessary, reject the goods and/or services after arrival at the site of installation, shall in no way be limited or waived by reason of the goods or services having been previously inspected, tested and passed by the Deputy Conservator or his representative prior to the dispatch of goods from elsewhere.
- **18.** <u>Scraps: All</u> the metal/pipe scraps, waste oil, any old machineries, damaged spares, other unusable scraps etc, which are not required by the vessel Chief Engineer/Master are to be

- cleared, handled and disposed by the contractor at his own cost, considered which are contractors asset. While quoting the contract price, the cost of such scraps also may considered.
- 19. All the costs, risks and responsibility of the Dredger during the execution of the Contract (ie. will be commenced from the date of taking over of the Dredger from the Employer at Employer's premises by the Contractor for repairs of the vessel to till delivery of the Dredger back to the Employer at Employer's premises after satisfactory completion of all the works as per the Scope of Work of the Contract), shall be entirely vest with the Contractor.
- 20. The Employer is entitled to receive all the insurance claims in whole that may be sanctioned by the underwriters pertaining to any damages/mishaps that may be caused to the vessel during the execution of the Contract (ie. will be commenced from the date of taking over of the Dredger from the Employer at Employer's premises by the Contractor for repairs of the vessel to till delivery of the Dredger back to the Employer at Employer's premises after satisfactory completion of all the works as per the Scope of Work of the Contract).
- 21. The Contractor is wholly responsible to make good all the losses/damages that may be suffered by the Employer due to occurrence of any untoward incident (s), whatsoever, it may be, at any stage during the execution the Contract, at the cost and risk of the Contractor. If the actual losses/damages suffered by the Employer due to occurrence of any such event, is wholly/partly not covered under insurance, such losses/damages suffered by the Employer shall be fully compensated by the Contractor at his cost and risk. The Contractor is required to furnish an undertaking to this effect, at the time of submission of his bid as per the format attached as Annexure-10.

22. Modifications to General Conditions of Contract (GCC)

The following clauses of GCC shall be replaced and modified as below.

22.1. Definitions

The following Definitions are modified as given below:

The Completion Date is the date of completion of the Works as certified by the Engineer or his nominee in accordance with Sub Clause **56.1**

"Initial Contract Price" means the grand total amount arrived at by multiplying the rate of each line item in the Bill of Quantity (BOQ) and the quantity of corresponding line item without GST.

"Yard/Site" means the ship repair yard, land, dry-docks, workshops, buildings, offices, godowns, bonded warehouses etc. on, under, in or through which the works are to be executed or carried out and any places used for the purpose of the contract.

Dredger/Vessel means the Grab Hopper Dredger GHD Nehru Shdabthi owned by Cochin Port Trust.

Works/Repairs/Dry-docking means dry-docking repairs, afloat repairs and all other related services associated with the repair of GHD Nehru Shatabdi.

The "Drawings" shall mean the drawings, issued with the specification which will ordinarily be identified by being signed by the Deputy Conservator and any further drawing submitted

by the contractor with his tender and duly signed by him and accepted or approved by the Deputy Conservator and all other drawings supplied or furnished by the contractors or by the Deputy Conservator in accordance with these contract conditions

"Engineer/Engineer-in-charge": means an Officer of Cochin Port Trust as nominated by the Employer, to be in-charge of the works of this tender.

"Specifications" means the specification referred to in the tender documents if any and any modifications thereof or additions thereto or amendments thereto as may be from time to time be furnished or approved in writing by the Employer.

"Deputy Conservator" shall mean the Deputy Conservator of Cochin Port Trust and includes any officer who is authorized on his behalf for the purpose of this contract.

"Tender" means the offer of the contractor along with all other relevant documents as referred to in the contract.

"Chief Engineer" shall mean Chief Engineer of the vessel GHDNS.

22.2. Clause 8 Sub-contracting is modified as follows:-

The Contractor may engage sub-contractors if so desired by him, to carry out part of the works such as supply of materials, equipments, sub-assemblies etc. However, the Drydocking and allied repairs shall be carried out only at Contractor's premises/facilities as indicated in his offer. Contractor shall be solely responsible and liable for the successful execution of this Contract, even if certain parts of works are done through sub-contractors.

- 22.3. Clause 9. 'Personnel' is deleted.
- 22.4. Clause 10, 11 and 12 are deleted
- 22.5. Sub-Clause 13.1 under Clause 13 INSURANCE is modified as follows:-
- (i) The vessel should be covered under insurance (Dock Yard liability Policy/Ship Repair's liability policy) during the repair period at Contractor's Yard (i.e. from the date of arrival of the dredger at contractor's yard till the date of sailing of the vessel from contractor's yard after completion of repairs) for the full value of the vessel as indicated in the Letter of Acceptance /work order of Employer to cover all the risks during the entire repair period, at Contractor's cost. A copy of the above policy shall be submitted to Deputy Conservator, CoPT at least 7 days before taking over the vessel from CoPT for repairs.
- (ii) Contractor shall cover all the risks to his Yard, Machineries, Equipments, Tools and the personnel engaged by the Contractor for the execution of Contract though appropriate Insurance Policy. The Employer shall not be held responsible for any loss/damage/accidents to Contractor's properties and accident/death/disability to Contractor's personnel.
- (iii) Contractor's Yard, Machineries, Equipments, Tools and the personnel engaged by the Contractor for the execution of Contract shall be covered under insurance against loss/damages/accidents/disability/death etc as applicable.
- 22.6. Clause 14 'Site Investigation Reports' is deleted.
- 22.7. Clause 16 'Contractor to Construct the Works' is modified as follows:-

- 'Contractor to take over the Dredger, undertake the repairs and deliver Dredger Subject to and in accordance with the provisions of this Contract, the Contractor shall (a)Take over the Dredger GHD Nehru Shadabdi owned by Cochin Port Trust at Employer's premises and transit her to Contractor's Dry-dock Repair Facilities at Contractor's cost and risk, (b) Carrying out the repairs of the Dredger in Contractor's Dry Dock Facilities as per the detailed Repair list attached in the tender document and as per the additional work orders issued based on recommendations of IRS during the survey at Contractor's yard, (c) Carry out Operational Trials of the repaired machineries/equipments of the Dredger at Contractors' premises on satisfactory completion of repairs/IRS Survey and (d) Transit the Dredger from Contractor's premises to Cochin Port Trust at Contractor's cost and risk and hand over safely to Cochin Port Trust.
- 22.8. Clause 18 Approval by the Engineer or his nominee is deleted.
- 22.9. Clause 19, Safety The following sub-clause is added as 19.2
- "All safety protection / precaution as per Statutory and Regulatory requirements for the safety of the vessel, crew, workmen, supervisors and materials during to and fro sailing and repair period are to be provided by the contractor."
- 22.10. Clause 20 'Discoveries' is deleted.
- 22.11. Clause 21, Possession of the Site is substituted by

'Take over of the Dredger by Contractor for repairs'

- (i) The Contractor shall take over the vessel from CoPT after completing the following requirements at his cost:
 - (1) Mandatory permissions from Statutory bodies for sailing the vessel from CoPT to Contractor's yard (Furnish copies of all mandatory certificates and Crew list to CoPT);
 - (2) Provide manning as per the minimum safe manning document of the vessel;
 - (3) Carryout joint survey of the vessel to assess the quantity of fuel, lubricating oil, spares/stores, tools, equipments etc.
 - (4) Deputation of Crew to CoPT in advance for familiarising the operation of the vessel:
 - (5) Issue take over certificate signed by the Authorised official of the contractor.
 - (6) Arranging bunkers, lube oil, fresh water, stores etc. required for the sailing of the vessel to Contractors Yard at his cost.
- 22.12. Sub clause (ii) of Clause 25 'Settlement of Dispute & Arbitration' is substituted as below:

Except where the decision has become final, binding and conclusive in terms of Sub-para (i) any disputes or differences between the parties shall be referred for adjudication through arbitration by a sole arbitrator appointed by the employer or his authorized representative.'

22.13. Clause 25 'Settlement of Dispute & Arbitration' the following paragraph is added as 25 (iii)

"Settlement of Disputes through Conciliation

In the event of any dispute or differences between the parties which could not be resolved amicably by mutual consultations/Arbitration, then the Chairman of Cochin Port Trust may refer such unresolved disputes or differences to a Conciliation Committee/Council comprising of independent subject experts, set up by the Port Trust to enable speedy disposal of pending/new cases. Recourse to such conciliation shall be open before, during or after the arbitration proceedings. The award of the Conciliation Committee/Council, if agreed by both the parties, shall then be placed for consideration of the Board of Trustees of Cochin Port subject to the delegation of powers."

- 22.14. Clause 26 Computerised Measurement Book is deleted.
- 22.15. Part B.TIME CONTROL, Clause 27. Program, the following wording is deleted from Sub-clause 27.1 "along with monthly cash flow forecast"
- 22.16. Clause 29. 'Extension of Intended Completion Date,
- 22.17. Sub-Clause 29.2 the time limit of 21 days mentioned in the above sub-clause is modified as '7 days'
- 22.18. Sub-clause 29.3 the time limit of 14 days mentioned in the Sub-clause is modified as '7 days'
- 22.19. The following Sub-clause is added as 29.4

The time duration indicated in the Original Programme of work furnished by the Contractor for each components of work should be realistic, based on the quantum of work involved. During the execution of work, every effort shall be made by the Contractor to adhere to the time-lines of each activity as per the original programme so as to ensure that the entire work is completed within the offered Completion date. Deviation to the original time lines of each activity will be considered as Contractor's default unless the extra time taken by that activity is acceptable to the Employer on account of additional works were required to be carried out, if any.

22.20. C. QUALITY CONTROL

The following sub-clause is added as "34.2" under Clause 34, Identify Defects

All materials, equipment and workmanship used and employed in carrying out this contract shall be to the entire satisfaction of the CoPT. Any portion or portions of materials, equipment or any of the works done under this contract which may be considered to be defective or unsatisfactory or not in accordance with the said specifications and plans and the requirements, which they shall reject and shall be replaced to the satisfaction of CoPT at the sole expense of the Contractor.

22.21. The following sub-clause is added as "34.3" under Clause 34, Identify Defects:

All the equipment, components, accessories etc. used if any for repairs shall be brand new and readily available in open market. All items offered shall be as per approved quality and standards and IRS approved as per class requirement. They shall be of such design, size and material as to function satisfactorily under the rated conditions of operation and to withstand the environmental conditions at site. The type test certificates, routine test certificates and acceptance test certificates are also to be submitted. The Contractor shall execute in the best

and most workmen like manner all works according to the true intent and meaning of the specifications of the contract and complete the same to the entire satisfaction of the CoPT.

22.22. The following sub-clause is added as "34.4" under Clause 34, Identify Defects:

The Contractor shall also satisfy the Port Trust that adequate provision has been made (i) to carry out his instructions fully and with promptitude; (ii) to ensure that, parts/materials required to be inspected before use are not used before inspection and (iii) to prevent rejected parts being used in error. Where parts rejected by the Port Trust have been rectified or altered, such parts shall be segregated for separate inspection and approval before being used in the work.

22.23. Clause 43 Payments is modified as follows:-

22.24. Clause 43 PAYMENT TERMS:

- 43.1. Total Contract Price indicated in the Work Order issued by Cochin Port Trust to the Contractor, based on the rates quoted in the Bill of Quantities (BOQ) by the Contractor and accepted by Cochin Port Trust, will be considered for calculating the payment of installments except the balance/final payment. Payments shall be made by the Employer to the Contractor by installments at the times and in the manner indicated hereunder.
- 22.25. 43.2 The installments shall become due as follows:-
 - (i) First installment of 15% of the total contract price indicated in the Work Order of Employer when the Dredger reaches the Contractor's Yard for repairs.
 - (ii) Second installment of 15% of the total contract price indicated in the Work Order of Employer when the Dredger is safely dry-docked in the Contractor's Dry-dock;
 - (iii) Third installment of 50% of the total contract price indicated in the Work Order of Employer, when all the repairs of the Dredger are satisfactorily completed by the Contractor at Contractor's Yard as per the Scope Work of the Contract Agreement, as per the Class requirement and endorsement of vessel's certificate by Class.
- 22.26. 43.3 In order to release the above three installments, the Contractor has to complete the following requirements:-
 - (a) Agreement between the Contractor and the Employer should have been executed and Performance Security furnished to the Employer as per the contractual requirements.
 - (b) As soon as the work is advanced to the stage when an installment becomes due, the Contractor shall forward his original bill for the same together with a certificate issued by the Engineer-in-charge of work nominated by the Employer to the effect that the required stage of progress has been achieved, the Employer shall pay the amount within 21 days on receipt of such documents clear in all respects.
 - (iv) Balance payment when the Dredger is accepted by the Employer at Cochin Port premises on satisfactory completion of all the repairs as per the Employer's work order/contract agreement. Balance payment will be worked out after considering the following:-

- (a) Value of work done based on the actual quantum of work carried out as per the rates quoted in the Bill of Quantities (BOQ) by the Contractor and accepted by Cochin Port Trust;
- (b) Value of additional works carried out if any as ordered by the Employer/Authorised representative during the execution of repairs, which are not covered in the line items specified in the Bill of Quantities;
- (c) Price deductions/adjustments applicable, if any in accordance with the various provisions of contract agreement;

In order to process the Balance payment, the Contractor has to complete the following requirements and furnish the documents thereon to the Employer:-

- (a) Work completion Certificate (WCC) pertaining to each work as per the work order/contract agreement /additional work orders duly signed by the Contractor's authorized representative and Engineer-in charge of work nominated by the Employer.
- (b) Satisfactory completion certificate issued by the Engineer-in charge of work nominated by the Employer to the effect that all the works are satisfactorily completed by the Contractor as per the Scope of work of the Contract Agreement and Class requirement.
- (c) Final Invoice in triplicate duly certified by the Engineer in –charge of the Contract nominated by the Employer.

22.27. 43.4 General:-

- (i) All the invoices raised by the Contractor pertaining to the Contract shall be addressed to the Deputy Conservator, Cochin Port Trust, Willingdon Island, Cochin -682 009.
- (ii) All the bank guarantees furnished by the Contractor in connection with the Contract shall be kept valid at the time of processing the stage payments/final payment.
- (iii) GST will be paid extra as applicable.
- (iv) **Income Tax Deduction**: Deduction of Income Tax shall be made from any amount payable to the Contractor as per the relevant provisions of the Income Tax Act.
- (v) **TDS under GST Law**: As per GST Notification No. 50/2018 dated 13.09.2018, TDS @ 2% will be deducted from any amount payable to the Contractor, where the total value of contract is more than Rs. 2.5 lakhs.
- (vi) Any penal interest, penalty or fine payable / paid by the contractor to the Tax Authorities on the Taxes and Duties shall not be paid / reimbursed by the CoPT under any circumstances.
- (vii) All payments to the Contractors will be released through RTGS / e-payments. The contractor is therefore required to furnish the relevant bank information for the same along with their invoices.
- (viii) All the interim payments shall be regarded as payment by way of advances against final payment only and shall not preclude the requiring of bad, unsound and

imperfect or unskilled work to be rejected, removed, taken away and reconstructed or re-erected. Any certificate given by the Engineer or his nominee relating to the work done or materials delivered forming part of such payment, may be modified or corrected by any such subsequent certificate(s) or by the final certificate and shall not by itself be conclusive evidence that any work or materials to which it relates is/are in accordance with the contract and specifications. Any such interim payment, or any part thereof shall not in any respect conclude, determine or affect in any way powers of the Engineer-or his nominee-charge under the contract or any of such payments be treated as final settlement and adjustment of accounts or in any way vary or affect the contract.

- (ix) Pending consideration of extension of date of completion interim payments shall continue to be made as herein provided, without prejudice to the right of the department to take action under the terms of this contract for delay in the completion of work, if the extension of date of completion is not granted by the competent authority.
- (x) No further claims shall be made by the Contractor after submission of the final bill and these shall be deemed to have been waived and extinguished.
- (xi) If an amount certified is increased in a later certificate as a result of an award by the Arbitrator, the Contractor shall be paid interest upon the delayed payment as set out in the award. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.
- (xii) Items of the Works for which no rate or price has been entered in will not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.
- (xiii) All payments to the Contractor under the contract shall unless otherwise stated elsewhere be made to the Contractor in Indian currency through e- payments through designated Bank.
- (xiv) Cochin Port Trust's Lien: Cochin Port Trust shall have lien on all or any moneys that may become due and payable to the contractor under these presents or in respect of any debt or sums that may become due and payable by Cochin Port Trust to the contractor either alone or jointly with another or others and either under this or under any other contact or transaction of any nature whatsoever between the Cochin Port Trust and the Contactor.

22.28. Sub-Clause 44.1 of Clause 44 Compensation Events is modified as follows:-

The following mutually agreed Compensation Events unless they are caused by the Contractor would be applicable:

(a) The Engineer or his nominee orders a delay or does not issue drawings, specifications or instructions required for execution of works on time.

- (b) The Engineer or his nominee instructs the Contractor to uncover or to carry out additional tests upon work which is then found to have no Defects.
- (c) The Engineer or his nominee gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety.
- (d) Any other Compensation Events listed in the Contract Data or mentioned in the contract.
- (e) Whenever any compensation event occurs, the Contractor will notify the Employer, within 3 days and provide a forecast cost of the compensation event.

Clause 50 Nominated sub-contractors is deleted.

Clause 51 Advance Payment- deleted.

22.29. Section E, FINISHING THE CONTRACT:-

22.30. Clause 55 "Completion" is modified as follows:-

22.31. Work Completion Certificates (WCC)

Immediately after satisfactory completion of each component of works as per the Bill of Quantities/ Scope of Work of work order and contract agreement /additional work orders, the Contractor shall prepare Work completion Certificate (WCC) pertaining to each of the works then and there and shall submit the same to the Engineer-in charge duly signed by the Contractor's representative. After verification and satisfying himself, the Engineer-in-charge shall sign hand over the WCC back to the Contractor's representative within a reasonable time. The Contractor should ensure that there shall not be any delay on his part for the preparation and submission of WCC to the Engineer in-charge of work and upon completion of repairs, sailing of the vessel from Contractor's Yard shall not be delayed on account of signing of WCC by the representatives of both the parties.

22.32. Work Completion Certificate for leaving the vessel from Contractor's Yard:-

When the work is over, the Contractor should remove all his temporary plants, tools, scraps etc. at his own expense and leave the vessel in a clear and tidy condition to the entire satisfaction of the CoPT representatives.

Forthwith after all the repairs to the vessel are satisfactorily completed and trails of various equipments and machineries are successfully completed as per the contractual requirements and IRS Classification Society requirements as applicable, the Employer will issue a completion certificate to the Contractor to the effect that all the repairs at Contractor's yard has been satisfactorily completed. Upon receipt of the above certificate, the Contractor may complete the remaining formalities for sailing of the vessel from Contractor's premises. The Contractor shall not be allowed to transport the vessel to Cochin Port Trust till the Deputy Conservator or his authorised representative issues the Certificate as stated above.

All the required permissions from statutory authorities for the voyage and delivery of the vessel at Cochin Port should be obtained by the contractor at his own cost and time.

22.33. Clause 56 Taking Over of GCC is modified as follows:-

"Take over of the Vessel after repairs"

Immediately upon arrival of the vessel at Employer's premises, the Contractor shall make arrangement at his cost to carry out the joint survey of the vessel. The survey shall be in the presence Engineer-in-charge. The following items shall be included in the joint survey report:

- (i) Fuel Oil remaining onboard the vessel;
- (ii) Lube Oil remaining On-board the vessel;
- (iii) Spares, Tools and Equipments

The Contractor shall complete the joint survey of the vessel and submit the joint survey report to the Employer within three days from the date of arrival of the vessel at Employer's premises. The Contractor shall be responsible for the shortage if any, in the inventory of spares, Tools and Equipments available onboard the vessel at the time of joint survey and the cost of such shortcomings shall be recovered from the Contractor while releasing the final payment. Upon completion of joint survey, the Employer shall issue Take Over Certificate of the Dredger to the Contractor. Date of take over certificate shall be only be considered as the final completion date of repairs of the vessel.

22.34. The following Clause is added as 57.2 under Clause 57, Final Account:

Settlement of Price on account of variation in quantities of Fuel and Lube Oil remaining onboard the Dredger at the time of handing over of the Dredger to the Contractor for repairs and acceptance of the Dredger after satisfactory completion of repairs at Employer's premises.

Joint survey will be carried out at Employers premises at the time of handing over of the Dredger to the Contractor for repairs and also at the time of acceptance of the Dredger by the Employer after satisfactory completion of repairs to assess the quantity of fuel, lubricating oil, spares/stores, tools, equipments etc. remaining onboard the vessel.

The Contractor is liable to pay the cost of fuel and lube oil remaining onboard the vessel at the time of taking over of the vessel for repairs at Employer's premises by Contractor on the rates applicable as on the date of taking over of the vessel. The Employer is liable to pay the cost of fuel and lube oil remaining onboard the vessel at the time of acceptance of the vessel at Employer's premises, after satisfactory completion of repairs, on the rates applicable as on the date of acceptance of the vessel. Payment/deduction as applicable on the above account will be adjusted at the time of settlement of final invoice.

22.35. Clause 58, Submission of 'As built Drawings' is deleted.

22.36. Clause 59 Termination:

22.37. Sub-clause 59.5 is modified as follows:-

Upon termination of the Contract either by Employer or Contractor, the Contractor is liable to safely transit and handover the Dredger to the Employer at Cochin Port Trust premises at his own risk.

If the Contract is terminated at Employer's convenience or because of a fundamental breach of Contract by the Employer, incidental expenses in connection the voyage of the Vessel from the Contractor's Yard to Employer's premises will be reimbursed by the Employer to the Contractor.

If the Contract is terminated because of a fundamental breach of Contract by the Contractor, all expenses in connection with the voyage of vessel from the Contractor's Yard to the Employer's premises shall be borne by the Contractor and Cochin Port Trust is entitled to encash all bank guarantees furnished against stage payment as well as performance guarantee.

22.38. Sub-clause 60.2 under Clause 60, 'Payment upon Termination' is modified as follows:-

If the Contract is terminated at Employer's convenience or because of a fundamental breach of Contract by the Employer, the Engineer-in-charge or his nominee shall issue a certificate for the value of work already completed by the Contractor, reasonable cost for undocking if required, and safe transportation of the vessel from Contractor's Yard to Employer's premises, Contractor's cost/loss of profit on uncompleted works less advance payment received upto the date of the certificate, less other recoveries due in terms of the contract and less taxes due to be deducted at source as per applicable law.

Sub-Clause 61.1 of Clause 61 Property is modified as follows:

All materials/spares purchased and works carried out for which payments has been made to the Contractor by the Employer, are deemed to be the property of the Employer, if Contract is terminated because of a Contractor's default.

- 22.39. Sub-clause 62.1, of Clause 62, Release from Performance is deleted.
- 22.40. Sub-Clause 66.1 under Clause 66 Insurance of Works and Contractor's Equipment is deleted.
- 22.41. Sub-Clause 67.1 under Clause 67 War Risk Insurance is deleted.
- 22.42. Clause 68 Royalties is modified as follows:
- 22.43. Royalties on Patented Articles: The Contractor shall pay all royalties and other sums of money which shall be or become due or payable in respect of any patented, registered or protected article on design which shall be used by him in or about the construction of the system and shall at all times indemnify the Board and its officers and agents there from and from all actions, suits, demands and claims in respect of the said royalties and other sums of money or any of them, and from all costs, charges,

damages and expenses in any way arising there out or incidental thereto. In other words all intellectual property rights and laws shall be honoured and all liabilities there under including all expenses incidental thereto shall be met by the Contractor who shall be wholly responsible for the same, and the Board of Trustees of Cochin Port Trust not be liable and responsible in any manner.

- 22.44. Sub-Clause 69.1 under Clause 69 Transport of Contractor's Equipment or Temporary Works is deleted.
- 22.45. Sub-Clause 70.1 under Clause 70 Transport of materials or Plant is deleted.
- 22.46. Clause 74 Action where no specifications are specified

The wording "Bureau of Indian Standard Specifications" is substituted by "relevant standards applicable in Ship Building/Ship Repairs"

- 22.47. Sub-Clause 77.1 under Clause 77 Contractor's Temporary Works, office etc.' is deleted.
- 22.48. Clause 78 Water supply is deleted.
- 22.49. Clause 79, Power Supply is modified as follows:-

The electricity for lighting, welding, painting and other works in connection with the execution of contract shall be arranged by the Contractor at his Yard at his cost.

22.50. 80. Taxes and Duties

Clause 80 shall be modified as follows:

- 80.1 Deleted
- 80.2 Deleted
- 80.3 Income Tax

The Contractor and his staff shall be responsible for payment of all personal Income Taxes to the concerned authorities as per the law in force from time to time. Deduction of Income Tax shall be made by the Employer from each certificate of payment to the Contractor at the rate of Income tax as applicable from time to time.

80.4 The Contractor shall comply with all the GST Regulations viz. timely uploading of bills, issue of debit/ credit notes etc. As per GST Notification No. 50/2018 dated 13.09.2018, TDS @ 2% will be deducted from any amount payable to the Contractor, where the total value of contract is more than Rs. 2.5 lakhs.

22.51. Clause 82 Safety Code is modified as follows:-

Contractor shall be bound to comply with all relevant regulations, codes and ordinance of the Government of India, State Government and local Municipal,

Corporation concerned regarding safety. The Contractor is also responsible for observance of these rules by his sub-contractors.

The Contractor should ensure that they are complying with all the regulations under the Indian Electricity Act and relevant rules when they consume electricity. The Contractor shall follow but not limited to the following safety guidelines:

- (1) The contractors working in man holes or pits below the ground level must acquaint himself and advise his employees of the hazards of gas or liquid level and take proper precautions.
- (2) Open manholes must be protected by adequate barricade, Man hole covers should be replaced promptly when work is suspended.
- (3) Only qualified employees under the supervision of a qualified supervisor should be allowed to use oxy-acetylene equipment. Cylinders should be secured in upright position.
- (4) Electric welding should be done only by qualified welders under the supervision of qualified supervisor.
- (5) Welder should use adequate personal protective equipments while working. Arc welding should be done only after shielding the location.
- (6) Arc welding equipments should be properly earthed. While welding it should be ensured that no equipment forms part of the ground return.
- (7) Contractors should ensure that First Aid boxes are provided at work spot and should ensure proper medical care of injured persons.
- (8) Contractors should ensure that all the employees are equipped with proper protective equipments for the work they are entrusted with.
- (9) All the employees of the contractors should wear approved safety helmets depending on the work they are engaged in.
- (10) Only qualified and authorised employees should be allowed to operate the mobile cranes and other hoisting equipments.
- (11) While working at heights adequate scaffolding or staging should be used. While working at heights the workman should wear safety belts with adequate life lines.
- (12) Scaffoldings should be of a sound material securely fastened and should be capable of supporting 4 times the combines weight of men and material who may be working on them. Wooden planks used in scaffoldings should not be less than 10" wide, 2" thick should not extend beyond the outer supports by more than 12" nor less than 6". Guarding and the boards should be installed in all scaffolding which are 10" or more in height.
- (13) Workmen in charge of working squad be responsible for the safe loading and use of ropes, chains, cables slings, jacks, skids and other hoisting and lifting apparatus. In no case such equipments should be used unless and until the man in charge is satisfied that it is free from defects and are safe for use.
- (14) Before operating cranes, derrick or hoisting equipment, the operator should sound a warning and he should accept signals only from the authorized person for starting the work of raising, lowering and swinging loads. The Operator should stop immediately all operation on receiving signals from any one.
- (15) No workman should move near the cable under tension and within the angle formed by the ropes or cables. When anyone is found in the danger zone the Hoist operator should never place tension on rope or cable.
- (16) Care must be taken to see that cable chains and other hoisting equipments are not unduly stressed by improper use. All ropes, cables, chains, slings, etc. should be discarded when they were worm out or deteriorated to the point where their safe use

- may be doubtful. Chains and wire ropes should not be spliced or joined. New links should be inserted by competent persons. Wire ropes or cables should not be allowed to kink.
- (17) When applying U. Bolts and clips to cables, adequate number should be used. Hooks, rings and other fittings used on chains or cables should be of the carrying capacity higher than that of the chain or cable.
- (18) Adequate precautions should be taken during welding or gas cutting against hazards such as electric shocks, burns, fumes, fires, explosion and arc eyes.
- (19) Gauntlet gloves should be worn while on gas cutting. Outer cloth worn should be free from oil or grease.
- (20) Goggles or welder's helmets should be worn during welding.
- (21) Barriers should be erected to protect other persons in the vicinity from rays or electric arcs or welding flames.
- (22) Goggles should be worn while chipping the welding slag.
- (23) Adequate ventilation should be provided while welding or cutting in confined spaces.
- (24) When welding or gas cutting in elevated positions, precautions should be taken to prevent sparks of hot metal slag falling out to the people or to the flammable material below.
- (25) Before welding or cutting a pipe, tank or container, which carried flammable material, it should be thoroughly cleaned and gas freed and if necessary, 'Hot Work Certificate' from the Controller of Explosive should be obtained.

5.6. Clause 83, Port Trust Rules is modified as follows:-

While the Dredger is in the custody of Contractor and in Cochin Harbour/any other Harbour during the Contract period, the Contractor shall observe the Conservancy Rules relating to the harbour and shall always take such necessary additional steps to keep the harbour waters free of noxious or unhygienic matters coming from the vessel as are required by the Employer. Under no circumstances shall inflammable materials be allowed to spill into the harbour waters.

The Contractor shall always observe and comply with the working rules and regulations of the Port Trust in force or as issued from time to time, while the Dredger is in the custody of Contractor and is in Cochin Harbour/any other Harbour.

- 5.7. Clause 84 Execution of Work is deleted.
- 5.8. Clause 85 Drawings & Designs is deleted.
- 5.9. Clause 86 Monsoon Period is deleted.
- 5.10. Clause 87 Reports is deleted.
- 5.11. Clause 88 Completion Documents is deleted.

SECTION -III

COCHIN PORT TRUST

SCOPE OF WORK & TECHNICAL SPECIFICATION

3.1.The Contractor's Scope of Work of Tender for Dry Docking and Allied Repairs of the CoPT's Grab Hopper Dredger Nehru Shatabdi consists of (a)Taking over of the Dredger from Employer at Employer's premises and her transit to Contractor's Dry-dock Repair Facilities at Contractor's cost and risk (b) Carrying out the repairs in Contractor's Dry Dock Facilities as per the detailed Repair list attached in the tender document and as per the additional work orders issued based on recommendations of IRS during the survey at Contractor's yard (c) Operational Trials of the repaired machineries/equipments of the Dredger at Contractors' premises on satisfactory completion of repairs/IRS Survey (d) Transit of Dredger from Contractor's premises to Cochin Port Trust at Contractor's cost and risk and handing over to Cochin Port Trust. All statutory approvals if any, in connection with the execution of Contract shall under the Contractor's scope.

Note: If the Contractor's Yard/Dry-dock is within Cochin Port Water Limits, the Scope of Work mentioned at item (b) and item (c) above are only applicable. In cases where the Contractor's Yard is within Cochin Port's Water limits, CoPT will hand over the vessel alongside the contractors berth at free of cost and viz versa.

3.2. Detailed Scope of Work of each components are as furnished below:-

(a) <u>Taking over of the Dredger from Employer at Employer's premises and her</u> transit to Contractor's Dry-dock Repair Facilities at Contractor's cost and risk:

The Contractor shall take over the vessel from CoPT after completing the following requirements at his cost:

- (i) Mandatory permissions from Statutory bodies for sailing the vessel from CoPT to Contractor's yard (Furnish copies of all mandatory certificates and Crew list to CoPT). Any additional equipment as required for the designated voyage are to be provided by the Contractor at his cost and risk.
- (ii) Provide manning as per the minimum safe manning document of the vessel during the transit of the vessel from CoPT's premises to Contractor's Yard at Contractor's cost and risk. (same number of crew shall be maintained during the repair period also and they shall assist the Engineer in-charge during execution of repairs);
- (iii) Carryout joint survey of the vessel to assess the quantity of fuel, lubricating oil, spares/stores, tools, equipments etc.
- (iv) Deputation of Crew to CoPT in advance for familiarizing the operation of the vessel;
- (v) Issue take over certificate signed by the Authorised official of the contractor
- (vi) Arranging bunkers, lube oil, fresh water, stores etc. required for the sailing of the vessel to Contractors Yard at the cost of the Contractor.
- (vii) Safe Transit of the vessel from Cochin Port Trust premises to the Contractor's Yard;
- (b) Carrying out the Dry Docking and Allied Repairs in Contractor's Dry Dock Facilities as per the detailed Repair list attached as **APPENDIX-I** of this Section and as per the additional work orders issued during the execution of work, based on recommendations of IRS during the survey at Contractor's yard.

(c) Operational Trials of the repaired machineries/equipments of the Dredger at Contractors' premises on satisfactory completion of repairs/IRS Survey of each Machinery/equipment.

(d) Transit of Dredger from Contractor's premises to Cochin Port Trust at Contractor's cost and risk and handing over to Cochin Port Trust.

Before commencing the voyage of the vessel from the Contractor's Yard after completion of repairs, the Contractor shall complete the following requirements and furnish copies of relevant documents to CoPT:

- (i) Mandatory permissions from Statutory bodies for sailing the vessel from Contractor's Yard to CoPT premises (Furnish copies of all mandatory certificates and Crew list to CoPT). Any additional equipment as required for the designated voyage are to be provided by the Contractor at his cost and risk.
- (ii) Provide manning as per the minimum safe manning document of the vessel during the transit of the vessel from Contractor's Yard to CoPT's premises at Contractor's cost and risk.
- (iii) Arranging bunkers, lube oil, fresh water, stores etc. required for the sailing of the vessel to Cochin Port Trust at the cost of the Contractor.
- (iv) Safe Transit of the vessel from Contractor's Yard to Cochin Port Trust;
- (v) Carryout joint survey of the vessel to assess the quantity of fuel, lubricating oil, spares/stores, tools, equipments etc. on arrival at Cochin Port Trust.
- (vi) Handing over of vessel to Cochin Port Trust (Cochin Port Trust will issue take over certificate to the Contractor).

3.3.GENERAL:

- (1) All labour, materials/spares, dry docking charges and cost for consumables, manning, to and fro transit, vessel/ crew certification for required for sailing/repairs of the vessel which are applicable for each bidders shall be in the scope of the contractor.
- (2) For hot work, the surrounding area is to be completely cleaned, Gas freed and required No. of fire sentries be posted with fire extinguishers at yards account.
- (3) Security watches to be provided during entire repair period. The yards are required to follow ISPS Procedures during the entire repair period (transit and repair period) on account of Yard only.
- (4) All Quoted cost shall be inclusive of staging, removal & refit charges.
- (5) Sigma/ Hempel/Jotun / Any other brand Marine Paints approved by Class shall be used. Only Tin free antifouling SPC is acceptable
- (6) Covering of Anodes for painting, staging and any other facility used will not be paid extra and are deemed to be included in the cost of painting and in above quotes.
- (7) All openings to be covered with polythene sheets, canvas covers in Engine Room, Bow thruster compartment and accommodation to ensure all the systems are well protected from grit/ copper slag prior to blasting.
- (8) Colour of all the paint coats shall be contrasting to enable differentiation between one coat and another
- (9) Paints materials, spares and all materials &tools required for repairs Yard supply at yard's cost.

- (10) Yard shall rig up staging initially itself to inaccessible areas for taking up UTG and Blasting.
- (11) Primer coating to be done on blasted areas without delay after blasting.
- (12) All Blasting works are to be completed initially itself, so that the same activity shall not interfere with the other repairs.
- (13) Steel plate renewal: Steel plates renewal includes associated beams, angles, stiffeners, etc., which requires renewal as per UTG report or as marked by Ship staff & Surveyor. The rate must be inclusive of staging with one coat of primer. All steel materials & welding rods used must be of Class approved ship building quality.
- (14) UT gauge thickness measurement to be carried out on hull, hopper walls, deck plating, tank internals and overflow ducts. Crop and renew to be carried out, where thickness is below 20% of specified value or as per Ship staff/IRS surveyor recommendations.
- (15) All the required areas to be UT gauged, examined on docking of the vessel within a week and freeze the scope of work in consultation with IRS/ Engineer in-charge.
- (16) Cost of Staging will not be paid extra and staging cost deemed to be included in the cost of gauging/Steel renewals/painting and machinery works etc. in all Groups
- (17) The quoted rates for all jobs should be inclusive of access works, in way jobs/connected work, relevant works & associated jobs, staging, fire patrol, security, necessary equipment, tool and other preparatory works as required for doing each job including transportation of items for repairs and back.
- (18) Temporary lighting, compressed air, ventilation fan and heating lamps provided for repairs, if any, shall be to the account of yard and will not be considered separately.
- (19) Cement level to be made at the main deck edge with carry away pipes to keep the vessel's hull dry and free of dropping water while painting is in progress. Wooden plugs to be fitted to all scupper pipes before fitment of carry away pipes.
- (20) All chemicals and consumables for degreasing & cleaning are Yard supply and at Yard cost.
- (21) Tanks are to be ventilated by providing adequate number of blowers before man entry. No separate cost will be payable for this account,
- (22) All welders of the Yard engaged in work including those employed by sub- contractors should have valid Certificates from IRS/LRS.
- (23) All plates used must be Lloyds Grade-A or IS 2062 Grade B and serial number of plates with certificate must be submitted to Chief Engineer before fitment.
- (24) All electrodes used and welding procedure must be approved by IRS. All welding equipment including cables & holders must be in a fit state for use. welding to be tested by DP/MPI/X-RAY as required by the Surveyors.
- (25) Tanks in which steel renewal was done to be pressure tested as required by surveyors. No separate cost for staging, pressure testing of the tanks shall be allowed.
- (26) For steel renewal, insulation may have to be removed, wherever required. Cables and electrical equipments must be protected with tin sheets and fireproof cloth while gas cutting/welding.
- (27) Proper precautions are to be taken by the yard while renewing steel plates below main engines, Aux.

- Engines, gear boxes and major equipments, draw bars etc to avoid any misalignments, sagging etc.
- (28) Yard to provide a detailed action plan along with Bar Chart and to quote steel grade, total steel quantity and renewals/ repairs to all locations with shell expansion drawings.
- (29) Steel renewals are to be clearly mentioned in Work Completion Certificate (i.e. Size of the plate renewal (Length, width & thickness), Number of plates renewed and Location of renewal etc. Accordingly, Certification to be obtained from CE. Lump sum quantities (for example: 500kgs or 2 tons renewed) will not be considered and such claims will not be accepted. Hence, proper care must be taken while preparing work completion certificates. No additional percentage (%) towards wastage/ bending etc shall be considered.
- (30) Pipe renewal to be clearly mentioned in WCC for each occasion like location of renewal, size of pipe renewal, length of pipe renewal and number of pipe fittings renewed. Accordingly, CE certification to be obtained. Lumpsum quantities (i.e. 50 dia -100 mtr renewed or 150mm dia 50 mtr renewed) will not be considered and such claims will not be accepted. Hence, proper care must be taken while preparing Work done certificates. Renewal of pipeline less than one meter will be paid as one meter and above one meter will be paid as per actuals.
- (31) After repairs/renewals/servicing propellers and Rudders are to be tested for trouble free operations. Defects including misalignment and oil leaks if any found are to be corrected by the yard at yards cost.
- (32) After repairs, all necessary items are to be tried out and shown to the IRS surveyor as required.

 Rate shall include sea trials of propellers, Rudders, Bow thrusters etc. after completion of all repairs satisfactory trials to shown to ship staff.
- (33) OEM service engineers to be arranged by the yard if required at the cost of the Contractor.
- (34) All tools, special tools, jigs and fixtures which are required to arrange/provide by yard at their cost for carrying out jobs as per tender and no separate cost & time shall not be considered for the above
- (35) In case of material purchase of above Rs. 10,000/- value made, supporting vouchers/bills, Copy of invoices may be enclosed with WCC.

(36) SUPPLY OF GOODS:

- (a) Goods and Services: Where the Contract obligations include supply of goods, the goods shall mean all of the equipment, machinery, spares and / or other materials such as design, drawing, manuals and all such documents which the Contractor is required to supply to the Cochin Port Trust under the contract.
- (b) Goods shall Confirm to Standard: The goods supplied under the contract shall conform to the standard mentioned in the technical specification. When no applicable standard is mentioned, it shall conform to the authoritative and latest standard appropriate to the goods.

(37) Painting

All paints shall be supplied by the Shipyard and are to be applied by airless spray. Air less spray machines shall be capable of generating sufficient pressure to fully atomize

heavy coatings.

- b) All paints are to be applied only on clean and dry surfaces.
- c) Careshouldbetakenwithregardtoallowabletemperatureandhumidityconditionwhichar etobestrictly observed.
- d) All coatings are to be smoothly applied free from sags and runs.
- e) For paint coatings the specified minimum thickness are to be strictly adhered to.
- f) Deficiencies in film thinness are to be made up prior to the application of final coat, in order to avoid patched appearance.
- g) Painting job of hull, underwater and shell are to be undertaken as per the guidance of paint Manufacturer and their Service Engineer.
- h) Painting-colour of all the coats should be contrasting to enable differentiation between one coat and another.
- i) Painting Paint certificate to be issued by paint Manufacturer and valid for 36 months.

(38) <u>STEELRENEWAL</u>:

All steel renewals as per the Surveyor's recommendation and as per ultrasonic thickness (UTG). Readings are to be countersigned by the Surveyors before and after repairs. The relevant reports are to be submitted to the ship's staff in three copies.

(39) ULTRA SONICGAUGING:

As soon as the vessel enters dock, the ultrasonic thickness gauging (UTG) of the ship's hull, decks, tank tops etc, to be taken, readings to be plotted as per respective drawings and submitted to Class Surveyor and Ship staff for record and reference.

(40) REMOVAL OF DEBRIS:

Yard shall arrange removal of debris, scrap and dirt generated from the vessel, arising out of repairs, at regular intervals during the repair. This will be on Yard's account and no separate payment will be made for this.

(41) FUEL, LUBOIL and SLUDGE:

Removal of debris and mud in side the hopper and its gratings (30 Tons approximate) are to be carried out by the yard and the payment will be made as per quoted rate.

APPENDIX-I

DRY DOCKING AND ALLIED REPAIRS:-

Based on the assessment made by Cochin Port Trust, a list of repairs to be carried out during the dry docking period has been prepared and the details are as follows:-

| SI. | Description | Qty. | Unit |
|-----|---|------|------|
| No. | | | T 0 |
| 1 | Dock blocks preparation as per docking plan | 1 | LS |
| 1.1 | Dry dock Hire Charges, | 1 | |
| | i) First Day | 1 | Day |
| | ii) Subsequent days required in dry dock. | 45 | Days |
| 1.2 | Charges for Removal & Repositioning of dock blocks for specific requirments (to be approved by CoPT). | 1 | Nos |
| 1.3 | Removal of debris and mud in side the hopper and its gratings | 30 | Ton |
| 2 | Wharfage- days required | 30 | Days |
| 3 | Assisting for docking and undocking the Vessel including Mooring/Un mooring, line handling etc | 1 | LS |
| 4 | continuous Shore power supply — (AC 50Hz. 3 phase, 415V/440V; 300 A including connection and disconnection charges. Cable –yard supply) for entire repair period. Average 100 units /day (yards to quote rate for 100 units per day rate) | 75 | Days |
| 5.1 | Fresh Water supply to vessel fresh water hydrophore system for entire repair period. Working pressure 4bar(<i>Yards to quote rate for 3 tons /day rate.</i>) - including incoming connections with Braided hose (Hose yard supply) Average 3 tons /day. | 75 | Days |
| 5.2 | Providing sufficient supply of drinking water with dispenser (3dispenser-total 80 ltrs /day) (Yards to quote rate for 3 tons /day . | 75 | Days |
| 6 | Round the clock fire Patrol for entire vessel during repair period as per standard requirement. | 75 | Days |
| 7 | Galley refuse removal and disposal every week (Yard to quote number of weeks required and rate /week.) | 10 | Week |
| 8 | Gas freeing for inspection enclosed spaces by Shipyard Personnel including providing blowers etc and necessary arrangement for ventilation for additional works. (if required). | 1 | No. |
| 9 | Three numbers of carry away pipes to be provided on sea discharges to prevent flow on shipside for entire repair period in side the dock | 45 | Days |
| 10 | Heating lamps for standstill motors are to be provided (including cost of electricity used)to avoid moisture accumulation on motor windings.(10 Lamps) | 75 | Days |

| 11 | Supply of sea water for ballast tanks (Including connection & disconnection) | 300 | Ton |
|----|---|-----|-----|
| 12 | Fresh water supply (including one time connection and disconnection) as required. | 1 | Ton |

NOTE: 1) For hot work, the surrounding area is to be completely cleaned and required No. of fire sentries be posted with fire extinguishers at yards account. 2) Security watch if any provided during repair period will be on account of Yard only. 3) All Quoted cost shall be inclusive of staging, removal& refit charges.

GROUP B: SURFACE PREPARATION, CLEANING & PAINTING

Note: Sigma/ Hempel/ Jotun / Any other brand Marine Paints approved by Class may be used. Only Tin free antifouling SPC is acceptable

| SI. No. | Description | Qty. | Unit |
|------------|---|----------|---------|
| 1 | SURFACE PREPARATION AND PAINTING OF HULL EXTE | RIOR | |
| 1.1 | Underwater area including box cooler space, bow thruster tunne intake (2nos port aft and 1 no stbd fwd) | l and se | a water |
| 1.1.1 | High pressure water washing(150bars)to remove barnacles and Sea growths. | 2125 | SqM |
| 1.1.2 | Wire brushing/ Scraping | 400 | SqM |
| 1.1.3 | Carry out Copper slag blasting up to bare metal (SA 2.5) | 2125 | SqM |
| 1.1.4 | Paint blasted areas with Epoxy Primer at 50 Mic. DFT. | 2125 | SqM |
| 1.1.5 | Water washing ordinary (after primer) | 2125 | SqM |
| 1.1.6 | Apply Tar Free Tie coat 125 Mic. DFT on Total area. | 2125 | SqM |
| 1.1.7 | Mopping with freshwater before applying Antifouling. | 2125 | SqM |
| 1.1.8 | Apply (Two coats) SPC.A/F (Tin free) of 125Mic.DFTeach. (Total 250 Mic DFT). | 4250 | SqM |
| 1.1.9 | Chemical cleaning of oily areas (Including Chemical supply Cost by yard) | 100 | SqM |
| 1.2 | Hull top (above water) area and bulwark exterior | | |
| 1.2.1 | High pressure water washing(150bars) | 430 | SqM |
| 1.2.2 | Scrapping of top area and bulwark exterior as required. | 100 | SqM |
| 1.2.3 | Carry out Copper slag blasting up to bare metal (SA2.5) | 330 | SqM |
| 1.2.4 | Paint above areas with Epoxy Primer at 50 Mic. DFT. | 430 | SqM |
| 1.2.5 | Water washing ordinary (after primer) | 430 | SqM |
| 1.2.6 | Apply two coats of surface tolerant epoxy grey 125 mic. DFT each. (Total 250 Mic.) | 860 | SqM |
| 1.3 | Main deck (390sqm), fwd and aft bulkheads (75sqm) ,grab rest structure area(40sqm),hopper coaming(145sqm) and all air vent and pipes | | |
| 1.3.1 | High Pressure water washing (100 bar) | 650 | SqM |
| 1.3.2 | Remove all oil, grease and foreign material by chemical cleaning excluding blasted area. (Including Cost of Chemical, supply by Yard) | 260 | SqM |
| 1.3.3 | Copper Slag Blasting all areas to SA 2.5 | 390 | SqM |
| 1.3.4 | Apply Epoxy Primer 50 mic. DFT | 650 | SqM |
| 1.3.5 | Water washing ordinary (after primer) | 650 | SqM |

| 1.3.6 | Apply two coats of surface tolerant epoxy green 125 mic. DFT each. (Total 250 Mic.) | 1300 | SqM |
|-------|--|----------|-----------|
| 1.4 | Forecastle deck and bulwark interior(210sqm), poodeck including railing (260sqm), accommodation deck and bridge deck (144sqm) fittings | _ | ts deck |
| 1.4.1 | High Pressure water washing(100 bar) | 614 | SqM |
| 1.4.2 | Remove all oil, grease and foreign material by chemical cleaning.(Including Cost of Chemical, supply by Yard) | 614 | SqM |
| 1.4.3 | Apply two coats of surface tolerant epoxy green 125 mic. DFT each. (Total 250 Mic.) | 1228 | SqM |
| 1.5 | Main mast and access platform, foremast, sternmast, access stru monkey island and accommodation superstructure | cture o | n |
| 1.5.1 | water washing | 900 | SqM |
| 1.5.2 | Chipping rusted areas | 50 | SqM |
| 1.5.3 | Apply two coats of surface tolerant epoxy white 125 mic DFT each. (Total 250 Mic.) | 1800 | SqM |
| 1.6 | Funnel, funnel top and exhaust uptakes | | 1 |
| 1.6.1 | Chipping rusted areas | 10 | SqM |
| 1.6.2 | Remove all oil, grease and foreign material by chemical cleaning. (Including Cost of Chemical, supply by Yard) | 115 | SqM |
| 1.6.3 | Funnel and funnel top to be painted with heat resistant golden yellow and exhaust uptakes to be painted with heat resistant Aluminum paint. | 115 | SqM |
| 1.7 | Companion ladder (4nos) and crossover ladders (4nos) | | I |
| 1.7.1 | Chipping rusted areas | 10 | SqM |
| 1.7.2 | Remove all oil, grease and foreign material by chemical cleaning.(Including Cost of Chemical, supply by Yard) | 40 | SqM |
| 1.7.3 | Apply one coat Epoxy Primer. | 40 | SqM |
| 1.7.4 | Apply two coats of surface tolerant epoxy grey | 80 | SqM |
| 1.8 | Painting of ship's name in Hindi and English at P & S bow, stern and port of registry, IMO number at stern, Plimsol marks at mid ship P & S, draft marks up to full load line at Fwd, mid ship and aft of P & S sides and tank markings with 2 coats of black/white paint. | 1 | LS |
| 1.9 | Fresh water tank/ ballast tanks/ dirty oil tank/ f.o.tanks/ void spa - 19 tanks) | ices etc | .: (total |
| 1.9.1 | Gas free inspection of the tank by Govt. Inspector and providing Gas free certificate for man entry in triplicate. | 19 | Nos. |
| 1.9.2 | Opening and closing of manhole door of tanks with new joint & Fastners as required. | 31 | Nos. |
| 1.9.3 | i) Removal of Oil/sludge/oily water etc. | 20 | Cub M |
| | ii)Removal of Mud/muck/ debris etc | 20 | Cub M |
| | iii) Removal of sewage | 15 | Cub M |
| 1.9.4 | Jobs to be carried out on following tanks: i)Void spaces- 4 nos, -3 nos, iii)Sewage tank - 1 nos, iv)Engine Room DB tank- 1 Nos, Total -10 Nos | | |
| | i)Scraping | 1000 | SqM |
| | - | | |

| | ii)Chipping | 500 | SqM |
|------------------|---|----------|------|
| | iii)Power/Wire brushing | 2200 | SqM |
| | iv)Chemical cleaning | 2200 | SqM |
| | v)Mopping with cotton waste | 2200 | SqM |
| | vi)Painting:- 01 coat primer. | 2200 | SqM |
| | vii)Painting :- 2 coats compatible epoxy paints | 4400 | SqM |
| 1.9.5 | Fresh Water tank -1No. | 1 | |
| | i)Scraping | 410 | SqM |
| | ii)Chipping | 200 | SqM |
| | iii)Power/Wire brushing | 410 | SqM |
| | iv)Mopping with cotton waste | 410 | SqM |
| | v)F/W tank to be painted with pure epoxy solvent free food grade | | |
| | paint. 1. One coat Primer.(410sqm) 2. Two coats Paint(820Sqm) | 1230 | SqM |
| 1.9.6 | Jobs to be carried out on following tanks: i)Dirty oil tank-1nos tank -1nos iii)FO overflow tank 1nos iv)PS FO storage tank 1nos storage tank 1nos, vi) PS LO sump tank 1nos vii)SB LO sump ta FO day tank 1nos. Total -08 Nos | s v)SB F | Ö |
| | i)Chemical cleaning | 2500 | SqM |
| | ii)Mopping with cotton waste. (tanks to be thoroughly cleaned, | | |
| | dried, and dust and lint free prior boxing back) | 2500 | SqM |
| 1.10 | Pressure testing of Tanks | | |
| 1.10.1 | Void space- 120 cub mtr. | 1 | LS |
| 1.10.2 | Fore water ballast tank#1- 104 Cub mtr | 1 | LS |
| 1.10.3 | Aft water ballast tank #14 - 119 Cub mtr | 1 | LS |
| 1.10.4 | PS FO storage tank #4- 112 Cubmtr | 1 | LS |
| 1.10.5 | Sludge oil tank#8 – 3.4 Cub mtrs | 1 | LS |
| 1.10.6 | Sewage Tank #13- 34 Cub mtrs | 1 | LS |
| 1.11 | E/R bilge, E/R tank tops, bow thruster compartment bilge. | | |
| 1.11.1 | Bailing out water, Oil, mud and cleaning/ removal of debris, sludisposal from vessel. | dge and | its |
| | i) Sludge/oily water etc. | 3 | Ton |
| | ii) Mud/ Debris etc. | 1 | Ton |
| 1.11.2 | Scraping, chipping, wire brush and cleaning bilges with cotton rags &chemical of reas as instructed by CE. (Chemical & Rags yard supply) Charges to include Removal and refitting of all floor plate/chequered plate/wooden planks etc. | 500 | SqM. |
| 1.11.3 | Apply one coat of epoxy primer. | 500 | SqM |
| 1.11.4 | Apply two coats of surface tolerant epoxy paint. Final coat should be grey. | 1000 | SqM |
| 1.12 | Chain trunk inner walls for bottom door operation (6nos) | 1 1 | |
| 1.12.1 | Scraping | 120 | SqM |
| 1.12.2 | Chipping | 120 | SqM |
| | | | SqM |
| 1.12.3 | Chemical cleaning | 120 | Sym |
| 1.12.3 1.12.4 | Water washing ordinary (after primer) | 120 | SqM |

| 1.12.6 | Two coats of surface tolerant epoxy grey | 240 | SqM |
|---------|---|------------|-----|
| 1.13 | Sea gratings and bottom plugs | I I | |
| 1.14 | All underwater openings/plugs to be opened for inspection including removal, cleaning, painting and refitting of gratings/plugs. Grating size: 775 mm x 405mm X50 mm- 10 nos, 650mm x 400mmx 20mm – 1no, 600mmx405mmx 50mm – 10nos, 400mmx 400mm x 20 mm -1no. 1150mm X 1250mm X 80 mm- 2 Nos. (Cleaning & Painting with same procedure as underwater area) No. of Plugs – 18 Nos | 1 rating r | LS |
| 1 1 / 1 | area High Processes vector weeking and closeing (100 hor) | 1200 | C~M |
| 1.14.1 | High Pressure water washing and cleaning(100 bar) | 1200 | SqM |
| 1.14.2 | Copper Slag Blasting all areas to SA 2.5 | 1200 | SqM |
| 1.14.3 | Apply Epoxy Primer 50 mic. DFT | 1200 | SqM |
| 1.14.4 | Water washing ordinary (after primer) | 1200 | SqM |
| 1.14.5 | Apply two coats of surface tolerant epoxy grey 125 mic DFT each. (Total 250 Mic.). Note: Hopper grating to be taken out for the above works and to be fitted back. Spec:4.5mX 2.5m sub divided into 50cm ,squares of 25 Cm ht | 2400 | SqM |
| 1.15 | Anchor hawse pipes port and stbd & chain lockers port and stbd | | |
| 1.15.1 | High Pressure water washing & cleaning(100 bar) on Anchor hawse pipe. | 30 | SqM |
| 1.15.2 | Scrapping | 100 | SqM |
| 1.15.3 | Chipping | 50 | SqM |
| 1.15.4 | Apply One coat Epoxy Primer | 100 | SqM |
| 1.15.5 | Apply two coats of surface tolerant epoxy grey/black. | 200 | SqM |
| 1.16 | 4 Nos deck crane cabin exterior, booms, boom resting cradles, pe | destal, | |
| | greasing platform, foundations & resistor boxes | | |
| 1.16.1 | Scraping | 100 | SqM |
| 1.16.2 | Chipping | 100 | SqM |
| 1.16.3 | Chemical cleaning | 720 | SqM |
| 1.16.4 | One coat Primer application (As required) | 150 | SqM |
| 1.16.5 | Painting – two coats of surface tolerant epoxy grey/black | 1440 | SqM |
| 1.16.6 | Crane resistor boxes 8 nos to be painted with HR Aluminium paint. 1 coat. | 10 | SqM |
| 1.17 | 4 nos Crane cabin& machinery space | T | |
| 1.17.1 | Chipping/scrapping rusted areas | 50 | SqM |
| 1.17.2 | Remove all oil, grease and foreign material by chemical cleaning.(Including Cost of Chemical, supply by Yard) | 640 | SqM |
| 1.17.3 | Painting – 1coat, interior enamel grey paint. | 640 | SqM |
| 1.18 | Four nos draw bar and draw bar stools | | |
| 1.18.1 | Scraping/Chipping, chemical cleaning, one coat primer &Two coat paint with surface tolerant epoxy grey colour. | 120 | SqM |

| 1.19 | 4 nos Hydraulic cylinders for hopper door operation to be painted- 1 coat with surface tolerant epoxy grey colour. | 40 | SqM |
|-------------------|---|--|--|
| 1.20 | Bottom door opening/closing chains, shackles and triangular plates to be cleaned, blasted and apply one coat epoxy paint. (Refer Group D. Sl.No.3) | 1 | LS |
| 2.0 | Removal and renewal of sacrificial zinc anodes (yard supply) | | |
| 2.1 | i)Underwater – 12kg anodes | 30 | Nos. |
| 2.2 | ii)Underwater- 10kg anodes | 27 | Nos. |
| 2.3 | iii)Lower fore peak tank- 10kg anodes | 2 | Nos. |
| CROU | for the above works will not be paid extra and are deemed to be cost of painting and in above quotes. 2) All openings to be covered polythene sheets, canvas covers in Engine Room, Bow thruster consure all the systems are well protected from grit/copper slag per 3) Colour of all the coats shall be contrasting to enable differentiatione coat and another 4) Paints - Yard supply. 5) Yard shall rigur initially itself to inaccessible areas for taking up UTG and Blasting coating to be done on blasted areas after blasting without delay. Additional cost for Staging will be paid for quoted jobs, where ever required. 8) All Blasting works are to be completed initially itself same activity shall not interfere with the other repairs. 9) All declar to bollards/Capstan/blower/air vents/grills/hatches/ladders/mush hood/handrails/fire hydrants/pipelines etc | d with ompart rior bla ation be p staging. 6)Pr 7)No er staging, so that k fitting | ment to asting. etween ng rimer ing is at the |
| | P - C : STEEL RENEWALS | | |
| | | | |
| SL No | Description Note:Steel plate renewal: Steel plates renewal includes associate | | |
| | Note: Steel plate renewal: Steel plates renewal includes associate angles, stiffeners, etc., which are wasted as per UTG report and a Ship staff & Surveyor. The rate must be inclusive of staging with primer. All steel materials &welding rods used must be of class a building quality. UT gauge thickness measurement to be carried hopper walls, deck plating, tank internals and overflow ducts. Cowhere thickness is below 20% of specified value or as per Ship st | d beam as mark one co approve out on rop and | s, sed by at of ed ship hull, I renew |
| | Note: Steel plate renewal: Steel plates renewal includes associate angles, stiffeners, etc., which are wasted as per UTG report and a Ship staff & Surveyor. The rate must be inclusive of staging with primer. All steel materials &welding rods used must be of class a building quality. UT gauge thickness measurement to be carried hopper walls, deck plating, tank internals and overflow ducts. Co | d beam as mark one co approve out on rop and | s, sed by at of ed ship hull, I renew |
| 1 | Note: Steel plate renewal: Steel plates renewal includes associate angles, stiffeners, etc., which are wasted as per UTG report and a Ship staff & Surveyor. The rate must be inclusive of staging with primer. All steel materials &welding rods used must be of class a building quality. UT gauge thickness measurement to be carried hopper walls, deck plating, tank internals and overflow ducts. Cowhere thickness is below 20% of specified value or as per Ship st surveyor recommendations. | d beam as mark one co approve out on rop and aff/IRS | s, ked by at of ed ship hull, I renew |
| 1.1 | Note: Steel plate renewal: Steel plates renewal includes associate angles, stiffeners, etc., which are wasted as per UTG report and a Ship staff & Surveyor. The rate must be inclusive of staging with primer. All steel materials & welding rods used must be of class a building quality. UT gauge thickness measurement to be carried hopper walls, deck plating, tank internals and overflow ducts. Con where thickness is below 20% of specified value or as per Ship st surveyor recommendations. UT gauging to be carried out Steel renewal (including materials, labour, staging and connected) | d beam as mark one co approve out on rop and aff/IRS | s, sed by eat of ed ship hull, renew SPOTS |
| 1.1 1.2 | Note: Steel plate renewal: Steel plates renewal includes associate angles, stiffeners, etc., which are wasted as per UTG report and a Ship staff & Surveyor. The rate must be inclusive of staging with primer. All steel materials & welding rods used must be of class a building quality. UT gauge thickness measurement to be carried hopper walls, deck plating, tank internals and overflow ducts. Con where thickness is below 20% of specified value or as per Ship st surveyor recommendations. UT gauging to be carried out Steel renewal (including materials, labour, staging and connected activities & over heads. Building up by welding on the pitted spots and leveling welded | d beam as mark a one co approve out on rop and aff/IRS | s, sed by eat of ed ship hull, renew SPOTS Ton |
| 1.1 1.2 1.3 | Note: Steel plate renewal: Steel plates renewal includes associate angles, stiffeners, etc., which are wasted as per UTG report and a Ship staff & Surveyor. The rate must be inclusive of staging with primer. All steel materials &welding rods used must be of class a building quality. UT gauge thickness measurement to be carried hopper walls, deck plating, tank internals and overflow ducts. Con where thickness is below 20% of specified value or as per Ship st surveyor recommendations. UT gauging to be carried out Steel renewal (including materials, labour, staging and connected activities & over heads. Building up by welding on the pitted spots and leveling welded areas by grinding for welding of Spots.(size-25 X 25 mm) | d beam as mark a one co approve out on rop and aff/IRS | s, sed by eat of ed ship hull, renew SPOTS |
| 1.1 1.2 1.3 | Note:Steel plate renewal: Steel plates renewal includes associate angles, stiffeners, etc., which are wasted as per UTG report and a Ship staff & Surveyor. The rate must be inclusive of staging with primer. All steel materials & welding rods used must be of class a building quality. UT gauge thickness measurement to be carried hopper walls, deck plating, tank internals and overflow ducts. Con where thickness is below 20% of specified value or as per Ship st surveyor recommendations. UT gauging to be carried out Steel renewal (including materials, labour, staging and connected activities & over heads. Building up by welding on the pitted spots and leveling welded areas by grinding for welding of Spots.(size-25 X 25 mm) SHELL Corroded sections of side scuttle on poop deck to be renewed. Corroded sections along the gunwale at poop deck to be crop and | d beam as mark one co approve out on rop and aff/IRS | s, sed by at of ed ship hull, renew SPOTS Ton Spots |

| 2.4 | Support cradles for Dredge anchor (One each on port and stbd aft and fwd- total 4nos) crop and renew as required. | 1 | Ton |
|-----|---|----|------|
| 2.5 | Renewal and fitment of corroded bollards as per IRS Surveyors recommendation | 4 | Nos. |
| 2.6 | Main deck drain arrangement forward and Aft to renew as required, Total 4 nos. | 20 | М |
| 2.7 | Main deck plating thinned down portion to be cropped and renewed. | 5 | Tons |
| 2.8 | Deck plating inside fwd store thinned down portion to be cropped and renewed. | 2 | Tons |
| 3 | Tanks | ı | 1 |
| 3.1 | Aft peak tank steel renewal to be carried out as per gauging report. | 5 | Tons |

NOTE: 1) AII the above areas to be UT gauged, examined on docking of the vessel within a week and freeze the scope of work in consultation with IRS/ Ship staff 2) Cost of Staging will not be paid extra and staging cost deemed to be included in the cost of Steel renewals and in all Groups

GROUP - D: HOPPER SYSTEM

| GNOU | P - D: HOPPER SYSTEM | | |
|-------|---|------|------|
| SL No | Description | Qty. | Unit |
| 1 | All 12 Nos. Bottom doors to be checked for deformation, wear and defects if any to be repaired. Deformities if any in the way of sealing area of bottom doors to be corrected by renewal/ build up. All 12 hopper doors thinned/wasted portion to be cropped and renewed as required. All Eyelets for chain (2nos/per door) to be checked for excessive wear and repair as required. Hopper doors to be filled up with freshwater and sealed before undocking. (Approximate water quantity 30 MT). Bottom door size 4520 x 4310 mm, top plate thickness 18mm, bottom plate thickness 10mm. Renewal of Steel Plates (Hopper doors) 8 tons Approx | 1 | LS |
| 2 | All 12Nos of bottom doors dismounted, check eyelet, hinge pins and bushes for excessive wear and ovality. Worn out eyelets build up, pins and bushes to be renewed and finally alignment to be carried out for proper opening and closing of doors. Pins to be secured after final fitment. Eyelets with Bushes 2 per door- Total 24 Nos. Eyelets with Bushes on mounting area on hull – 4nos per door, Total 48 Nos. Pins per door- 2nos, Total 24 Nos. All Pins and Bushes yard supply. Pin material: 34CrNiMo6, Bush material: X120 Mn13 or equivalent. | 1 | LS |
| 3 | Bottom door (12nos) chain system, comprising of upper chain, lower chain, triangular plate and shackles, which are corroded and worn out to be built up or repaired. Chain length to be adjusted to ensure proper sealing, Length adjusting eyebolt to be eased up. (All spares yards supply) Upper chain (size 44mm, links 44nos) -1 per door Lower chain (size 36mm, 8 links)- 2 per door Triangular plate – 1 per door End shackle for upper chain – 2 per door End shackle for lower chain- 4 per door. All spares to be provided by yard, including shackles. | 1 | LS |

| 3.1 | Supply& renewal of D Shackle for 36 mm chain, Proof Load – 74 tons, Breaking Load -105 tons | 12 | Nos. |
|--------|---|------|--------|
| 3.2 | Supply and renewal of D Shackle for 44 mm chain , Proof Load – 108 tons, Breaking Load -154 tons | 6 | Nos. |
| 4 | Hopper system draws bar rollers 3Nos per drawbar (Total 12 rollers.) to be dismantled, bushes, pins and rollers to be checked for wear and to be renewed as necessary. Also outer Contact surface of rollers to be rebuilt and machined as required. Grease passages on pins and bushes to be made clear, grease flow to be checked after fitting back. Damaged grease nipples on pins to be renewed and to be greased. Built up of roller by welding if required (100 Kg approx) | 1 | LS |
| 5 | Renewal of bottom door rubber beadings/seals. Estimated length Yard supply as per sample). All broken studs to be replaced, length | | |
| | beading support strips to be renewed ,secured and proper sealing | | |
| 5.1 | shown Renewal of rubber beading of hopper doors(Yard supply as per sample)Drawing attached | 200 | M |
| 5.2 | Renewal of Retaining channels (MS flat 65X8mm) | 200 | M |
| 5.3 | Renewal of bushes, size -32 mm dia, material SS pipe, 20 mm long | 1080 | Nos. |
| 5.4 | Studs with nut M 16 x 45mm material - SS | 1080 | Nos. |
| 6 | All four draw bars to be dismantled, corroded portions to be crop or Complete renewal of draw bars (stbd fwd and port fwd) as red | | |
| 6.1 | Removal/ refitting 2 nos. draw bars(corroded portions to be crop and renewed if required, approximate 1 ton) | 1 | LS |
| 6.2 | Removal of old draw bar & fabrication and fitting of new draw bars (Drawing attached). (draw bars Yard supply) | 1 | LS |
| 7 | Wear blocks on draw bar stools to be aligned on refitting of draw bar. Wear blocks –Total 8 nos. (2 per drawbar stool) | 1 | LS |
| 8 | 2 Nos. Hopper gratings to be fabricated. Each of 4.5m x 2.5 m subdivided into 50 cm squares of height 25 cms each, 8mm thick steel plate. | 2 | Nos |
| CT NI- | GROUP - E :DECK CRANES | 04 | T I 24 |
| SL No | Description Grab parking area port and stbd wooden planks to be renewed with | Qty. | Unit |
| | new wooden planks and connected steel works (wooden plank1.5M x 0.15M x0.15m - 4 nos.) | 1 | LS |
| 2 | All four cranes jib resting cradle (2nos) corroded section (3 tons approx) and wooden padding at boom resting area to be renewed. (Wooden padding size 0.2M x0.15m X 10 mtrs.) | 1 | LS |
| 3 | Corroded bulkheads, floor plates in crane machinery space and operator cabin (4 nos.) to be cropped and renewed/ strengthened. Approx area 8sq. meter, (Renewal of steel plates 1 ton approx.) | 1 | LS |

| All the four cranes tower pulleys dia 63cm- 4x4 Nos, and Boom pulleys dia 78cm -4 x 2 nos and Boom pulleys dia 63 cm 4 x 2 nos (total 32nos) to be dismantled, bushes, pins, spacers and pulleys checked for wear and tear and to be repaired/build up if necessary. After assembling back, Grease passages to be checked clear by greasing. Bush clearances to be adjusted. Pulley contact surface in way of ropes to be rebuilt as required. 6 All the four cranes Slewing gear weather protection flaps to be renewed, size 650cm x 40cm x 6 mm Per Crane. Material: Neoprene rubber 7 Four numbers jib light guards for cranes deformed, to be renewed. 8 4 Nos. Jib pulley guard support for cranes deformed/broken, to be renewed. 9 4 Nos of cranes slewing mechanism foundation bolts (inside & outside) to and tighten. Renew, if broken. Outside bolts to torque tighten to 1350NM inside ones to hammer tight. Size: M27.Total Nos.76 per crane 9.1 Nos. bolts for torque tightening 152 9.2 Nos bolts for hammer test 9.1 Nos of bolts for renewal M27x 220mm long (material: 10.9 grade bolt) 10 All 4 cranes rain protection flaps in the way of ropes from machinery room to be renewed 3 sets/crane (Approx Size: 1.5 M x 0.5 M each). Material: Used conveyor belt or equivalent. 11 Corroded greasing platform for crane (4nos) to be cropped and renewed, drain holes to be provided. Approx area 1Sqm/crane 12 Companion ladder (4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required 1.1 Renewal of ladder step 1.2 Renewal of hand rails | |
|---|----------------------------|
| renewed, size 650cm x 40cm x 6 mm Per Crane. Material: Neoprene rubber Four numbers jib light guards for cranes deformed, to be renewed. 4 Nos. Jib pulley guard support for cranes deformed/broken, to be renewed. 4 Nos of cranes slewing mechanism foundation bolts (inside & outside) to and tighten. Renew, if broken. Outside bolts to torque tighten to 1350NM inside ones to hammer tight. Size: M27.Total Nos.76 per crane Nos. bolts for torque tightening Nos of bolts for renewal M27x 220mm long (material: 10.9 grade bolt) Nos of bolts for renewal M27x 220mm long (material: 10.9 grade bolt) All 4 cranes rain protection flaps in the way of ropes from machinery room to be renewed 3 sets/crane (Approx Size: 1.5 M x 0.5 M each). Material: Used conveyor belt or equivalent. Corroded greasing platform for crane (4nos) to be cropped and renewed, drain holes to be provided. Approx area 1Sqm/crane GROUP - F :Steel fabrication- main deck and accommodation SL No Description Companion ladder (4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required Renewal of ladder step 35 | kgs kgs check |
| 4 Nos. Jib pulley guard support for cranes deformed/broken, to be renewed. 4 Nos of cranes slewing mechanism foundation bolts (inside & outside) to and tighten. Renew, if broken. Outside bolts to torque tighten to 1350NM inside ones to hammer tight. Size: M27.Total Nos.76 per crane 9.1 Nos. bolts for torque tightening 9.2 Nos bolts for hammer test 9.3 Nos of bolts for renewal M27x 220mm long (material: 10.9 grade bolt) 10 All 4 cranes rain protection flaps in the way of ropes from machinery room to be renewed 3 sets/crane (Approx Size: 1.5 M x 0.5 M each). Material: Used conveyor belt or equivalent. 11 Corroded greasing platform for crane (4nos) to be cropped and renewed, drain holes to be provided. Approx area 1Sqm/crane 500 GROUP - F: Steel fabrication- main deck and accommodation SL No Description Qty. 1 Companion ladder (4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required 1.1 Renewal of ladder step 35 | kgs check |
| renewed. 4 Nos of cranes slewing mechanism foundation bolts (inside & outside) to and tighten. Renew, if broken. Outside bolts to torque tighten to 1350NM inside ones to hammer tight. Size: M27.Total Nos.76 per crane 9.1 Nos. bolts for torque tightening 9.2 Nos bolts for hammer test 9.3 Nos of bolts for renewal M27x 220mm long (material: 10.9 grade bolt) 10 All 4 cranes rain protection flaps in the way of ropes from machinery room to be renewed 3 sets/crane (Approx Size: 1.5 M x 0.5 M each). Material: Used conveyor belt or equivalent. 11 Corroded greasing platform for crane (4nos) to be cropped and renewed, drain holes to be provided. Approx area 1Sqm/crane 500 GROUP - F: Steel fabrication- main deck and accommodation SL No Description Companion ladder(4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required 1.1 Renewal of ladder step 35 | check |
| and tighten. Renew, if broken. Outside bolts to torque tighten to 1350NM inside ones to hammer tight. Size: M27.Total Nos.76 per crane 9.1 Nos. bolts for torque tightening 9.2 Nos bolts for hammer test 9.3 Nos of bolts for renewal M27x 220mm long (material: 10.9 grade bolt) 10 All 4 cranes rain protection flaps in the way of ropes from machinery room to be renewed 3 sets/crane (Approx Size: 1.5 M x 0.5 M each). Material: Used conveyor belt or equivalent. 11 Corroded greasing platform for crane (4nos) to be cropped and renewed, drain holes to be provided. Approx area 1Sqm/crane 500 GROUP - F: Steel fabrication- main deck and accommodation SL No Description Qty. 1 Companion ladder(4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required 1.1 Renewal of ladder step 35 | |
| 9.1 Nos. bolts for torque tightening 9.2 Nos bolts for hammer test 9.3 Nos of bolts for renewal M27x 220mm long (material: 10.9 grade bolt) 10 All 4 cranes rain protection flaps in the way of ropes from machinery room to be renewed 3 sets/crane (Approx Size: 1.5 M x 0.5 M each). Material: Used conveyor belt or equivalent. 11 Corroded greasing platform for crane (4nos) to be cropped and renewed, drain holes to be provided. Approx area 1Sqm/crane 500 GROUP - F: Steel fabrication- main deck and accommodation SL No Description Qty. 1 Companion ladder (4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required 1.1 Renewal of ladder step 35 | |
| 9.3 Nos of bolts for renewal M27x 220mm long (material: 10.9 grade bolt) 10 All 4 cranes rain protection flaps in the way of ropes from machinery room to be renewed 3 sets/crane (Approx Size: 1.5 M x 0.5 M each). Material: Used conveyor belt or equivalent. 11 Corroded greasing platform for crane (4nos) to be cropped and renewed, drain holes to be provided. Approx area 1Sqm/crane 500 GROUP - F :Steel fabrication- main deck and accommodation SL No Description Qty. 1 Companion ladder(4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required 1.1 Renewal of ladder step 35 | Nos. |
| bolt) 10 All 4 cranes rain protection flaps in the way of ropes from machinery room to be renewed 3 sets/crane (Approx Size: 1.5 M x 0.5 M each). Material: Used conveyor belt or equivalent. 11 Corroded greasing platform for crane (4nos) to be cropped and renewed, drain holes to be provided. Approx area 1Sqm/crane 500 GROUP - F :Steel fabrication- main deck and accommodation SL No Description Qty. 1 Companion ladder(4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required 1.1 Renewal of ladder step 35 | Nos. |
| machinery room to be renewed 3 sets/crane (Approx Size: 1.5 M x 0.5 M each). Material: Used conveyor belt or equivalent. 1 Corroded greasing platform for crane (4nos) to be cropped and renewed, drain holes to be provided. Approx area 1Sqm/crane 500 GROUP - F :Steel fabrication- main deck and accommodation SL No Description Qty. 1 Companion ladder(4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required 1.1 Renewal of ladder step 35 | Nos. |
| renewed, drain holes to be provided. Approx area 1Sqm/crane GROUP - F :Steel fabrication- main deck and accommodation SL No Description Qty. Companion ladder(4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required Renewal of ladder step 35 | LS |
| SL No Description Qty. 1 Companion ladder(4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required 1.1 Renewal of ladder step 35 | kgs |
| Companion ladder (4Nos) and Crossover ladders (4nos) to be cropped and renewed wherever required Renewal of ladder step 35 | |
| renewed wherever required 1.1 Renewal of ladder step 35 | Unit |
| | d |
| 1.2 Renewal of hand rails 6 | |
| | Nos. |
| 1.3 Renewal of Platform 200 | Nos. |
| Crop/Renewal of GI serrated gratings and support brackets on forecastle and poop deck where ever required using Galvanized gratings 6mm thick. | |
| 3 Crew accommodation side shell frames & deck area corroded at various locations at main deck level. Wall panelling and flooring to be removed on and stbd side and to be inspected and frames to be cropped/renewed.(8mm plate) | M |
| 3.1 Crop and Renewal of side shell frames 2 | M kgs SqM |

| 3.2 | Crop and Renewal of deck steel plates | 5 | Tons |
|------|--|----------|---------|
| 3.3 | Remove & refit Panels | 200 | SqM |
| 3.4 | Removal and refit of vinyl Floor | 100 | SqM |
| 3.5 | Cementing if required | 100 | SqM |
| 4 | Crew accommodation main deck floor plating in two lavatories(f | loor ar | |
| | 14sqm and 15sqm each), crew cabins and alleyways to be cropped | l and re | enewed, |
| | cemented, water proofed and tiles to be laid. Adjoining corroded | | |
| | wherever necessary to be cropped and renewed. Approx area 20 | sqm. (| tiles |
| 4.1 | yard supply) | | |
| 4.1 | Crop and Renewal of side frames/stiffener | 1 | Ton |
| 4.2 | Crop and Renewal of Steel Plates | 5 | Tons |
| 4.3 | Renewal of Tiles | 30 | SqM |
| 4.4 | Renewal of tile skirting | 10 | SqM |
| 4.5 | Removal and refit of vinyl Floor | 10 | SqM |
| 4.6 | Renewal of 3nos closet and associated piping | 1 | LS |
| 5 | Floor/bulk head plating in the space of crew lavatory at poop dec | | |
| | deck (total 2nos) to be cropped and renewed, cemented, water pr | | |
| | to be laid. Toilet closet and wash basins to be renewed 2 nos each | . Appro | ox area |
| 5.1 | 20 sq m. Crop and Renewal of Steel Plates | 1 | Ton |
| 5.2 | Renewal of Tiles | 20 | SqM |
| 5.3 | | 20 | Sqivi |
| 3.3 | Closet (2nos), wash basin (2nos) and taps and associated piping renewal | 1 | LS |
| 5.4 | Damaged vinyl flooring in cabins, mess rooms and alley ways to be | 100 | SqM |
| | renewed. | | |
| 6 | Various accommodation attached bathroom and lavatories dama | _ | |
| | bulk heads, doors and frames to be repaired/ renewed. Floor tiles as necessary. Doors to be renewed with class approved type doors | | renewea |
| | | | |
| 6.1 | Renewal of Bathroom doors | 3 | Nos. |
| 6.2 | Crop and Renewal of Steel Plates | 2.5 | Tons |
| 6.3 | Renewal of Tiles | 150 | SqM |
| 7. | Damaged roofing FRP sheets and trusses in accommodation, bridge | | |
| | wings, poop deck and f/castle to be renewed: Renewal of Truss/ | 10 | SqM |
| | Pipes (Dia 40mm) with 1 coat of paint and renewal of | 10 | БЧШ |
| | Roofing(FRP) sheet | | |
| 8 | Corroded access platform for ship's horns on Main mast to be crop | 100 | , |
| | and renewed and provide drain holes. Approx area 1 sq m | 100 | kgs |
| 9 | Damaged/ corroded hand rails and other support at various points | | |
| | on deck to be cropped and renewed | 50 | M |
| 10 | Crop and renew bulwark at poop deck & forecastle. | 2 | Tons |
| 11 | Following hatch coaming and cover to crop/renew as | | |
| | required. a.Engine Room fwd hatch coaming & cover. b.Fwd store | | |
| | access hatch coaming and cover. c.Bow thruster compartment | 2 | Tons |
| | access hatch coaming and cover. | _ | 1 0113 |
| | | | |
| 11.1 | Repair/Renew securing arrangements (Butterfly nuts) | 30 | Nos. |
| 11.1 | Repair Renew Securing artangements (Datterny nats) | 50 | 1105. |

| 11.2 | Hatch Cover rubber beading to be renewed(38 mm x 25 mm) | 40 | M |
|---------------------------------------|--|---|----------------------------------|
| 12. | 4 Nos. of water tight doors on Transverse bulkheads fwd and aft on main deck to be renewed. Existing locking arrangements to be fitted on new doors. | 4 | Nos. |
| 13 | Ventilators/air intake openings on poop deck and main deck bulkheads to crop and renew as required. Inspect and repair securing arrangements as required (8 nos). | 500 | kgs |
| 13.1 | Rubber packing to be renewed. beadings(size 30 x 20 mm) | 20 | M |
| 14 | Corroded air vents of various tanks Approx 23 Nos. (Including E sounding /filling pipes and shore discharge and Bunkering connecorroded portions to be renewed as required. Oil tank vents to be with mesh and other tank vents with rubber sealing. (Oil tanks A with ball/float and other tanks with hinged steel gasket flap with | ection l e provid Air vent one tog | ines, led head ggle) |
| 14.1 | Crop and Renewal of Air Vents above deck level(SCH 40 pipe) | 12 | Nos. |
| 14.2 | Crop and Renewal of Sounding Pipes/shore connection above deck level (SCH 40pipe) | 10 | Nos. |
| | NE ROOM | | |
| 15 | ER blower ducts corroded sections to be renewed. (GI Sheet) | 4 | SqM |
| 1/ | Main engine (P&S) LT and HT expansion tanks (4 nos.), corroded sections to be renewed (Tank size: 50x40x30 cm) with required | 500 | kgs |
| 10 | mountings. | 300 | |
| | , | 300 | |
| SL No | mountings. IP - G :DECK MACHINERY Description | Qty. | Unit |
| GROU SL No 1 | mountings. P - G :DECK MACHINERY | Qty. roded s | ections asing to |
| GROU | mountings. P - G :DECK MACHINERY Description Port anchor chain roller worn out sections to be built up and cor on stopper and foundation to be fabricated and fitted. Provision be provided for the rollers. Chain nominal dia 34mm and number nos. | Qty. roded s for greater of len | ections asing to agths – 5 |
| GROU SL No 1 | mountings. IP - G :DECK MACHINERY Description Port anchor chain roller worn out sections to be built up and cor on stopper and foundation to be fabricated and fitted. Provision be provided for the rollers. Chain nominal dia 34mm and number nos. Steel renewal | Qty. roded s for grea | ections asing to gths – 5 |
| GROU SL No 1 1.1 1.2 2 | mountings. P - G :DECK MACHINERY Description Port anchor chain roller worn out sections to be built up and cor on stopper and foundation to be fabricated and fitted. Provision be provided for the rollers. Chain nominal dia 34mm and number nos. Steel renewal Built up by welding Port Anchor and Anchor cable to be ranged on dock floor, Swivels to be overhauled. Anchor and Chains to be blasted, gauged and painted. Joining shackles to be | Qty. roded s for grea er of len 100 10 | kgs kgs |
| GROU SL No 1 | Description Port anchor chain roller worn out sections to be built up and cor on stopper and foundation to be fabricated and fitted. Provision be provided for the rollers. Chain nominal dia 34mm and number nos. Steel renewal Built up by welding Port Anchor and Anchor cable to be ranged on dock floor, Swivels to be overhauled. Anchor and Chains to be blasted, gauged and painted. Joining shackles to be overhauled and marked. Anchor chain nominal dia 34mm. STBD anchor chain roller worn out sections to be built up and consections on stopper and foundation to be fabricated and fitted. I greasing to be provided on the rollers. Chain nominal dia 34mm | Qty. roded s for greater of len 100 10 | kgs kgs |
| GROU SL No 1 1.1 1.2 2 | mountings. P - G :DECK MACHINERY Description Port anchor chain roller worn out sections to be built up and cor on stopper and foundation to be fabricated and fitted. Provision be provided for the rollers. Chain nominal dia 34mm and number nos. Steel renewal Built up by welding Port Anchor and Anchor cable to be ranged on dock floor, Swivels to be overhauled. Anchor and Chains to be blasted, gauged and painted. Joining shackles to be overhauled and marked. Anchor chain nominal dia 34mm. STBD anchor chain roller worn out sections to be built up and consections on stopper and foundation to be fabricated and fitted. It greasing to be provided on the rollers. Chain nominal dia 34mm Steel renewal | Qty. roded s for greater of len 100 10 | kgs kgs |
| GROU SL No 1 1.1 1.2 2 | Description Port anchor chain roller worn out sections to be built up and cor on stopper and foundation to be fabricated and fitted. Provision be provided for the rollers. Chain nominal dia 34mm and number nos. Steel renewal Built up by welding Port Anchor and Anchor cable to be ranged on dock floor, Swivels to be overhauled. Anchor and Chains to be blasted, gauged and painted. Joining shackles to be overhauled and marked. Anchor chain nominal dia 34mm. STBD anchor chain roller worn out sections to be built up and consections on stopper and foundation to be fabricated and fitted. I greasing to be provided on the rollers. Chain nominal dia 34mm | Qty. roded s for grea er of len 100 10 | kgs kgs LS |
| GROU SL No 1 1.1 1.2 2 | mountings. P - G :DECK MACHINERY Description Port anchor chain roller worn out sections to be built up and cor on stopper and foundation to be fabricated and fitted. Provision be provided for the rollers. Chain nominal dia 34mm and number nos. Steel renewal Built up by welding Port Anchor and Anchor cable to be ranged on dock floor, Swivels to be overhauled. Anchor and Chains to be blasted, gauged and painted. Joining shackles to be overhauled and marked. Anchor chain nominal dia 34mm. STBD anchor chain roller worn out sections to be built up and consections on stopper and foundation to be fabricated and fitted. It greasing to be provided on the rollers. Chain nominal dia 34mm Steel renewal | Qty. roded s for grea er of len 100 10 1 proded c Provision | kgs kgs LS lon for |

| 6 | Stbd accommodation ladder to be removed from position, swivel platform, supporting frame and bottom roller to be renewed. Ladder deformity and stanchion support to be repaired and ladder to be fitted back. Swivel Platform approximate area 1sqm, 6mm thick plate. Ladder material – Aluminium alloy. Swivel platform material - Steel. Ladder wire to be renewed with Class approved wire and certificate to be provided. Length of wire 100 M, Dia 12mm. | 1 | LS |
|-------|---|--------|-------|
| 7 | Stern dredging anchor's P&S wire stoppers to be overhauled. (1 each). Wire rope dia 32mm. | 2 | Nos. |
| 8 | Aft winch (port and Stbd) brake band renewal. Drum Dia 100 cm, width 20cm. | 2 | Nos. |
| 9 | Aft winch hydraulic lines, 10mm and 16mm dia, approx length 10m to be renewed with necessary fittings. Proper supports for pipe to be provided | 10 | M |
| 10 | Port and Stbd. windlass brake bands to be overhauled / renewed. Drum diameter 55cm, width 8 cm. | 2 | Nos. |
| | P - H :ENGINE ROOM MACHINERY | 04 | T I:4 |
| SL No | Description Valves and pipelines | Qty. | Unit |
| 1 | Ship side valves 14 nos. To be overhauled, offered to IRS surveyor inspection/survey and fitted back. | or for | |
| 1.1 | Fire Pump suction and discharge valve- 100 NB globe valve(2 nos). | 2 | Nos. |
| 1.2 | Bilge and ballast p/p sea suction and overboard; 100 NB globe, (2 nos). | 2 | Nos. |
| 1.3 | Sanitary pump sea suction; 32 NB globe. ,(2nos) | 2 | Nos. |
| 1.4 | OWS overboard valve, 100 NB globe valve, (1 nos) | 1 | Nos. |
| 1.5 | Hopper pump overboard valve; 150 NB butterfly, (1 nos) | 1 | Nos. |
| 1.6 | Sewage Storm valve; 100NB- 01 nos | 1 | Nos. |
| 1.7 | Grey water OBD Storm valve; 80 NB -01 no. | 1 | Nos. |
| 1.8 | Emergency fire pump sea suction and discharge valve; 80 NB globe valve, (2 nos). | 2 | Nos. |
| 1.9 | Box cooler flushing valves; 80 NB globe valve, (02 nos). | 2 | Nos. |
| 2 | Hopper emptying pump suction valve from hopper to be overhauled, 200NB butterfly valves: (2Nos) | 2 | Nos. |
| 2.1 | Aft peak ballast Valve 100NB globe: 1 no | 1 | No |
| 3 | Port and Stbd box cooler flushing lines 80mm dia and 2.5m length to be renewed. Material: SCH 40 pipe | 2.5 | M |
| 4 | Port and Stbd box cooler vent pipe to be renewed. Pipe dia 25 mm, SCH 40, No of bends:3 | 10 | M |
| 5 | Fire and GS pump suction line corroded sections to be renewed. (Size: Dia 100, mm, Sch 40,),No of bends –Two | 3 | M |
| 6 | ECR A/C cooling water in/out line including deck penetration to be renewed. Dia 16mm, Length 4 Mtr, Material Steel pipe. | 4 | M |

| 7 | Main steering gear hydraulic pipe lines, leakages from various fitting connections to be rectified (lines and fittings to be renewed as necessary), 4 nos of throttle valves to be replaced (yard supply) in the system. System to be purged and tested (oil –ship supply), pipe dia ¾ inch Approx 19 mm. WP 150bar | 1 | LS |
|------|--|----|------|
| 8 | Hopper door hydraulic system's hydraulic line deck penetration area to be rebuilt and tapped/threaded for connecting hydraulic hose flange on deck, M12 x 4 holes, pipe dia 30mm, WP 150bar- 4 nos. Hydraulic lines flexible (main deck) and fixed (under deck) to be removed /fitted and leakages any to be rectified. | 1 | LS |
| 9 | Grey water /sewage line renewal | | |
| 9.1 | 80mm SCH 40 pipe including 5 Nos bends | 5 | M |
| 9.2 | 50mm SCH 40 pipe including 5 Nos bends | 5 | M |
| 9.3 | 100mm SCH 40 pipe including 5 Nos bends | 5 | M |
| 10 | Overhauling of fire hydrant valves. Valve type- globe v/v. Valve size 65NB | 11 | Nos. |
| 11 | Diesel oil service tank drain valve to be verhauled. Size 50 DN, Globe valve | 1 | Nos. |
| 12 | AE starting air line ball valve (1 inch size) to be renewed. Working pressure 30 bar9 (valve Yard supply) | 3 | Nos. |
| 13 | ME starting air line valve (DN 20) and drain valves to be overhauled. (working pressure 30 bar) | 4 | Nos. |
| SHAF | TING, PROPELLER, RUDDER AND BOW THRUSTER | | |
| 14 | Stbd. side Tail shaft to be withdrawn for inspection/ Survey/ Renewal of stern tube Seals. MPI of taper area to be carried out. Dia. 209mm, Total length 11435mm. Keyless hydraulic fit propeller (SKF coupling SKF-0KF-200HV at drive end). Rope guard to be renewed. Shafting to be filled with fresh Lubricating oil and system purged. (Seals, spares, and lubricating oil (SAE40 grade-600 Ltrs) Yard's supply) | 1 | LS |
| 15 | Stbd side Propeller to be cleaned, polished, inspected, Drop to be measured and any repair as recommended by surveyor to be attended. Make: LIPS, dia 2725mm, pitch 2174mm, no.of blades - 4. | 1 | LS |
| 16 | Port side Propeller to be cleaned, polished, inspected, Drop to be measured and any repair as recommended by surveyor to be attended. Make: LIPS, dia 2725mm, pitch 2174mm, no.of blades - 4. | 1 | LS |
| 17 | Bow Thruster propeller to be cleaned and polished. Dia 1200mm, mass 207kg | 1 | Nos. |
| 18 | Stbd stern tube extension gland packing (separation water side and Engine room side)near intermediate bearing to be renewed.(size 19mm).Packing yard Supply. | 1 | LS |

| 19 | Port stern tube extension gland packing (separation water side and Engine room side) near intermediate bearing to be renewed (size 19mm). Packing yard's Supply. | 1 | LS |
|------|---|---|-----|
| 18 | Both (p&s)rudders to be cleaned, inspected, pressure tested, drop to be checked, float coat to be given internally (oil Yard supply).Rudder area 6.6 sq m each. | 2 | NOS |
| 19 | Skeg to be float coated(Oil yard supply) | 1 | LS |
| | ENGINE | | |
| 20 | Main Engine Stbd (Make: Stork Werkspoor Diesel, 6FHD 240, 1037KW, 6cyl, inline, bore 240mm, stroke260mm) Complete overhauling to be done with OEM supplied spares and surveyed by IRS. Quote to include service charges &cost of spares and transportation (if required). SPARES YARD SUPPLY Complete overhauling / De-carbonisation of engine to be done. Various clearances / measurements as required to be taken and recorded, Air cooler (both sides), LO cooler (Both sides) and are to be overhauled as required. MAIN engine fuel valves (Injector) to be overhauled & pressure tested. All safety cut outs to be cleaned, checked, overhauled and calibrated. During inspection/overhauling, any defects observed, to be rectified/ repaired/ renewed. After completion of all repairs, satisfactory trials to be shown to ship staff. | 1 | LS |
| 20.1 | O/H Attached cooling water pumps HT | 1 | Nos |
| 20.2 | O/H Attached cooling water pump LT | 1 | Nos |
| 20.3 | O/H unit Fuel Pump | 1 | Nos |
| 20.4 | O/H Attached Fuel oil booster pump | 1 | Nos |
| 20.5 | O/H Governor | 1 | Nos |
| 20.6 | O/H Attached lub oil pump | 1 | Nos |
| 21 | Main Engine Port (Make: Stork Werkspoor Diesel, 6FHD 240, 1037KW, 6cyl, inline, bore 240mm, stroke260mm) Complete overhauling to be done with OEM supplied spares and surveyed by IRS. Quote to include service charges &cost of spares and transportation (if required). SPARES YARD SUPPLY Complete overhauling / De-carbonisation of engine to be done. Various clearances / measurements as required to be taken and recorded, Air cooler (Both sides), LO cooler (both sides), are to be overhauled as required. MAIN engine fuel valves (Injector) to be overhauled & pressure tested. All safety cut outs to be cleaned, checked, overhauled and calibrated. During inspection/overhauling, any defects observed, to be rectified/ repaired/ renewed. After completion of all repairs, satisfactory trials to be shown to ship staff. | 1 | LS |
| 21.1 | O/H Attached cooling water pump HT | 1 | Nos |
| 21.2 | O/H Attached cooling water pump LT | 1 | Nos |
| 21.3 | O/H Unit Fuel Pump | 1 | Nos |
| 21.4 | O/H Attached Fuel oil booster pump | 1 | Nos |

| 21.5 | O/H Governor | 1 | Nos |
|-------|---|---|------|
| 21.6 | O/H Attached lub oil pump | 1 | Nos |
| 22 | Main Engine STBD. (Make: Stork Werkspoor Diesel, 6FHD 240, 1037KW, 6cyl, inline, bore 240mm, stroke260mm) One Main bearing to be dismantled for inspection and fitted back as per IRS recommendation.(In case of any renewal OEM spares to be supplied by yard) Rate shall be quoted including the cost of One set of spares. | 1 | LS |
| 23 | Main Engine Port. (Make: Stork Werkspoor Diesel, 6FHD 240, 1037KW, 6cyl, inline, bore 240mm, stroke260mm) One Main bearing to be dismantled for inspection and fitted back as per IRS recommendation. (In case of any renewal OEM spares to be supplied by yard). Rate shall be quoted including the cost of One set of spares. | 1 | LS |
| 24 | In addition to the jobs mentioned in Clause No.22&23,Labour cost for One number Main bearing dismantling, inspection and fitteing back as required. | 1 | LS |
| 25 | Cost of supply of One number Main bearing as required as per clause No.24 | 1 | No. |
| 26 | Exhaust side Lagging (removable type)to be done on Two nos of main engines and three nos of Aux engines including turbochargers (Main engine Stork Werkspoor Diesel: 6FHD 240, 1037KW, Aux engine Make: Mitsubishi S6A2, 6 cylinder inline 257KW. (Lagging yard supply) and to provide protective covering near turbo chargers. | 1 | LS |
| 27 | Stbd propeller shaft Stromag coupling rubber elements to renew, Alignment to check (Spare yard supply). Type: GEF 1200R, Nominal Torque: 12 kNm, admissible speed 2500 rpm. | 1 | LS |
| AUX E | NGINE | | |
| 28 | (i) AE# 3 Complete overhauling to be done with OEM supplied spares and surveyed by IRS. Quote to include service charges &cost of spares and transportation (if required). SPARES YARD SUPPLY .MAKE: Mitsubishi Type: S6A2, direct injection type with turbo charging 6 cylinder, 150mm bore, 160mm stroke MCR: 257KW Complete overhauling / De-carb of engine to be done. Various clearances / measurements as required to be taken, LO cooler to be cleaned (both sides). All safety cut outs to be cleaned, checked, overhauled and calibrated. During inspection/overhauling, any defects observed, same to be rectified/ repaired/ renewed. After completion of all repairs, satisfactory trials to be shown to ship staff. (OEM of Aux. Engines M/s. Mitsubishi. Authourised suppliers of OEM are: (i) M/s. Supernova Systems Pvt Limited, Ahmadabad, (ii) M/s. Apollo Equipments & Systems Pvt Ltd., Singapore (iii) M/s. Fuji Technical Services Pvt. Ltd., Sharja. | 1 | Nos. |
| 28.1 | O/H Attached cooling water pump | 1 | Nos. |

| 28.2 | O/H Attached Lub oil pump | 1 | Nos. |
|------|---|---|------------------|
| 28.3 | O/H AttachedFuel Pump | 1 | Nos. |
| 28.4 | O/H Governor, | 1 | Nos. |
| 29 | All three aux engine fuel valves (Injector) to be overhauled & pressure testedtotal 18 Nos. | 1 | LS |
| 30 | AE1 and AE2 Aux Engine Fuel pumps to be overhauled 2 nos Spec: Make: Diesel KIKI, Type:6P120/300LS3S | 1 | Nos. |
| 31 | AE 1 and AE 2 lub oil coolers to be cleaned (both sides) and box back with new gaskets | 1 | LS |
| | LLARY EQUIPMENTS | | |
| 32 | Port side gearbox overhauling and survey. Overhauling includes Inspection and replacement of thrust pads, friction pads and O/H of reversing mechanism and attached LO pump and Lub oil cooler. Make: Lohmann& Stolterfoht, type GWC, Diesel Eng Rating 1035 KW, clutch/coupling Type: KJO 140/1300. (Spares Yard supply) | 1 | LS |
| 33 | Stbd side gearbox overhauling and survey. Overhauling includes Inspection and replacement of thrust pads, friction pads, and O/H of reversing mechanism and attached LO pump. and Lub oil cooler Make: Lohmann& Stolterfoht, type GWC, Diesel Eng Rating 1035 KW, clutch/coupling Type: KJO 140/1300. (Spares Yard supply) | 1 | LS |
| | mover, remove from base plate after disconnection of pipes & acc transporting to workshops, over haul completely, corroded parts machined /rebuilt, assemble with new seals and bearings & fitted position and aligned. Satisfactory running trials to be shown to sl Necessary spares to be supplied by Yard. Note: Quote must be in cost of chipping and painting of foundation areas of Pump and M fitting back. | to be back in hip staf cluding | n f. g the |
| 34.1 | ME (Stbd.) standby lub oil pump: Make: STEIMEL, type: TF 8/120 rdg, self priming gear pump, speed 1450 rpm, Capacity: 26 M3/Hr, E-motor: 7.5 Kw, IP54. (Spares yard supply) | 1 | Nos. |
| 34.2 | | | |
| | Standby HT Fresh CW pump Main engine: Make: SIHI- MATERS, Type: NOWA 6536/252 BN 041.04.2, non self priming centrifugal pump. Capacity: 49m3/hr, head: 21 m WG. (Spares yard supply) | 1 | Nos. |
| 34.3 | Type: NOWA 6536/252 BN 041.04.2, non self priming centrifugal | 1 | Nos. |

| 34.5 | Fuel oil Trasnfer pump Make: STEIMEL, Type: TF 6/110 rdg, self priming gear pump, Capacity 15m3/hr. (Spares yard supply) | 1 | Nos. |
|--------------------------|---|--|---|
| 34.6 | Hydraudyne hydraulic system for hopper doors Pump No.1 Make: BRUENINGHAUS, axial plunger pump, capacity max 150 ltrs per min at 155 bars, drive motor 45kw. (Spares yard supply) | 1 | Nos. |
| 35 | Fire and GS pump to be replaced with a class approved equivalant pump in place of existing pump with necessary piping. (Existing pump specs: Type- Self priming, centrifugal pump, Cap 52 cu.m/hr at 25 m.w.g, motor 11 KW, pump housing - GG25,impeller- bronze. | 1 | Nos. |
| 36 | Stbd aft crane Openin/closing gear box and holding Gear Box oil leaking from shaft seals, seals to be renewed. Shaft dia 150mm. Spares yard supply | 1 | LS |
| 37 | Four Nos. box coolers to be renewed and all connections made with new rubber packings & fasteners. (coolers: ships supply) Main engine cooler size 175x115x160cm, 2Nos AE cooler size 125x75x125cm, 2 Nos. | 1 | LS |
| CDOL | P - I:ELECTRICAL | | |
| | 1 ILLECTRICIE | | ı |
| SL No | Description The following Motors are to be overhauled. Motors to be remove | | - |
| SL No | Description The following Motors are to be overhauled. Motors to be remove overhauled by renewing bearing. Insulation to be improved & fit aligning and satisfactory trials to be given. Motor Foundation to and painted before placing motor. (Spares yard supply) | d from ted bac | place, ck by |
| 1.1 | Description The following Motors are to be overhauled. Motors to be remove overhauled by renewing bearing. Insulation to be improved & fit aligning and satisfactory trials to be given. Motor Foundation to and painted before placing motor. (Spares yard supply) Engine Room Blower Motor (Port) Power:4.9/1.5 KW at 1500/750 RPM. | d from ted bac | place, ck by |
| SL No | Description The following Motors are to be overhauled. Motors to be remove overhauled by renewing bearing. Insulation to be improved & fit aligning and satisfactory trials to be given. Motor Foundation to and painted before placing motor. (Spares yard supply) Engine Room Blower Motor (Port) Power:4.9/1.5 KW at 1500/750 | d from ted bac be chip | place, ck by oped |
| 1.1 | Description The following Motors are to be overhauled. Motors to be remove overhauled by renewing bearing. Insulation to be improved & fit aligning and satisfactory trials to be given. Motor Foundation to and painted before placing motor. (Spares yard supply) Engine Room Blower Motor (Port) Power:4.9/1.5 KW at 1500/750 RPM. Engine Room Blower Motor (Stbd) Power:4.9/1.5 KW at 1500/750 | d from ted bac be chip | place, ck by oped Nos. |
| 1.1 1.2 | The following Motors are to be overhauled. Motors to be remove overhauled by renewing bearing. Insulation to be improved & fit aligning and satisfactory trials to be given. Motor Foundation to and painted before placing motor. (Spares yard supply) Engine Room Blower Motor (Port) Power:4.9/1.5 KW at 1500/750 RPM. Engine Room Blower Motor (Stbd) Power:4.9/1.5 KW at 1500/750 RPM. Port windlass motor (18.5 kw) Make: MEZ/ROTOR, Insulation | d from ted bac be chip | place, ck by oped Nos. |
| 1.1 1.2 1.3 | The following Motors are to be overhauled. Motors to be remove overhauled by renewing bearing. Insulation to be improved & fit aligning and satisfactory trials to be given. Motor Foundation to and painted before placing motor. (Spares yard supply) Engine Room Blower Motor (Port) Power:4.9/1.5 KW at 1500/750 RPM. Engine Room Blower Motor (Stbd) Power:4.9/1.5 KW at 1500/750 RPM. Port windlass motor (18.5 kw) Make: MEZ/ROTOR, Insulation class F, IP 56. Stbd windlass motor (18.5 kw) Make: MEZ/ROTOR, Insulation | d from ted bac be chip 1 | place, ck by oped Nos. Nos. |
| 1.1 1.2 1.3 | The following Motors are to be overhauled. Motors to be remove overhauled by renewing bearing. Insulation to be improved & fit aligning and satisfactory trials to be given. Motor Foundation to and painted before placing motor. (Spares yard supply) Engine Room Blower Motor (Port) Power:4.9/1.5 KW at 1500/750 RPM. Engine Room Blower Motor (Stbd) Power:4.9/1.5 KW at 1500/750 RPM. Port windlass motor (18.5 kw) Make: MEZ/ROTOR, Insulation class F, IP 56. Stbd windlass motor (18.5 kw) Make: MEZ/ROTOR, Insulation class F, IP 56 STBY LO pump Main Engine STBD 7.5KW, 1450 rpm, 50HZ The following Alternators are to be overhauled. Alternators to be from place, overhauled, bearings to be renewed, filter element to Insulation to be improved & fitted back and aligned and satisfact be given. Foundation to be chipped and painted before placing A | d from ted bac be chip 1 1 1 1 te remove be ren tory tri | Nos. Nos. Nos. Nos. Nos. ved ewed, als to |
| 1.1 1.2 1.3 1.4 | The following Motors are to be overhauled. Motors to be remove overhauled by renewing bearing. Insulation to be improved & fit aligning and satisfactory trials to be given. Motor Foundation to and painted before placing motor. (Spares yard supply) Engine Room Blower Motor (Port) Power:4.9/1.5 KW at 1500/750 RPM. Engine Room Blower Motor (Stbd) Power:4.9/1.5 KW at 1500/750 RPM. Port windlass motor (18.5 kw) Make: MEZ/ROTOR, Insulation class F, IP 56. Stbd windlass motor (18.5 kw) Make: MEZ/ROTOR, Insulation class F, IP 56 STBY LO pump Main Engine STBD 7.5KW, 1450 rpm, 50HZ The following Alternators are to be overhauled. Alternators to be from place, overhauled, bearings to be renewed, filter element to Insulation to be improved & fitted back and aligned and satisfact | d from ted bac be chip 1 1 1 1 te remove be ren tory tri | Nos. Nos. Nos. Nos. Nos. ved ewed, als to |
| 1.1 1.2 1.3 1.4 1.5 2 | The following Motors are to be overhauled. Motors to be remove overhauled by renewing bearing. Insulation to be improved & fit aligning and satisfactory trials to be given. Motor Foundation to and painted before placing motor. (Spares yard supply) Engine Room Blower Motor (Port) Power:4.9/1.5 KW at 1500/750 RPM. Engine Room Blower Motor (Stbd) Power:4.9/1.5 KW at 1500/750 RPM. Port windlass motor (18.5 kw) Make: MEZ/ROTOR, Insulation class F, IP 56. Stbd windlass motor (18.5 kw) Make: MEZ/ROTOR, Insulation class F, IP 56 STBY LO pump Main Engine STBD 7.5KW, 1450 rpm, 50HZ The following Alternators are to be overhauled. Alternators to be from place, overhauled, bearings to be renewed, filter element to Insulation to be improved & fitted back and aligned and satisfact be given. Foundation to be chipped and painted before placing A (Spares yard supply) Port Main Alternator 900 KVA, Make: INDAR Compound | d from ted bac be chip 1 1 1 1 eremove be ren tory tri lternat | Nos. Nos. Nos. Nos. ved ewed, als to |

| SL No | Description | Qty. | UoM |
|-----------------|---|------|-------------|
| CROIT | replaced/repaired.(yard supply) P - J :MISCELLANEOUS | | |
| 12 | Port side shaft direction indication Tachometer is erratic. Tacho Generator type:EG75.12 ZM Bi-Directional speed indication Voltage per 1000 rpm: 40 V AC (Approx. 35.5 V DC) Frequency per 1000 rpm:133 1/3 Hz Make: Dr. E Horn GmbH To be | 1 | Nos. |
| 11 | Calibration of analogue indicating instruments (Main engine Rpm meters 6 nos). | 6 | Nos. |
| 10 | AIS to be serviced. Make: SAAB Transponder Tech R4-AIS | 1 | LS |
| 9 | Servicing of Gyro compass: Make: Anschutz Gyro Compass Standard 22. Azimuth Device malfunctioning (Type: DP 190). Problem identified as momentary stalling of Gyrosphere during operation. Gyrosphere needs to be renewed. | 1 | LS |
| 8 | Steering system analogue rudder angle Panorama indication on Wheelhouse and dial indication on Navigation desk erratic, to be repaired and calibrated. Steering system. Make: SCAN-STEERING Aps Type: MT9050, No.88057, Torque 9000 KPM Steering Gear Control System Make: SMEC AUTOMATION PVT LTD, Kochi-20 Sl. No. M 122582 B | 1 | LS |
| 7 | Echo sounder Transducer to be cleaned, cables to be checked and Echosounder to be calibrated. Provide protection during dry docking.Make: Furuno Electric Co.Ltd, Model: FE-700,Diplay Type:FE-701 | 1 | LS |
| 6.2 | Renewal of Cables | 250 | M |
| 6.1 | Renewal of Conduits | 200 | M |
| 5.2 6 | Renewal of Cables Corroded metal poles of light fittings and cable conduits on deck | 75 | M enewed |
| 5.1 | Renewal of Conduits Renewal of Cohles | 50 | M |
| 5 | Corroded conduits of proximity switches for hopper doors to be | | |
| 4.2 | Renewal of Cables | 225 | M |
| 4.1 | Remove & refit of Panels | 50 | SqM |
| 4 | Electric cables from Navigation desk on bridge to individual poir mast and Stern mast to be renewed. (Total 15 nos. Cable of 15 mo | | |
| 3 | Resister elements of crane motors speed control to be replaced/repaired (yard supply). Make: LE METALE DELOYE, Resistance ohms: Hoisting:22.95 X 3(2sets/crane) Closing: 22.95 X 3(2sets/crane) SLEWING: 11.59 x 3(1set/crane), Luffing 62.94 X 3.(1set/crane) Voltage Range: 390 to 430 v. Total no of cranes – 4 nos | 1 | LS |
| 2 | D1-41411111 | | |

| 1 | An access ladder 4 Mtrs length, 1m width, max weight about 40kg of suitable material (preferably Aluminium alloy) with load carrying capacity 150 kgs with anti skid steps, removable barricade to be procured/fabricated for embarkation/disembarkation of crew on port side of the vessel. Suitable arrangement to be provided on deck (port side) for mounting/un mounting/securing. | 1 | LS |
|------|---|---|----|
| GROU | UP - K : MANNING & TRANSIT COST | | |
| 1 | Transportation of the vessel from CoPT to the proposed dry dock and back. This includes the following items. a. The expenses for the engaging the complete Officers and Crew- including Master for manning the Vessel as per the safe manning document from Cochin to Respective Yard and back to Cochin. b. The expenses for the engaging the complete Officers and Crew- including Master during the dry docking/repair period should also be included. Representatives from Cochin Port Trust will be available on board the vessel for the overall supervision during the entire repair period at yard. c. Cost of fuel, fresh water, lube oil and all other related items/ consumables required for entire voyage. d. Cost for any additional equipment as required / certification from DG Shipping/ statutory body required for the designated Voyage. e. Any other additional expenses for transiting the vessel outside Cochin Port water limits. | 1 | LS |

 $\frac{Note:}{Final\ billing\ will\ be\ made\ on\ actual\ quantum\ of\ work\ done/\ actual\ days\ taken\ for\ each\ activity\ wherever\ number\ of\ days\ mentioned.}$

Vessel SPECIFICATIONS

1. Name : Grab Hopper Dredger Nehru Shatabdi.

2. Basic Design and Fabrication : Shipyard K. DAMEN, The Netherlands.

3. Consultants : BVS, The Netherlands.

4. Builders : Hoogly Dock & Port Engineering Ltd:, Kolkatta

5. Year Of Make : 19926. Indian Registry No. : 11891

7. Port of Registry : Kochi.

8. Distinctive No/Call Sign : 2383 / VTSN

9. IMO No. : 8809048

10. MMSI No. : 419000306

11. GRT : 2525

12. NRT : 758

13. Dead Weight : 2300 Tons.

14. Date of Commissioning : 28.08.1993

15. **Crew per Shift** : 1 Commander, 2 MOT Engr., 1 Ele. Engg:

&22 Crew.

16. Length OA : 85.5 M

17. Breadth : 15.9 M

18. Depth Molded : 6.0 M

19. Draught Loaded : 4.5 M

20. Max. Dredging Depth : 17.0 M

21. Hopper Capacity : 1500 Cu. M

22. Sp. Gravity of Soil : 1.3 Tons/ Cu.M (approx.)

23. Approx. Full load : 1950 Tons

24. Speed : 12 Knots(in channel and outer sea)

25. MACHINERIES:-

26. Main Engines : 2 Nos- Stork Werkspoor Diesel Make,

Holland.

27. Power – Main Engine : 1340 HP Each engine at 1000 RPM.

28. Total HP- Main Engine : 2680 HP.

29. No. of Propeller : 2 Nos. (reversible)

30. Steering System : SCAN Steering, Electro Hydraulic.

31. Aux. Engines (Generator Engine) : 3 Nos, 210 KW Each Mitsubishi, JAPAN.

32. During Sailing:- :No. of A/E used-: 2 Nos. in Parallel.

: Both Main Engines for propulsion.

33. During Dredging operation : All four Deck cranes – Electric Crane,

SWL - 7 Tons each, Make FIGEE, Holland,

34. Bucket Capacity : 3.5 Cu.M each.

35. No. of Ele. Motors per crane : 4 Nos, (2 nos- 65 KW, 1 no_ 40 KW& 1 no-

22 KW)

36. SWL of crane Wires : 4 wires of SWL 4.0 Tons each.

37. Max. Reach of crane : 13 M

38. Max. Dredging Depth : 17 M.

39. Bow Thruster : 1 No. 210 KW Electric.

40. No. of Anchors : 2 nos 1.5 Tons Ship Anchors FWD.

41. : 2 nos. 1.0 Tons FWd& 2 nos. 1.0 Ton Aft for

Dredging.

42. Fuel Capacity :150.0 Cu.M Low Sulphur High Flash (LSHF)

Diesel.

43. Consumption : Av. 2500 Lit per day.

44. Fresh water Capacity : 100 Cu.M

45. Ballast Tanks : 3 Nos. Total 294 Tonnes

SECTION -IV

COCHIN PORT TRUST

SCHEDULE-II

BILL OF QUANTITIES

Tender No. MD/MES/TECH /188/2021(RT)

Tender for the "Dry docking and allied repairs of Cochin Port Trust's Grab Hopper Dredger Nehru Shatabdi")

Attached in Price Bid

SECTION VI

COCHIN PORT TRUST

DRAWINGS

| Sl. No. | Drawing |
|---------|--------------------|
| 1 | Docking plan |
| 2 | Draw Bar |
| 3 | Shell expansion |
| 4 | Shell expansion -1 |
| 5 | Hopper seal |
| 6 | Hopper seal-1 |
| 7 | Docking plan |